

Item List with Specification

Tender Ref. No. T-882/MPPHSCL/Various Consumables for Cardiology/RC/2026, Dt. 01-04-2026

S.No.	Item Code	Item Name	Specification	Unit/SKU	NABL	Quantity
1	202408016	Angiographic GuideWire(Amplatz Extra stiff guide wire),Consumable	Amplatz Extra stiff guide wire, long length of 260 cm to 300 cm of 0.035" size.	Each	Yes	60
2	202408018	Peripheral Guidewires(0.018 Guide wire),Consumable	Steerable PTA guide wire with floppy tip, scitanium stainless steel alloy core, extrasupport of 0.018" diameter, ≥300 cm long. Tip Non-hydrophilic or Tip Hydrophilic.	Each	Yes	300
3	202408015	Angiographic GuideWire(Amplatz Super stiff guide wire),Consumable	Amplatz Super stiff guide wire, long length of 260 cm to 300 cm of 0.035" size.	Each	Yes	60
4	202408017	Guide Catheter Extension(Mother and child),Consumable	Mother and child catheter assembly for using smaller guide catheter inside large guide catheter.	Each	Yes	30
5	202408007	Femoral Guiding Catheters- Left coronary bypass guide catheter(6F/7F),Consumable	PTCA Guiding catheter, 90-110 cm long: It should be large lumen (minimum of 0.071" inner lumen in 6F, ≥0.081" in 7F, ≥0.091" in 8F), double braided stainless steel for good torque response and outer layer polymer coated for lubricity and deliverability. It should have atraumatic soft, rounded tip with radio opaque marker band at the tip.	Each	Yes	60
6	202408008	Femoral Guiding Catheters-Right coronary bypass guide catheter(6F/7F),Consumable	PTCA Guiding catheter, 90-110 cm long: It should be large lumen (minimum of 0.071" inner lumen in 6F, ≥0.081" in 7F, ≥0.091" in 8F), double braided stainless steel for good torque response and outer layer polymer coated for lubricity and deliverability. It should have atraumatic soft, rounded tip with radio opaque marker band at the tip.	Each	Yes	60
7	202408006	PTCA insertion needle accepting(0.035 guide wires),Consumable	PTCA insertion needle accepting 0.035" guide wires.	Each	Yes	600
8	202408005	PTCA insertion needle accepting(0.014 guide wires),Consumable	PTCA insertion needle accepting 0.014" guide wires.	Each	Yes	15000

Item List with Specification

Tender Ref. No. T-882/MPPHSCL/Various Consumables for Cardiology/RC/2026, Dt. 01-04-2026

S.No.	Item Code	Item Name	Specification	Unit/ SKU	NABL	Quantity
9	202408013	Angiographic Guidewire('Straight' tip, - Hydrophilic polymer coated Standard length (150-180cm)),Consumable	Angiographic Guidewire, Hydrophilic polymer coated; 'Straight' tip, Standard length (150-180cm), diameter 0.021" / 0.025" / 0.032" / 0.035" / 0.038"	Each	Yes	300
10	202408012	Angiographic Guidewire('J' tip, - Hydrophilic polymer coated),Consumable	Angiographic Guide wire, Hydrophilic polymer coated; 'J' tip, Standard length (150-180cm), diameter 0.021" / 0.025" / 0.032" / 0.035" / 0.038"	Each	Yes	15000
11	202408010	Angiographic GuideWire (Straight tip),Consumable	Angiographic GuideWire 0.035", PTFEcoated, 'Straight' tip, Standard length (150-160 cm)	Each	Yes	1200
12	202408011	Angiographic GuideWire(J tip, exchange length),Consumable	Angiographic Guide Wire, PTFE coated, 'J' tip, Exchange length of (250-260 cm). Diameter 0.038"/ 0.035"/ 0.032"/ 0.025"/ 0.021"	Each	Yes	1200
13	202408009	Angiographic GuideWire-(J tip),Consumable	Angiographic Guide Wire 0.035", PTFE coated, 'J' tip, Standard length (150-160 cm)	Each	Yes	30000
14	202408050	Stents for Coarctation of Aorta(Covered),Consumable	Covered stent for coarctation of Aorta .Length 30-70 mm.Variou diameter of upto≥40 mm.	Each	Yes	30
15	202408039	Valvuloplasty(balloon), Consumable	Ultra-high pressure valvuloplasty balloon dilation catheter with multiple markers.	Each	Yes	60
16	202408038	Balloon Aortic(valvuloplasty), Consumable	Percutaneous valvuloplasty balloon catheter for adult use, of different sizes available upto 30 mm and length upto 60 mm, with higher RBP (3-6 atm).	Each	Yes	60
17	202408037	aortic valvuloplasty balloon(catheters set), Consumable	Percutaneous aortic valvuloplasty balloon catheters of different sizes; available in sets containing balloon catheter, dilator, guide wire, caliper with technology for stable position of balloon across aortic valve during dilatation.	Each	Yes	60

Item List with Specification

Tender Ref. No. T-882/MPPHSCL/Various Consumables for Cardiology/RC/2026, Dt. 01-04-2026

S.No.	Item Code	Item Name	Specification	Unit/ SKU	NABL	Quantity
18	202408036	Pulmonary valvuloplasty balloon(catheters set), Consumable	Percutaneous pulmonary valvuloplasty balloon catheters of different sizes; available in sets containing balloon catheter, dilator, guide wire, caliper with technology for stable position of balloon across pulmonary valve during dilatation.	Each	Yes	60
19	202408064	Peripheral stent graft(Self-expandable),Consumable	Self-expandable peripheral stent graft of all diameters and varying lengths	Each	Yes	12
20	202408063	Peripheral stent graft(Balloon expandable with PTFE),Consumable	Balloon expandable stent graft with PTFE expandable upto 24 mm	Each	Yes	12
21	202408059	Self-expanding peripheral stents(Vascular mimetic stents),Consumable	Vascular mimetic stents for distal SFA, popliteal and across joints, 0.018" compatible, nitinol interwoven design, of 4-7 mm diameter and lengths upto 200 mm	Each	Yes	12
22	202408029	Peripheral balloons(0.035 guide wire),Consumable	Peripheral long balloon, semi compliant, various diameters of 4 to 24 mm. Length: 20 to ≥100 mm. OTW over 0.035" guide wire.	Each	Yes	300
23	202408065	Peripheral stent graft(Covered stents),Consumable	Self-expanding covered stents of diameters 6-14mm and length 20-70 mm.	Each	Yes	12
24	202408056	Self-expanding peripheral stents(0.035 guidewire),Consumable	Over the wire, 0.035" guidewire compatible, nitinol peripheral stent of diameter 5-14 mm of varying lengths	Each	Yes	30
25	202408062	Peripheral stent graft(Balloon expandable),Consumable	Balloon expandable peripheral stent graft of all diameters and varying lengths, compatible with 6F/7F/8F	Each	Yes	12
26	202408032	Peripheral Cutting balloons,Consumable	Peripheral cutting balloon with blades at the surface of the non-compliant balloon, 5.0 to 8.0 mm diameter length up to 20 mm. OTW over 0.018" guide wire. Working length: 50 cm, 90 cm, 135 cm	Each	Yes	60

Item List with Specification

Tender Ref. No. T-882/MPPHSCL/Various Consumables for Cardiology/RC/2026, Dt. 01-04-2026

S.No.	Item Code	Item Name	Specification	Unit/ SKU	NABL	Quantity
27	202408027	Drug Eluting coronary balloons(Paclitaxel),Consumable	Coronary Paclitaxel eluting balloon dilation catheter, 0.014" wire compatible, rapid exchange. Diameter (mm) 2.0, 2.5, 2.75, 3.0, 3.5, 4.0. Length (mm) 12/15 mm to ≥40 mm in various lengths	Each	Yes	300
28	202408053	Peripheral Renal Balloon mounted stent(0.018 Guidewire),Consumable	Monorail 0.018" guidewire compatible balloon mounted renal stent of various diameter and varying length.	Each	Yes	30
29	202408026	Cutting Balloon(Catheter),Consumable	PTCA cutting balloon with blades or such new cutting device at the surface of the balloon, blades/cutting devices arranged with hinges in every 5 mm of balloon for better trackability. Diameter 2.0mm4.00 mm length 6-15 mm	Each	Yes	300
30	202408052	Peripheral Carotid stents self-expandable(Closed Cell),Consumable	Self-expanding Nitinol carotid stent, monorail, closed cell design with flared ends-tapered, 6F sheath compatible, various length and diameters	Each	Yes	12
31	202408060	Self-expanding peripheral stents,Consumable	Over the wire, 0.035" wire compatible, self-expandable stent of braided construction, with higher flexibility and improved compression resistance, of diameter 12-20 or more than 20 mm mm variable lengths.	Each	Yes	12
32	202408024	PTCA Balloon catheter(Post-dilatation High pressure NC balloon (RBP 20-22 atm)),Consumable	High pressure non-compliant balloon with 20-22 atm RBP, Hydrophilic coating of the distal monorail part, 5F Guiding compatible, smooth, rounded distal tip and no edge over-dilatation at higher pressure. Available Diameter(mm): 2, 2.25, 2.5, 2.75, 3.0, 3.25, 3.5, 3.75, 4, 4.5, 5.0. Length(mm): minimum 6/8 mm to ≤ 30 mm.	Each	Yes	6000
33	202408054	Balloon expandable stainless-steel peripheral stents(0.035 wire compatible),Consumable	Peripheralballoon expandable stainlesssteel stent of diameter 5 to 10 mm and length 20 to 60 mm, 0.035" wire compatible, Over the wire.	Each	Yes	30

Item List with Specification

Tender Ref. No. T-882/MPPHSCL/Various Consumables for Cardiology/RC/2026, Dt. 01-04-2026

S.No.	Item Code	Item Name	Specification	Unit/ SKU	NABL	Quantity
34	202408055	Balloon expandable stainless-steel peripheral stents(0.018 wire compatible),Consumable	Peripheral balloon expandable stainlesssteel stent of diameter 5 to10 mm and length 20 to 60 mm, 0.018" wire compatible, OTW.	Each	Yes	30
35	202408057	Self-expanding peripheral stents(12-20 mm or more than 20 mm),Consumable	Over the wire, 0.035" guidewire compatible, nitinol peripheral stent of diameter 12-20 mm or more than 20 mm of varying lengths.	Each	Yes	30
36	202408033	Peripheral drug (Paclitaxel)(eluting balloon),Consumable	Paclitaxel eluting peripheral drug eluting balloon catheter (Ballon should be compatible with guide wire 0.014)	Each	Yes	300
37	202408058	Self-expanding peripheral stents(0.018 guidewire compatible),Consumable	Over the wire, 0.018" guidewire compatible, Low entry profile, nitinol peripheral stents of all sizes and lengths	Each	Yes	30
38	202408030	Peripheral balloons(0.018 guide wire),Consumable	Peripheral long balloon, semi compliant, various diameters of 4mm to ≥8 mm. Length: 20 to ≥100 mm. OTW over 0.018" guide wire.	Each	Yes	300
39	202408046	Everolimus stents(biostable polymer),Consumable	Everolimus coated drug eluting coronary stent with biostable polymer. Cobalt chromium platform/Platinum chromium platform, Open cell design, strut thickness ≥ 80 μm, entry profile 0.017" or less with lowest shaft profile, 5F guide compatible, length 8mm to 48mm and diameter 2.25mm to 4mm	Each	Yes	600
40	202408047	Everolimus stents(Platinum chromium Platform),Consumable	Everolimus coated drug eluting coronary stent, bioabsorbable polymer with abluminal coating, Platinum chromium platform with variable strut thickness of ≥ 70 μm depending on stent diameter for better radial strength, with good post dilatation expansion limit, 5F guide compatible with dual layer balloon design for better strut apposition. Diameter available from 2.25 mm to ≥4.5 mm in different lengths.	Each	Yes	600

Item List with Specification

Tender Ref. No. T-882/MPPHSCL/Various Consumables for Cardiology/RC/2026, Dt. 01-04-2026

S.No.	Item Code	Item Name	Specification	Unit/ SKU	NABL	Quantity
41	202408031	Peripheral balloons(0.014 guide wire),Consumable	Peripheral balloon, semi compliant, various diameters of 4mm to 8mm. Length: 20 to 40 mm. Monorail, compatible over 0.014" guide wire	Each	Yes	300
42	202408034	Peripheral drug((Sirolimus) eluting balloon),Consumable	Sirolimus eluting peripheral drug eluting balloon catheter	Each	Yes	300
43	202408028	Drug Eluting coronary balloons(Sirolimus),Consumable	Coronary Sirolimus eluting balloon dilation catheter, 0.014" wire	Each	Yes	300
44	202408051	Peripheral Carotid stents self(expandable),Consumable	Self-expanding, Nitinol carotid stent, monorail type, tapered end, 0.014" guide wire compatible, various length and diameter	Each	Yes	60
45	202408021	PTCA Balloon Catheter(Predilataion SC balloon: Low entry profile),Consumable	PTCA pre-dilatation semi-compliant balloon, lowest tip entry profile of ≤0.016", crossing profile of ≤0.021", or ≤0.017", crossing profile of ≤0.026" Zero fold or minimum fold with low profile and marker for better visibility, stepwise transition stiffening for more pushability for difficult to cross lesions. Radio-opaque marker (single) at the center of the balloon in small diameter balloons. Diameter (mm): 1.2/1.25, 1.5, 2.0. Length: minimum 6-8 mm to 12-15 mm.	Each	Yes	6000
46	202408048	Zotarolimus(stents),Consumable	Zotarolimus coated drug eluting coronary stent with biostable polymer. Cobalt-chromium platform, Small strut thickness, entry profile 0.017" or less with lowest shaft profile, 5F guide compatible, with diameter available from 2.25 mm to 4.0 mm and length available up to < 48 mm.	Each	Yes	600

Item List with Specification

Tender Ref. No. T-882/MPPHSCL/Various Consumables for Cardiology/RC/2026, Dt. 01-04-2026

S.No.	Item Code	Item Name	Specification	Unit/ SKU	NABL	Quantity
47	202408020	PTCA Balloon Catheter(Predilataion semi compliant balloon: Ultralow entry profile),Consumable	PTCA Pre-dilatation semi-compliant balloon, monorail/rapid exchange Stainless steel Hypotube shaft design, Ultra-low entry profile (≤ 0.016 " inch) with 5F guides catheter compatible, Hydrophilic coating of the distal monorail part. Radio-opaque marker for visibility. Diameters (mm): 1.0, 1.2/1.25, 1.5, 2.0. Length: ≤ 10 mm to ≥ 20 mm.	Each	Yes	15000
48	202408019	PTCA Balloon Catheter(Predilataion Semi compliant balloon),Consumable	PTCA Pre-dilatation, monorail/rapid exchange balloon (semi compliant). Stainless steel Hypotube shaft design, low entry profile (≤ 0.016 ") and 5F guide catheter compatibility. Radio-opaque markers at both ends. Diameters (mm): 1.0, 1.25, 1.5, 2.0, 2.5, 3, 3.5, ≥ 4.0 . Length: ≤ 10 mm to ≥ 30 mm.	Each	Yes	6000
49	202408025	Scoring balloon(Catheter),Consumable	Scoring balloon catheter with flexible Nitinol Scoring element in a helical fashion for circumferential scoring with three rectangular spiral struts on a semicompliant balloon for coronary applications.Diameter (mm): 2.0, 2.5, 3.0, 3.5. Length (mm): 10, 15, 20	Each	Yes	150
50	202408022	PTCA Balloon catheter(Post-dilatation High pressure NC balloon (RBP Less than or equal to16 atm)),Consumable	High pressure non-compliant balloon with ≤ 16 atm RBP, smooth, rounded distal tip and no edge over-dilatation at higher pressure; with least balloon overhang at the edges. Available Diameter(mm): 2.5, 3.0, 3.5, ≥ 4 . Length(mm): ≤ 10 to ≥ 30 .	Each	Yes	3000

Item List with Specification

Tender Ref. No. T-882/MPPHSCL/Various Consumables for Cardiology/RC/2026, Dt. 01-04-2026

S.No.	Item Code	Item Name	Specification	Unit/ SKU	NABL	Quantity
51	202408023	PTCA Balloon catheter(Post-dilatation High pressure NC balloon (RBP 18-20 atm)),Consumable	High pressure non-compliant balloon with low (<0.018") lesion entry profile and 18-20 atm RBP, Hydrophilic (distal tip to guidewire exit port) and Hydrophobic (guidewire lumen) coating, 5F Guiding catheter compatible,smooth, rounded distal tip and no edge over-dilatation at higher pressure; with least balloon overhang at the edges. Available Diameter(mm): 1.75, 2.0, 2.5, 2.75, 3.0, 3.5, ≥4. Length(mm): 6-8mm to ≤ 20 .	Each	Yes	6000
52	202408045	SIROLIMUS ELUTING CORONARY STENT(Ultra thin Strut thickness),Consumable	Sirolimus coated drug eluting coronary stent, Cobalt-chromium platform with strut thickness of ≤65 μm in all diameters, 5F guide catheter compatible with diameter available from 2.0 mm to 4.5 mm and length available up to ≥48 mm in all diameters	Each	Yes	600
53	202408043	SIROLIMUS ELUTING CORONARY STENT(open cell design with ultra thin stent thickness),Consumable	Sirolimus coated drug eluting coronary stent, with cobalt chromium platform, open cell design, ≤60μm stent thickness, entry profile 0.017" or less with lowest shaft profile, 5F guide compatible Sizes: diameter of 2- 4.5 mm and length of 8- 48 mm.	Each	Yes	2400
54	202408041	SIROLIMUS ELUTING CORONARY STENT(stainless steel),Consumable	Sirolimus coated drug eluting coronary stent,stainless steel platform with≤90 μm Strut thickness, entry profile 0.017" or less with lowest shaft profile, 5F guide compatible different length and diameter	Each	Yes	1200
55	202408044	SIROLIMUS ELUTING CORONARY STENT(Polymer free),Consumable	Sirolimus coated drug eluting coronary stent with abluminal coating, no polymer (polymer free stent), ≤ 70 μm strut thickness, hybrid design for side branch access, with lowest shaft profile, 5F guide compatible, Sizes: diameter of 2 to 4.0 mm and length of 8 to 48 mm.	Each	Yes	600

Item List with Specification

Tender Ref. No. T-882/MPPHSCL/Various Consumables for Cardiology/RC/2026, Dt. 01-04-2026

S.No.	Item Code	Item Name	Specification	Unit/ SKU	NABL	Quantity
56	202408042	SIROLIMUS ELUTING CORONARY STENT(biodegradable polymer with abluminal coating),Consumable	Sirolimus coated drug eluting coronary stent, Cobalt-chromium platform with biodegradable polymer, abluminal coating, ≤80 µm Strut thickness, entry profile 0.016" or less with lowest shaft profile, 5F guide compatible.Sizes: diameter of 2 to 4.0 mm and length of 8 to 48 mm.	Each	Yes	1200
57	202408035	PTMC Balloon with accessories(without vent tube),Consumable	PTMC double lumen balloon with no hole on the balloon wall,no vent tube, different sizes, with all accessories.	Each	Yes	120
58	202408040	Sizing balloon for ASD(Circular shape),Consumable	Sizing balloon for ASD device closure: Circular shape	Each	Yes	30

Note:-1- Firm must replace all types of Stent and ballons free of cost before 06 months of expiry
 2- CE/USFDA is mandatory