

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	30-04-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	30-04-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Delhi
विभाग का नाम/Department Name	Training And Technical Education Department Delhi
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	North West Zone
कुल मात्रा/Total Quantity	172
वस्तु श्रेणी /Item Category	Modular Work Stations (V3) (Q2) , Executive Table (V4) (Q2) , Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (Q2) , Revolving Chair (V5) (Q2) , Chair for General Purpose (Q2) , Modular Table / Meeting Table / Centre Table (V2) (Q2) , Sofa (V3) (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	22 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	180 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Modular Work Stations (V3)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	90000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Registrar

Delhi Technological University, Shahbad Daultapur, Bawana Road, Delhi-110042

(Registrar, Dtu)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference

No

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference

No

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

financial breakup - [1776683978.xlsx](#)

Modular Work Stations (V3) (5 per seat)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS	Type of system	Tile based system (shape fit tiles), Panel based system
MATERIAL	Frame material for work station	Engineered Wood / Wood, Aluminium, Stainless Steel
	Material of table top	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	5	45

Executive Table (V4) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Thickness of Table Top (Tolerance ± 5 mm)	25 mm, 36 mm
	Length of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Depth of Table Top (Tolerance ± 20 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
Table Understructure	Type of Material in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Support Type in Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Extendable Returnable Unit (ERU) Characteristics	ERU Position wrt to Table Top	Left Aligned, Right Aligned
	Width of ERU (Extended Return Unit) (Tolerance ± 20 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm
	Depth of ERU (Extended Return Unit) (Tolerance ± 20 mm)	450 mm, 600 mm, 750 mm
	Type of ERU (Extended Return Unit)	With Storage, Without Storage
Pedestal Characteristics	Availability of Pedestal Unit	Yes, No
Keyboard Tray	Availability of Keyboard Tray	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	1	45

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600	
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	1	45

Revolving Chair (V5) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi- 110042. India	1	45

Chair For General Purpose (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back
	Lumbar Support available in Seat Backrest	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No
	Type of Armrest in Chair	Without Armrest, Fixed armrest with Cushion, Fixed armrest with Padding, Fixed armrest without cushion and padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi- 110042. India	3	15

Executive Table (V4) (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Thickness of Table Top (Tolerance ± 5 mm)	25 mm, 36 mm
	Length of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Depth of Table Top (Tolerance ± 20 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
Table Understructure	Type of Material in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Support Type in Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Extendable Returnable Unit (ERU) Characteristics	ERU Position wrt to Table Top	Left Aligned, Right Aligned
	Width of ERU (Extended Return Unit) (Tolerance ± 20 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm
	Depth of ERU (Extended Return Unit) (Tolerance ± 20 mm)	450 mm, 600 mm, 750 mm
	Type of ERU (Extended Return Unit)	With Storage, Without Storage
Pedestal Characteristics	Availability of Pedestal Unit	Yes, No
Keyboard Tray	Availability of Keyboard Tray	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	3	45

Revolving Chair (V5) (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	3	45

Revolving Chair (V5) (6 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi- 110042. India	6	45

Revolving Chair (V5) (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	5	45

Revolving Chair (V5) (52 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Polyester fabric
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	52	45

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	1	45

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi- 110042. India	1	45

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi- 110042. India	1	45

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
	Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	5	45

Sofa (V3) (4 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	2 - seater, 3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Upholstery Material of Primary Unit in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	4	45

Sofa (V3) (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	2 - seater, 3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1
	Upholstery Material of Primary Unit in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi- 110042. India	2	45

Sofa (V3) (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / [As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	2 - seater, 3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1
	Upholstery Material of Primary Unit in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi- 110042. India	2	45

Sofa (V3) (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	2 - seater, 3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1
	Upholstery Material of Primary Unit in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	3	45

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	1	45

Modular Table / Meeting Table / Centre Table (V2) (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi- 110042. India	3	45

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (4 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600	
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	4	45

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
	Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	2	45

Executive Table (V4) (20 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Table Top (Tolerance ±5 mm)	25 mm, 36 mm
	Length of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Depth of Table Top (Tolerance ±20 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
Table Understructure	Type of Material in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Support Type in Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Extendable Returnable Unit (ERU) Characteristics	ERU Position wrt to Table Top	Left Aligned, Right Aligned
	Width of ERU (Extended Return Unit) (Tolerance ±20 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm
	Depth of ERU (Extended Return Unit) (Tolerance ±20 mm)	450 mm, 600 mm, 750 mm
	Type of ERU (Extended Return Unit)	With Storage, Without Storage
Pedestal Characteristics	Availability of Pedestal Unit	Yes, No
Keyboard Tray	Availability of Keyboard Tray	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	20	45

Revolving Chair (V5) (20 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	20	45

Revolving Chair (V5) (20 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi- 110042. India	20	45

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi-110042. India	1	45

Modular Table / Meeting Table / Centre Table (V2) (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akshay Garg	110042,DELHI TECHNOLOGICAL UNIVERSITY Shahbad Daulatpur, Main Bawana Road, Rohini Delhi- 110042. India	2	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Provisions for workmen compensation, insurance, public liability, property damage, insurance etc. to be ensured by the contractor. Also, safety measures prescribed for working in Extra High Voltage & use of personnel protective equipment must be adhered to.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector

Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने

व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा |/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---