

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	16-05-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	16-05-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Uttar Pradesh
विभाग का नाम/Department Name	Energy Department Uttar Pradesh
संगठन का नाम/Organisation Name	Uttar Pradesh Rajya Vidyut Utpadan Nigam Limited (uprvunl) Lucknow
कार्यालय का नाम/Office Name	Lucknow
कुल मात्रा/Total Quantity	771
वस्तु श्रेणी /Item Category	FINOLEX FLEXIBLE 1 INCH HOSE PIPE , SPLIT AC COPPER TUBE 1-BY-2 INCH , SPLIT AC COPPER TUBE 1-BY-4 INCH , Refrigerant R134A , REFRIGERANT GAS R-407 C , REFRIGERANT GAS R-32 , CBT-110, 125AMP, TERMINAL BLOCK, CERAMIC , REFRIGERANT COPPER PIPE 7-BY-8 SPLITAC , TB-16MM,1000V,76A 600V,100A,3-12AWG, PVC , V BELT SPA-PT1900 LONG , V BELT SPA-PT2360 LONG , REFRIGERANT COPPER PIPE 13-BY-8 SPLITAC , VBELT SPA2120 , VBELT SPA1850 , VBELT SPB2500 , V-BELT SIZE SPB 3800 , REFRIGERANT COPPER PIPING 1 1-BY-8 INCH , REFRIGERANT COPPER PIPING 5-BY-8 INCH
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	FINOLEX FLEXIBLE 1""HOSE PIPE, SPLIT AC COPPER TUBE 1/2", SPLIT AC COPPER TUBE 1/4", 080101_Refrigerant R134A, 080101 REFRIGERANT GAS R-407 C, 080502 REFRIGERANT GAS R-32, CBT-110(125AMP)TERMINAL BLOCK(CERAMIC), REFRIGERANT COPPER PIPE 7/8 SPLITAC, TB-16MM,1000V,76A 600V,100A,3-12AWG(PVC), V BELT SPA-PT1900LONG, V BELT SPA-PT2360LONG, REFRIGERANT COPPER PIPE 13/8 SPLITAC, 3135 VBELT SPA2120, 3135VBELT SPA1850, 3135VBELT SPB2500, 3135 V-BELT SIZE SPB 3800, REFRIGERANT COPPER PIPING 1 1/8", 80101_REFRIGERENT COPPER PIPING 5/8"
	Searched String: FINOLEX FLEXIBLE 1""HOSE PIPE Black Flexible Rubber Hose Pipe, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cryogenic Flexible Hose, Hydraulic Hose, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Rubber Steam Hose (V2) as per IS 10655, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible

बिड विवरण / Bid Details

Conductor (V2) ISI Marked To IS 694, Cotton braided pneumatic rubber hose, Hose Clamp as per IS 4762,

Elastomer Insulated, Unkinkable Flexible Cords (Domestic Type) Marked To IS 9968 (Part 1)

Searched String: SPLIT AC COPPER TUBE 1/2"

Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner, Floor Mount Type (V3) ISI Marked to IS 1391 (Part 2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2), AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, HDMI Splitter, Minifuge

Searched String: SPLIT AC COPPER TUBE 1/4"

Sulphanilic Acid, Split Air Conditioner Including Green AC, Wall Mount Type (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Ultra Violet (UV) Cabinet for Sterilization, Non Sparking Double Ended Ring Spanner (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Non Sparking Double Open Ended Spanner (V2)

Searched String: 080101_Refrigerant R134A

Refrigerant Gas, Refrigeration Gas Chlorodifluoro Methane Type CFM 22 (R - 22) as per IS 5610:1983, Panel Air Conditioner, Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Multiple Split System Air Conditioners and Air to Air Heat Pumps (VRF Air Conditioners) Conforming to IS 18728, File/Folder (V3), Muffle Furnace, Refrigerated Centrifuge For General And Research Purpose, Towel Hand Cotton Turkish (IAF)

Searched String: 080101 REFRIGERANT GAS R-407 C

Refrigeration Gas Chlorodifluoro Methane Type CFM 22 (R - 22) as per IS 5610:1983, Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Panel Air Conditioner

Searched String: 080502 REFRIGERANT GAS R-32

Refrigerant Gas, Refrigeration Gas Chlorodifluoro Methane Type CFM 22 (R - 22) as per IS 5610:1983, Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Laboratory Glass Adapters

Searched String: CBT-110(125AMP)TERMINAL BLOCK(CERAMIC)

Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details

by the buyer

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

Searched String: REFRIGERANT COPPER PIPE 7/8 SPLITAC

Drill Pipes (Petroleum Industry), Non Sparking Pipe Wrench (V2), Copper Nickel Pipe, External Upset End (EUE) Tubing, Non Sparking Combination Spanners (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2)

Searched String: TB-16MM,1000V,76A 600V,100A,3-12AWG(PVC)

V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Watermist and Caf Fire Extinguisher Low Pressure Back Pack Type (V2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), traffic signs - bilinker light, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: V BELT SPA-PT1900LONG

V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Spin Bike, Exercise Bike, Shaping Machine

Searched String: V BELT SPA-PT2360LONG

V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Spin Bike, Exercise Bike, Shaping Machine

Searched String: REFRIGERANT COPPER PIPE 13/8 SPLITAC

Polyethylene Pipes for Water Supply conforming to IS 4984, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Non Sparking Pipe Wrench (V2), Copper Nickel Pipe, Non Sparking Combination Spanners (V2), Non Sparking Double Open Ended Spanner (V2)

Searched String: 3135 VBELT SPA2120

V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494

Searched String: 3135VBELT SPA1850

V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Insulated Tunnel / Dome Tent

Searched String: 3135VBELT SPB2500

Hot air oven, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Pallet Truck (V2), Roti Making Machine, Distribution Transformer, 3 Phase, 11 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Mild Steel Sheet, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, PCR Master Mix,

बिड विवरण / Bid Details	electronic digital postal franking machine, Aluminium Composite Panel Sheet
	<p>Searched String: 3135 V-BELT SIZE SPB 3800</p> <p>V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494</p> <p>Searched String: REFRIGERANT COPPER PIPING 1 1/8"</p> <p>BCAA 8:1:1 Powder, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Health Supplements, Nutraceuticals and Food for Special Dietary Use, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694</p> <p>Searched String: 80101_REFRIGERENT COPPER PIPING 5/8"</p> <p>Non Sparking Double Ended Ring Spanner (V2), Non Sparking Pipe Wrench (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Combination Spanners (V2), Non Sparking Adjustable Wrench (V2), Non Sparking Hammers (V2), Non Sparking Ring Slugging Spanners (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Premium</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<p>Casing Pipe (Petroleum Industry)</p> <ul style="list-style-type: none"> Spares For Coal Mills Of Thermal Power Stations (GSECL)
बीओक्यू शीर्षक /BOQ Title	BOQ Item HVAC
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	2 Lakh (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ /Document required from seller	<p>Bidder Turnover, Certificate (Requested in ATC), Additional Doc 1 (Requested in ATC), Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	FINOLEX FLEXIBLE 1 INCH HOSE PIPE
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	602316.84
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	PUNJAB NATIONAL BANK
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	50
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	215
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	110

Schedule 4 ईएमडी राशि/EMD Amount (In INR)	2460
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	1100
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	760
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	30
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	115
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	5
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	65
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	450
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	85
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	150
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	45
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	40
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	50
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	170
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	100

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Dy. CAO, CFA and BO, Jawaharpur TPS, Malawan, Etah
Lucknow, Energy Department Uttar Pradesh, Uttar Pradesh Rajya Vidyut Utpadan Nigam Limited (UPRVUNL)
Lucknow,
(Dy. Cao, Cfa And Bo, Jtps)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	अनुमानित मूल्य / Estimated Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	4956	Finolex Flexible 1 Inch Hose Pipe	100
Schedule 2	21240	Split Ac Copper Tube 1-by-2 Inch	100
Schedule 3	10620	Split Ac Copper Tube 1-by-4 Inch	100
Schedule 4	247800	Refrigerant R134a	200
Schedule 5	109740	Refrigerant Gas R-407 C	100
Schedule 6	75992	Refrigerant Gas R-32	70
Schedule 7	2950	Cbt-110, 125amp, Terminal Block, Ceramic	10
Schedule 8	11210	Refrigerant Copper Pipe 7-by-8 Splitac	10
Schedule 9	826	Tb-16mm,1000v,76a 600v,100a,3-12awg, Pvc	10
Schedule 10	6608	V Belt Spa-pt1900 Long	4
Schedule 11	45474.84	V Belt Spa-pt2360 Long	9
Schedule 12	8732	Refrigerant Copper Pipe 13-by-8 Splitac	10
Schedule 13	15045	Vbelt Spa2120	15

Schedule 14	4602	Vbelt Spa1850	6
Schedule 15	4071	Vbelt Spb2500	3
Schedule 16	4956	V-belt Size Spb 3800	4
Schedule 17	17228	Refrigerant Copper Piping 1 1-by-8 Inch	10
Schedule 18	10266	Refrigerant Copper Piping 5-by-8 Inch	10

FINOLEX FLEXIBLE 1 INCH HOSE PIPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	100	30

SPLIT AC COPPER TUBE 1-BY-2 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	100	30

SPLIT AC COPPER TUBE 1-BY-4 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	100	30

Refrigerant R134A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	200	30

REFRIGERANT GAS R-407 C

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	100	30

REFRIGERANT GAS R-32

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	70	30

CBT-110, 125AMP, TERMINAL BLOCK, CERAMIC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	10	30

REFRIGERANT COPPER PIPE 7-BY-8 SPLITAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	10	30

TB-16MM,1000V,76A 600V,100A,3-12AWG, PVC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	10	30

V BELT SPA-PT1900 LONG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	4	30

V BELT SPA-PT2360 LONG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	9	30

REFRIGERANT COPPER PIPE 13-BY-8 SPLITAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	10	30

VBELT SPA2120

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	15	30

VBELT SPA1850

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	6	30

VBELT SPB2500

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	3	30

V-BELT SIZE SPB 3800

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	4	30

REFRIGERANT COPPER PIPING 1 1-BY-8 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	10	30

REFRIGERANT COPPER PIPING 5-BY-8 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rishikesh	207001,Jawaharpur Thermal Power Plant	10	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

3. Generic

OPTIONAL SITE VISIT:

1. The Bidder is advised to visit and examine the installation site and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the Bid. The costs of visiting the site shall be borne by the Bidder.

INCLUSIVE

2. The Bidder representative shall be allowed entry upon consignee premises for such visits, only upon the express conditions that the Bidder will release and indemnify the Buyer and Consignee against all liabilities arising out of such visit including death or injury, loss or damage to property, and any other loss, damage, costs, and expenses incurred as a result of such visit.

3. The Bidder shall not be entitled to hold any claim against Buyer for noncompliance due to lack of any kind of pre-requisite information as it is the sole responsibility of the Bidder to obtain all the necessary information with regard to site, surrounding, working conditions, weather etc. on its own before submission of the bid.

4. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

5. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's

Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

8. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

EXECUTIVE ENGINEER
STORE DIVISION
2X660MW JAWAHARPUR THERMAL POWER PROJECT
MALAWAN
ETAH
.

9. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

UP RAJYA VIDYUT UTPADAN NIGAM LTD
Account No.
2789002100007763
IFSC Code
PUNB0364300
Bank Name
PUNJAB NATIONAL BANK
Branch address
GT Road, Etah
.

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

10. **Rate Contract**

Materials shall be guaranteed for 12 months from the date of commissioning or 18 months from the date of supply whichever is earlier.

11. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.

7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---