

Form Factor (RU)	1
Type	NGFW
Features	Layer 3 - Layer 4 ,NAT ,VPN ,Application Visibility and Control (AVC) ,User Identity , Next Generation Intrusion Prevention System (IPS) ,Zero Day Protection / Advance Malware protection ,Web Security Essentials / URL Filtering
Throughput with all features enabled(Under Test Condition) (Mbps)	22000
VIEW MORE	
Throughput (Real World/Prod	22000

Product Compare

Product History 4

Digitally signed by
 INDRESH KUMAR
 Date: 2026.01.13
 10:33:38 AM
 Reason: I am PEPS-CRIS
 Location: New Delhi, gov.in/firewall-ngfw/sophos-xgs-4300-with-03-years-xstream-protection/p-5116877-7408642919

Specification

Form Factor (RU)	1
Type	NGFW
Features	Layer 3 - Layer 4,NAT,VPN,Application Visibility and Control (AVC),User Identity,Next Generation Intrusion Prevention System (IPS),Zero Day Protection / Advance Malware protection,Web Security Essentials / URL Filtering
Traffic handled	TCP,UDP,HTTP/TCP,TCP/UDP
Packet Size (KB)	1024
Throughput with all features enabled(Under Test Condition) (Mbps)	22000
Throughput (Real World/Prod Performance)(Under Test Condition) (Mbps)	22000
Concurrent Session/Concurrent Connection	15M
New session/Connection per second	350K
Type of Interface Supported Multiselect	GE Copper
Number of GE Copper interface	8
Product History	4

Signature

Digitally signed by
 INDRESH KUMAR
 Date: 2026.01.13
 10:33:38V
 Reason: IEP-S-CRIS

Number of 10G SFP+ interface	4
Number of QSFP+ 40 G interface	0
Number of GE Small Form-Factor Pluggable (SFP) interface	0
Number of QSFP28 100 G interface	0
Number of col /WAN Ports	8
Number of Ipsec VPN Peers supported (Site to Site)	4650
Number of Ipsec VPN Peers supported (Client to Site)	4650
Number of SSL VPN Peers supported (Client to Site)	2000
Type of Storage Disk	SSD
Storage Capacity (GB)	240
Power Supplies	Single
Hot Swappable Power Supply	No
Redundant Fan	No

Product History 4

Product History 4

Digitally signed by
 INDRESH KUMAR
 Date: 2026.01.13
 10:33:38VST
 Reason: I am a PEPS-CRIS

Hot Swappable (Redundant Fan)

No

Type of Processor

x86

High Availability Support

Yes

If Yes, High Availability from day 1

NA

Interface Expansion slots supported

2

Firewall Policies - License

Yes

Details of the Firewall Policies for the Firewall provided with the License

Web Security Essentials / URL Filtering,IPS License,Application Visibility License,APT (Advance Persistent Threat) License (Anti Malware Protection , C& C attacks, Geo IP Protection, Zero Day Threat Protection),Gateway Anti virus

NGIPS Signature supported

25000

Security Intelligence

IP,URL,Domain

Certification

Common Criteria /NDPP/NSS/ICSALabs

Minimum Operating Temperature (Degree C)

0

Maximum Operating Temperature (Degree C)

40

Product History

4

Digitally signed by
INDRESH KUMAR
Date: 2026.01.13
10:33:38V
Reason: I am a PEPS-CRIS

Minimum Operating Humidity (%RH) 10

Maximum Operating Humidity (%RH) 75

IPv6 Ready from day 1 Yes

On Site OEM Warranty (Year) 3

WEB INFO	ABOUT GeM	NEWS & EVENTS	RESOURCES	TRAINING	NEED HELP ?
Terms of Use	Introduction to GeM	Newsroom	GeM Handbook	LMS	FAQs
Website Policies	Statistics	Gallery	OM's/Circulars	Training Calendar	Feedback
Document Help	Right to Information	Notifications	Terms and Conditions	Training Module	Raise a Ticket
Sitemap	Analytics	CCM Schedule	Policies/Manuals	Facilitators	Contact Us
Web Information Manager	New on GeM	Forums	Miscellaneous	Download GeM Logo	Careers
	BRAND GeM	TESTIMONIALS	MOU'S		



Product History 4

Product Compare

© 2021 GeM All rights reserved

Site operated and maintained by Managed Service Provider



Product Comparison

Product History 4

Digitally signed by
INDRESH KUMAR
Date: 2026.01.13
10:33:38V
Reason: I am a PEPS-CRIS

page 8 of 8