

# कार्यालय अधीक्षक, नवीन चिकित्सालय, मेडिकल कालेज परिसर, कोटा

फोन / फैक्स : 0744-2662000

E-Mail: purchasenmchkota@gmail.com

क्रमांक: एफ.0/नचिको/लेखा/क्रय/सर्जिकल एवं सूचर्स/निविदा/2026-27/२५३९

दिनांक:- 30/04/2026

## ई-उपापन आमन्त्रण-सूचना

(उपापन संख्या/2026-27)

यू.बी.एन. संख्या: CMK2627GLRC00041

नवीन चिकित्सालय चिकित्सा महाविद्यालय कोटा सभी विभागों में काम आने वाले सर्जिकल, सूचर्स एवं संबंधित कन्ज्युमएबल्स आईटम ऑप्टि हेतु अनुभवी इच्छुक अधिकृत आपूर्तिकर्ताओं से ई-उपापन पद्धति से खुली प्रतियोगी बोलियाँ आमन्त्रित की जाती हैं :-

क्र.सं.	कार्य का नाम	अनुमानित मूल्य	बोली धरोहर राशि	बोली प्रपत्र शुल्क	आर.आई.एस.एल. प्रक्रिया शुल्क
1	2	3	4	5	6
1	नवीन चिकित्सालय चिकित्सा महाविद्यालय कोटा सभी विभागों में काम आने वाले सर्जिकल, सूचर्स एवं संबंधित कन्ज्युमएबल्स आईटम क्रय करने बाबत। (द्विवार्षिक दर संविदा)	7,00,00,000/- (सात करोड़ रूपये मात्र)	14,00,000 / - 2% (अनुमानित लागत कालम सं0-3 का)	2500/-	2500/-

क्र.सं.	विवरण	दिनांक	समय
1.	बोली एस.पी.पी.पी. पर प्रकाशन दिनांक	30.04.2026	दोपहर 02-00 बजे
2.	बोली ई-प्रॉकरमेन्ट पोर्टल पर प्रकाशन की दिनांक व समय	30.04.2026	सायं 03-00 बजे पश्चात्
3.	बोली ई-प्रॉकरमेन्ट पोर्टल पर प्रस्तुत/अपलोड आरम्भ करने की दिनांक व समय	30.04.2026	दोपहर 02-00 बजे से पश्चात
4.	बोली पूर्व बैठक की दिनांक व समय	06.05.2026	दोपहर 01-00 बजे से 02 बजे तक
5.	बोली ई-प्रॉकरमेन्ट पोर्टल पर प्रस्तुत/अपलोड की अन्तिम दिनांक व समय	19.05.2026	सायं 06-00 बजे तक
6.	तकनीकी बोली खोलने की दिनांक व समय	20.05.2026	सायं 03-00 बजे

- बोली प्रपत्र शुल्क व बोली प्रतिभूति राशि ई-चालान जो कार्यालय अधीक्षक नवीन चिकित्सालय मेडिकल कॉलेज कोटा के पक्ष में एवं आर.आई.एस.एल. प्रक्रिया शुल्क एम.डी. राजकॉम्प इन्फो सर्विसेज लि. (आर.आई.एस.एल.) के पक्ष में देय हो। बोली खोलने से पूर्व कार्यदिवस को ई-चालान की प्रति कार्यालय की Email ID- purchasenmchkota@gmail.com पर अनिवार्य रूप से प्रस्तुत करना होगा अन्यथा बोलीदाता द्वारा प्रस्तुत बोली पर विचार नहीं किया जायेगा।
- बोलीदाता को वेबसाइट <http://eproc.rajasthan.gov.in> पर ऑनलाइन बोली प्रक्रिया में भाग लेने हेतु सूचना प्रौद्योगिकी एक्ट 2000 के अन्तर्गत पंजिकृत एवं डिजिटल सिग्नेचर सर्टिफिकेट होना आवश्यक है।
- बोली आमंत्रण सूचना एवं प्रपत्र वेबसाइट [www.sppp.raj.nic.in](http://www.sppp.raj.nic.in) एवं <http://eproc.rajasthan.gov.in> पर भी देखें एवं डाउनलोड किये जा सकते हैं। सूचना का प्रकाशन नियमानुसार समाचार पत्र/पत्रों में भी किया जा रहा है। किसी भी पूछताछ हेतु कार्यालय समय में सम्पर्क किया जा सकता है।

(डॉ. आशुतोष शर्मा)  
अधीक्षक

नवीन चिकित्सालय, कोटा

क्रमांक: एफ.0/नचिको/लेखा/क्रय/सर्जिकल एवं कन्ज्युमएबल्स आईटम्स/निविदा/2026-27/२५३९

दिनांक:- 30/04/2026

प्रतिलिपि:- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

- श्रीमान् निदेशक, सूचना एवं जनसम्पर्क निदेशालय, राजस्थान, जयपुर को नियमानुसार समाचार पत्र/पत्रों में प्रकाशनार्थ।
- श्रीमान् प्रधानाचार्य एवं नियंत्रक, चिकित्सा महाविद्यालय कोटा।
- नोटिस बोर्ड कार्यालय/कॉलेज भवन/एन.एम.सी.एच./जे0के0 लोन/एम.बी.एस.चिकित्सालय कोटा।
- केशियर कार्यालय हाजा।
- आई.टी. शाखा कार्यालय हाजा ([www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) & sppp portal) पर अपलोड करने हेतु।

(डॉ. आशुतोष शर्मा)  
अधीक्षक

नवीन चिकित्सालय, कोटा

कार्यालय अधीक्षक, नवीन चिकित्सालय, मेडिकल कालेज परिसर, कोटा  
बोली-प्रपत्र (तकनीकी बिड)

खुली बोली (ई-उपापन)  
(उपापन संख्या 2/2026-27)

नवीन चिकित्सालय चिकित्सा महाविद्यालय कोटा सभी विभागों में काम आने वाले सर्जिकल, सूचर्स एवं संबंधित कन्ज्युमएबल्स आईटम क्रय करने बाबत। (द्विवार्षिक दर संविदा):-

1. बोलीदाता का नाम व स्थाई पता, दूरभाष संख्या एवं ई-मेल पता .....

2. बोली प्रपत्र शुल्क राशि रु 2,500/- का ई-चालान द्वारा .....

3. आर.आई.एस.एल. प्रक्रिया शुल्क राशि रु. 2,500/- ई चालान द्वारा .....

4. बोली प्रतिभूति राशि रु 14,00,000/- ई चालान द्वारा जमा के साथ जमा के प्रमाण स्वरूप चालान की प्रति निम्न विवरणानुसार संलग्न करें


S.No		Particular	Page No
1	Bid Fee Challan 09.07.2020 F.D. (G&T)	Date	
		Challan No	
		Amount	
2	Processing Fee Challan 09.07.2020 F.D.	Date	
		Challan No	
		Amount	
3	Earnest Money Challan	Date	
		Challan No	
		Amount	

5. बोलीदाता की तकनीकी योग्यता सम्बन्धित सामान्य कसौटियों :-

क्र.सं.	विवरण	रजिस्ट्रेशन संख्या	वर्ष	पंजीकरण दिनांक
01.	धरोहर राशि के विरुद्ध शपथ-पत्र 50 रूपये के नॉन-ज्युडिशियल स्टाम्प पर			
02.	बोली प्रपत्र शुल्क।			
03.	ई-टैण्डरिंग शुल्क			
04.	जी0एस0टी0 प्रमाण पत्र की प्रति			
05.	बोलीदाता का आधार कार्ड की दोनो पृष्ठ की छायाप्रति।			
06.	पैन नं0 की छायाप्रति संलग्न करनी होगी।			
07.	बोलीदाता को अधिकृत विक्रेता का प्रमाण-पत्र प्रस्तुत करना होगा।			
08.	Product list approved by Drug Controller Administration of GOI/GOR.			
09.	Firm should have 5 years of Experience of supply of quoted items with such orders issued by Govt Medical College or Govt Hospitals.			
10.	CA certified Turn Over Certificate of more than 3.50 Cr / Annum in any one of the last 5 financial years including			

	present financial year.			
11	रूपये 50/- का शपथ पत्र नोन ज्यूडिशियल स्टाम्प पेपर पर देय किसी संस्था द्वारा ब्लेकलिस्टेड नहीं किया।			
12	मूल निविदा प्रपत्र एवं शर्तों सहित प्रत्येक पृष्ठ पर निविदादाता फर्म की मोहर सहित हस्ताक्षर अंकित होना अनिवार्य है।			
13	राजस्थान दुकान एवं वाणिज्यिक संस्थान अधिनियम 1958 का प्रमाणपत्र या इण्डियन पार्टनरशिप एक्ट 1932 के अन्तर्गत का प्रमाण पत्र या इण्डियन कम्पनी एक्ट 1956 के अन्तर्गत का प्रमाण पत्र			
14	किसी अपराध मे लिप्त न होने के सम्बन्ध में नवीनतम (निविदा प्रकाशन की तिथि से अधिकतम 6 माह पुराना) चरित्र प्रमाण पत्र स्थानीय थाने से जारी			

नोट- उक्त बिन्दुओं के आधार पर बोलीदाता फर्म की तकनीकी जाँच की जावेगी एवं उन्ही योग्य फर्मों की वित्तीय बोली खोली जाएगी जो कि उपरोक्तानुसार तकनीकी मापदण्ड पूरा करती हो। साथ ही उक्त बिन्दुओं के सम्बंधित दस्तावेज स्वयं द्वारा सत्यापित बोली प्रपत्र के साथ क्रमवार सलंगन करना अनिवार्य है।

  
 (डॉ. आशुतोष शर्मा)  
 अधीक्षक  
 नवीन चिकित्सालय, कोटा

## -:दस्तावेज प्रस्तुत करने का तरीका:-

01. बोली प्रस्तुत करने से पूर्व बोली से सम्बन्धित समस्त नियमों एवं शर्तों को ध्यान पूर्वक पढ़ ले एवं किसी भी जानकारी की आवश्यकता हो तो बोलीदाता द्वारा चिकित्सालय के अधीक्षक से बोली प्रस्तुत करने की अन्तिम दिनांक/समय से पूर्व कार्यालय समय में सम्पर्क किया जा सकता है।
02. बोलीदाता को ऑनलाइन तकनीकी बिड (Technical bid) तथा वित्तीय बिड (Financial bid) ऑन लाइन पृथक-2 प्रस्तुत करनी होगी।
03. तकनीकी बिड के साथ तकनीकी बिड में मांग की गई कसौटियों/दस्तावेजों की स्केन की हुई प्रतियाँ अनिवार्य रूप से संलग्न करनी होगी इसके अभाव में बोली पर विचार नहीं किया जावेगा।
04. बोलीदाता द्वारा जो दरें भरी जावे उसमें सेवाकर/ जी.एस.टी. का उल्लेख अलग से स्पष्ट रूप से किया जाना आवश्यक है।
05. सप्लाई में निर्धारित समय से विलम्ब करने पर संवेदक से विलम्ब के लिए क्षतिपूर्ति के रूप में सामान्य वित्तीय एवं लेखा नियमों के नियम 58 (3) के अनुसार विलम्बित शास्ती ली जा सकेगी, जो अधिकतम 10 प्रतिशत तक होगी।
06. अनुबंधित फर्म को 500/- राशि के नॉन ज्यूडिशियल स्टॉम्प पेपर पर 10 दिवस की अवधि में अनुबन्ध प्रस्तुत करना होगा, जिसका समस्त व्यय अनुबंधित फर्म द्वारा वहन किया जावेगा।
07. अनुबंधित फर्म को अनुमोदित दर के आधार पर 5 प्रतिशत के कुल भुगतान के बराबर की प्रतिभूति राशि का डी.डी./बैंकर चैक/बैंक की सावधि जमा(राष्ट्रीयकृत बैंक द्वारा जारी की गई) के रूप में जो कि अधीक्षक एवं सदस्य सचिव, आरएमआरएस नवीन चिकित्सालय कोटा के नाम देय हो तथा कार्य प्रारम्भ करने की दिनांक से 30 माह तक वैध (vaild) होनी आवश्यक है, इस कार्यालय द्वारा प्रतिभूति राशि पर फर्म को कोई ब्याज नहीं दिया जावेगा।
08. अनुबंधित फर्म को अनुबन्ध कार्य का संचालन स्वयं को ही करना होगा, वह किसी अन्य व्यक्ति/संस्था को अनुबंध सबलेट नहीं करेगा।
09. किसी भी निविदा/अनुबंध को बिना कारण बताये निरस्त/अस्वीकार करने का पूर्ण अधिकार अधीक्षक एवं सदस्य सचिव, आरएमआरएस नवीन चिकित्सालय कोटा को होगा।
10. अनुबंधित फर्म द्वारा कार्य बीच में छोड़ने पर अनुबंध की शर्तों की पालना नहीं करने या अनुबंधित फर्म का कार्य संतोषप्रद नहीं होने की स्थिति में स्वीकृत अनुबंध निरस्त कर प्रतिभूति राशि को जब्त करने का पूर्ण अधिकार अधीक्षक एवं सदस्य सचिव, आरएमआरएस नवीन चिकित्सालय कोटा को होगा।
11. अनुबंधित फर्म व चिकित्सालय अधीक्षक अधीक्षक एवं सदस्य सचिव, आरएमआरएस नवीन चिकित्सालय कोटा के मध्य उपरोक्त निविदा से सम्बन्धित किसी भी प्रकार का विवाद उत्पन्न होने की स्थिति में प्रकरण मध्यस्थ प्रधानाचार्य एवं नियंत्रक महोदय चिकित्सा महाविद्यालय, कोटा के समक्ष निर्णय हेतु प्रेषित किया जावेगा, मध्यस्थ प्रधानाचार्य एवं नियंत्रक महोदय चिकित्सा महाविद्यालय, कोटा एवं सम्बद्ध चिकित्सालय कोटा द्वारा दिया गया निर्णय अंतिम होगा एवं दोनों पक्षकारों को मान्य होगा।
12. सभी विवादों का न्याय क्षेत्र कोटा स्थित न्यायालय होगा।
13. एम.आर.पी. से अधिक दर प्राप्त होने पर एवं प्रस्तुत राशि से कम राशि पर अन्य जगह सप्लाई करते पाए जाने पर जमा रक्षित राशि को जब्त कर अनुबन्ध निरस्त कर दिया जाएगा।
14. अनुमोदित सफल बोलीदाता को प्रत्येक कार्यादेश के अनुसार बिल के साथ चालान मय चैक लिस्ट को स्टोर, चिकित्सा महाविद्यालय कोटा के संलग्न चिकित्सालय कोटा के सम्बन्धित चिकित्सालय में प्रस्तुत करना होगा।

(i) बोली हेतु बोली शुल्क, धरोहर राशि एवं प्रक्रिया शुल्क निम्नांकित तालिकानुसार ऑनलाइन स्वीकार्य होंगे:-

ऑफलाईन फीस स्वीकार्य नहीं है।

क्र. सं.	शुल्क विवरण	शुल्क की राशि	भुगतान का प्रकार	के पक्ष में देय
1	बोली प्रपत्र शुल्क	बोली सूचना में दर्शित विवरणानुसार	राज्य सरकार के परिपत्र परिपत्र क्रमांक प.6 (6)वित्त/साविलेनि/2018 दिनांक 27.04.2020 के निर्देशानुसार जमा करावें। जमा के प्रमाण स्वरूप निविदा प्रपत्रों में जमा की प्रति संलग्न करें।	कार्यालय अधीक्षक नवीन चिकित्सालय, चिकित्सा महाविद्यालय, कोटा। 0075-00-800-52-01 निविदा शुल्क की प्राप्ति (कोड संख्या 20093)
2	धरोहर राशि	अनुमानित लागत का 2 प्रतिशत राशि 14.00 लाख		कार्यालय अधीक्षक नवीन चिकित्सालय, चिकित्सा महाविद्यालय, कोटा। 8443-00-103-00-00 प्रतिभूति निविदा शुल्क की प्राप्ति (कोड संख्या 20093)
3	ई-टेंडरिंग प्रक्रिया शुल्क	बोली सूचना में दर्शित विवरणानुसार	उपरोक्तानुसार	MD RISL Jaipur. 8658-00-102-16-01 सिविल विभाग

15. अपूर्ण/अस्पष्ट रूप से भरी हुई बोली एवं सशर्त बोली स्वीकार नहीं की जावेगी।

हस्ताक्षर बोलीदाता

पता.....

मोबाईल न0.....

ई0मेल.....



मैंने/हमने कार्यालय अधीक्षक एवं, सदस्य सचिव, आर०एम०आर०एस०, नवीन चिकित्सालय, मेडिकल कालेज परिसर, कोटा द्वारा जारी की गई आनलाईन बोली सूचना ..... दिनांक .....में वर्णित एवं बोली प्रपत्र के साथ संलग्न समस्त शर्तों को स्वीकार करने के साक्ष्य के रूप में मैंने/हमने हस्ताक्षर किये हैं जिन्हे मैं/हम मानने के लिये बाध्य हूँ/हैं।

दिनांक:-

हस्ताक्षर बोलीदाता

पता.....

मोबाईल न०.....

ई०मेल.....

:-बोलीदाता द्वारा की जाने वाली घोषणा:-

किसी भी राजकीय विभाग द्वारा विगत तीन वर्षों के दौरान कार्यबाधित/कालीसूची में घोषित नहीं किया गया है। यदि मेरे/हमारे द्वारा दिये गये उक्त तथ्य/सूचना भविष्य में असत्य पाई जावे तो उपापन समिति को नियमानुसार कार्यवाही करने का पूर्ण अधिकार होगा।

बोलीदाता के हस्ताक्षर मय सील

नाम.....

पत्र व्यवहार का पता.....

मोबाईल नम्बर.....



## " G. S. T. DECLARATION"

I certify that the supply of Surgical, Sutures and Consumable Item in the, New Hospital Medical College, Kota on which G. S. T. has been charged have not exempted under the Act., or the Rules made there under and the amount charged on account of G. S. T. is not more than what is payable under the current provisions of the G. S. T. act. or the Rules made there under.

Certify that we M/s.....  
.....are registered as Dealer  
in the..... (State or Union Territory) under G. S. T. Registration  
No.....

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**

2

**PRICE CHARGING CERTIFICATE**

I/We hereby certify that the rate offered in Financial bid are reasonable and justified and we are not marketing lower rates to other department on condition of the tender and contract.

***SIGNATURE OF THE BIDDER***  
**WITH SEAL AND DESIGNATION**

2

**"DECLARATION BY THE TENDER" (S.R. 11)**

I/we declare that I am...../We are bona-fide Manufacture/Whole Sellers/Sole Distributors/Authorized Dealer/dealers/Sole Selling/Marketing Agent in the Goods/Stores/equipment's/registered under rules for which I/We have Tendered. (STRIKE OFF WHICHEVER IS NOT APPLICABLE).

If, this Declarations is found you be incorrect then without prejudice to any other action that may be taken, My/Our Security may be forfeited in Full and the Tender, if any to the extent accepted may be cancelled.

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**

(उपापन संख्या 2/2026-27)

तकनीकी जाँच लिस्ट

h

कार्य का नाम :- नवीन चिकित्सालय चिकित्सा महाविद्यालय कोटा सभी विभागों में काम आने वाले सर्जिकल, सूचर्स एवं संबंधित कन्ज्युमएबल्स आईटम क्रय करने बाबत। (द्विवार्षिक दर संविदा) :-

क.स.	बिन्दु	हाँ/नहीं	संलग्न दस्तावेज पेज न0
1	2	3	4
1	धरोहर राशि के विरुद्ध शपथ-पत्र 50 रूपये के नॉन-ज्यूडिशियल स्टाम्प पर		
2	बोली प्रपत्र शुल्क।		
3	ई-टैण्डरिंग शुल्क का डी0डी0		
4	जी0एस0टी0 प्रमाण पत्र की प्रति		
5	बोलीदाता का आधार कार्ड की दोनो पृष्ठ की छायाप्रति।		
6	पैन नं0 की छायाप्रति संलग्न करनी होगी।		
7	बोलीदाता को अधिकृत विक्रेता का प्रमाण-पत्र प्रस्तुत करना होगा।		
8	Product list approved by Drug Controller Administration of GOI/GOR.		
9	Firm should have 5 years of Experience of supply of quoted items with such orders issued by Govt Medical College or Govt Hospitals.		
10	CA certified Turn Over Certificate of more than 3.50 Cr/Annum in any one of the last 5 financial years including present financial year.		
11	रूपये 50/- का शपथ पत्र नोन ज्यूडिशियल स्टाम्प पेपर पर देय किसी संस्था द्वारा ब्लेकलिस्टेड नहीं किया।		
12	मूल निविदा प्रपत्र एवं शर्तों सहित प्रत्येक पृष्ठ पर निविदादाता फर्म की मोहर सहित हस्ताक्षर अंकित होना अनिवार्य है।		
13	राजस्थान दुकान एवं वाणिज्यिक संस्थान अधिनियम 1958 का प्रमाण पत्र या इण्डियन पार्टनरशिप एक्ट 1932 के अन्तर्गत का प्रमाण पत्र या इण्डियन कम्पनी एक्ट 1956 के अन्तर्गत का प्रमाण पत्र		
14	किसी अपराध मे लिप्त न होने के सम्बन्ध में नवीनतम (निविदा प्रकाशन की तिथी से अधिकतम 6 माह पुराना) चरित्र प्रमाण पत्र स्थानीय थाने से जारी		

बोलीदाता के हस्ताक्षर मय सील

नाम.....

पत्र व्यवहार का पता.....

.....

मोबाईल नम्बर.....

## CONDITIONS OF TENDER AND CONTRACT FOR OPEN TENDER

(See Rule 68)

**Note: Tenderers should read these conditions carefully and comply strictly while sending their tenders.**

1. Tenders must be enclosed in a properly sealed envelope according to the directions given in the tender notice.
2. **"Tenders by bona-fide dealers:"** Tenders shall be given only by bona-fide dealers in the goods. They shall, therefore, furnish a declaration in the SR FORMS 11.
3. (i) Any change in the constitution of the firm, etc., shall be notified forthwith by the contractor in writing to the purchase officer and such change shall not relive any former member of the firm, etc., from any liability under the contract.  
(ii) No new partner/partners shall be accepted in the firm by the contractor in respect of the contract unless he/they agree to avoid by all its terms, conditions and deposit with the purchase officer a written agreement to this effect. The contractors receipt for acknowledgement or that of any partners subsequently accepted as above shall bind all of them and will be sufficient discharge for any of the purpose of the contract.
4. **Sales Tax Registration and Clearance Certificate :** No Dealer who is not registered under the Sales Tax Act prevalent in the State where his business is located shall tender. The Sales Tax Registration Number should be quoted and a sales tax clearance certificate from the Commercial Taxes Officer of the Circle concerned shall be submitted without which the tender is liable to rejection.
5. **Income Tax Clearance Certificate :** Tenderers will have to submit an Income Tax Clearance Certificate from the Income Tax Officer of the circle concerned along with the tenders without which tender may not be considered.
6. Tender forms shall be filled in ink or typed. No tender filled in pencil shall be considered. The tenderer shall sign the tender form at each page and at the end in token of acceptance of all the terms and conditions of the tender.
7. Rate shall be written both in words and figures. There should not be errors and/or overwritings, corrections if any, should be made clearly and initialled with dates. The rates should mention element of the Rajasthan State Sales Tax and Central Sales Tax separately.
8. All rates quoted must be FOR destination and should include all incidental charges except octroi, Central/Rajasthan Sales Tax which should be shown separately. In case of local supplies the rates should include all taxes, etc., and no cartage or transportation charges will be paid by the Government and the delivery of the goods shall be given at the premises of Purchase Officer. Goods to be purchased are for the purpose of official use, hence octroi is not payable. The rates, therefore, should be exclusive of octroi, and local tax. In case goods to be purchased are for the purpose of resale or use as manufacture of any goods for sale, the rates shall be inclusive of octroi and local tax. In the former case, a certificate in the prescribed form will be furnished along with the supply order.
9. (i) **Comparison of Rates :** In comparing the rates tendered by firms outside Rajasthan and those in Rajasthan but not entitled to Price Preference under the Rules,  
(ii) While comparing the rates in respect of firms within Rajasthan the element of Rajasthan Sales Tax shall be included.
10. **Price Preference:** Price preference/preference will be given to the goods produced or manufactured by Industries of Rajasthan over goods produced or manufactured by Industries outside Rajasthan as per Purchase of Stores (Preference to Industries of Rajasthan) Rules,1995.)
11. **Validity :** Tenders shall be valid for a period of three months from the date of opening of Tender.
12. The approved supplier shall be deemed to have carefully examined the conditions, specifications, size, make and drawings, etc., of the goods to be supplied. If he has any doubts as to the meaning of any portion of these conditions or of the specification, drawing, etc., he shall, before signing the contract, refer the same to the Purchase Officer and get clarifications.
13. The contractor shall not assign or sub-let his contract or any substantial part thereof to any other agency.
14. **Specifications :**  
(i) All article supplied shall strictly conform to the specifications, trade mark laid down in the tender form and wherever articles have been required according to ISI specifications, those articles should conform strictly to those specifications and should bear such marks.  
(ii) The supply of articles marked with asterisk/at serial number....., shall in addition, conform strictly to the approved samples and in case of other material where there are no standard or approved samples, the supplier shall be of the very best quality and description. The decision of the Purchase Officer/Purchase Committee whether the articles supplied conform to the specifications and are in accordance with the samples, if any, shall be final and binding on the tenderers.

- (iii) **Warranty/Guarantee clause** : The tenderer would give guarantee that the goods/ stores/articles would continue to conform to the description and quality as specified for a period of..... days/months from the date of delivery of the said goods/ stores/articles to be purchased and that notwithstanding the fact that the purchaser may have inspected and/or approved the said goods/stores/articles, if during the aforesaid period of.....days/months, the said goods/stores/articles be discovered not to conform to the description and quality aforesaid or have determined (and the decision of the Purchase Officer in that behalf will be final and conclusive), the purchaser will be entitled to reject the said goods/stores/articles or such portion thereof as may be discovered not to conform to the said description and quality, on such rejection the goods/articles/stores will be at the seller's risk and all the provisions relating to rejection of goods, etc., shall apply. The tenderer shall if so called upon to do, replace the goods, etc., or such portion thereof as is rejection by the Purchase Officer, otherwise the tenderer shall pay such damage as may arise by reason of the breach of the condition herein contained. Nothing herein contained shall prejudice any other right of the Purchase Officer in that behalf under this contract or otherwise.
- (iv) In case of machinery and equipment also, guarantee will be given as mentioned in clause (iii) above and the tenderer shall during the guarantee period replace the parts if any and remove any manufacturing defect if found during the above period so as to make machinery and equipments operative. The tendered shall also replace machinery and equipments in case it is found defective which cannot be put to operation due to manufacturing defect, etc.
- (v) In case of machinery and equipment specified by the Purchase Officer the tenderer shall be responsible for carrying out annual maintenance and repairs on the terms and conditions as may be agreed. The tendered shall also be responsible to ensure adequate regular supply of spare parts needed for a specific type of machinery and equipments whether under their annual maintenance and repairs rate contract or otherwise. In case of change of model he will give sufficient notice to the Purchase Officer who may like to purchase spare parts from them to maintain the machinery and equipments in perfect condition.

#### 15. **Inspection :**


- (a) The Purchase Officer or his duly authorized representative shall at all reasonable time have access to the suppliers premises and shall have the power at all reasonable time to inspect and examine the materials and workmanship of the goods/equipment/machineries during manufacturing process or afterwards as may be decided.
- (b) The tenderer shall furnish complete address of the premises of his office, godown and workshop where inspection can be made together with name and address of the person who is to be contacted for the purpose. In case of those dealers who have newly entered in business, a letter of introduction from their bankers will be necessary.
16. **Samples** : Tenders for articles marked within the schedule shall be accompanied by two set of samples of the articles tendered properly packed. Such samples if submitted personally will be received in the office. A receipt will be given for each samples by the officer receiving the samples. Samples if sent by train, etc., should be despatched freight paid and the R/R or G.R. should be sent under a separate registered cover. Samples for catering/food items should be given in a plastic box or in polythene bags at the cost of the tenderer.
17. Each sample shall be marked suitably either by written on the sample or on a slip or durable paper securely fastened to the sample, the name of the tenderer and serial number of the item, of which it is a sample in the schedule.
18. Approved samples would be retained free of cost upto the period of six months after the expiry of the contract. The Government shall not be responsible for any damage, wear and tear or loss during testing, examination, etc., during the period these samples are retained. The Sample shall be collected by the tenderer on the expiry of stipulated period. The Government shall in no way make arrangements to return the samples. The samples uncollected within 9 months after expiry of contract shall be forfeited by the Government and no claim for their cost, etc., shall be entertained.
19. Samples not approved shall be collected by the unsuccessful tenderer. The Government will not be responsible for any damage, wear and tear, or loss during testing, examination, etc., during the period these samples are retained. The uncollected samples shall be forfeited and no claim for their cost, etc., shall be entertained.
20. Supplies when received shall be subject to inspection to ensure whether they conform to the specifications or with the approved samples. Where necessary or prescribed or practical, tests shall be carried out in Government laboratories, reputed testing house like Sri Ram Testing House, New Delhi and

the like and the supplies will be accepted only where the articles conform to the standard of prescribed specifications as a result of such tests.

21. **Drawl of Samples:** In case of tests, samples shall be drawn in four sets in the presence of tenderer or his authorized representative and properly sealed in their presence. Once such set shall be given to them, one or two will be sent to the laboratories and/or testing house and the third or fourth will be retained in the office for reference and record.
22. **Testing charges :** Testing charges shall be borne by the bidder. In case urgent testing is desired to be arranged by the tenderer or in case of test results showing that supplies are not upto the prescribed standards or specifications, the testing charges shall be payable by the bidder.
23. **Rejection:**(i) Articles not approved during inspection or testing shall be rejected and will have to be replaced by the tenderer at his own cost within the time fixed by the Purchase Officer.  
(ii) If, however, due to exigencies of Government work, such replacement either in whole or in part, is not considered feasible, the Purchase Officer after giving an opportunity to the tenderer of being heard, shall for reasons to be recorded, deduct a suitable amount from the approved rates. The deduction so made shall be final.
24. The rejected articles shall be removed by the tenderer within 15 days of intimation of rejection, after which Purchase Officer shall not be responsible for any loss, shortage or damage and shall have the right to dispose of such articles as he thinks fit, at the tenderer's risk and on his account.
25. The tenderer shall be responsible for the proper packing so as to avoid damage under normal conditions of transport by sea, rail and road or air and delivery of the material in good condition to the consignee at destination. In the event of any loss, damage, breakage or leakage or any shortage the tenderer shall be liable to make good such loss and shortage found at the checking/inspection of the materials by the consignee. No extra cost on such account shall be admissible.
26. The contract for the supply, can be repudiated at any time by the Purchase Officer, if the supplies are not made to his satisfaction after giving an opportunity to the tenderer of being heard and recording of the reasons for repudiation.
27. Direct or indirect canvassing on the part of the tenderer or his representative will be a disqualification.
28. (i) **Delivery period:** The tenderer whose tender is accepted shall arrange supplies within a period of.....from the date of supply order/by.....as under:-

S.No.	Items	Quantity	Delivery period
-------	-------	----------	-----------------

- (ii) **Extent of quantity – Repeat orders :** If the orders are placed in excess of the quantities shown in tender the notice, the tenderer shall be bound to meet the required supply. Repeat orders may also be placed on the rate and conditions given in the tender provided that the repeat orders are up to 50% of the quantity originally purchased and the period is not more than one month from the date of expiry of last supply. If the tenderer fails to do so, the Purchase Officer shall be free to arrange for the balance supply by limited tender or otherwise and the extra cost incurred shall be recoverable from the tenderer.
- (iii) If the Purchase Officer does not purchase any of the tendered articles or purchases less than the quantity indicated in the tender form, the tenderer shall not be entitled to claim any compensation.
29. **Earnest Money :**
  - (a) Tender shall be accompanied by an earnest money of Rs **14.00 Lakh** in the form of E Challan without which tenders will not be considered. The amount should be deposited only in the following forms in favour of Suprentendent New Hospital Medical College Campus, Kota
    - (i) Cash through treasury challan deposited under head "**8443-Civil Deposits – 103 – Security Deposits**".
  - (b) **Refund of earnest money :** The earnest money of unsuccessful tenderer shall be refunded soon after final acceptance of tender.
  - (c) **Partial exemption from earnest money :** Firms which are registered with Director of Industries Rajasthan, shall furnish the amount of earnest money in respect of items for which they are registered as such subject to their furnishing registration certificate in original or Photostat copy or a copy thereof duly attested by any Gazette Officer [deleted] from the Director of Industries Rajasthan, at the rate of 1% of the estimated value of the tender shown in NIT.
  - (d) The Central Government and Government of Rajasthan Undertakings need not furnish any amount of earnest money.
  - (e) The earnest money/security deposit lying with the department/office in respect of other tenders awaiting approval or rejected or on account of contracts being completed will not be adjusted towards earnest money/security money for the fresh tenders. The earnest money may however, be taken into consideration in case tenders are re-invited.
30. **Forfeiture of earnest money :** The earnest money will be forfeited in the following cases :

- (i) When tenderer withdraws or modified the offer after opening of tender but before acceptance of tender.
- (ii) When tenderer does not execute the agreement if any, prescribed within the specified time.
- (iii) When the tenderer does not deposit the security money after the supply order is given.
- (iv) When he fails to commence the supply of the items as per supply order within the time prescribed. 
31. (1) **Agreement and security deposit** : (i) Successful tenderer will have to execute an agreement in the Form 17 within a period of 7 days of receipt of order and deposit security equal to 5% of the value of the stores for which tenders are accepted within 15 days from the date of despatch on which the acceptance of the tender is communicated to him.
- (ii) The earnest money deposited at the time of tender will be adjusted towards security amount. The Security amount shall in no case be less than earnest money.
- (iii) No interest will be paid by the department on the security money.
- (iv) The forms of security money shall be as below :-
- (a) Cash/Bank Draft/Bankers Cheque/Receipted copy of challan.
- (b) Post office Savings Bank Pass Book duly pledged.
- (c) National Savings Certificate, Defenses Savings Certificates, KisanVikasPatras, or any other script/instrument under National Savings Scheme for promotion of small savings, if the same can be pledged. These certificates shall be accepted at surrender value.
- (v) The security money shall be refunded within one month of the final supply of the items as per purchases order in case of one time purchase and two months in case delivery is staggered, after the expiry of contract on satisfactory completion of the same or after the expiry of the period of guarantee if any, whichever is later and after satisfied there are no dues outstanding against the tenderer.
- (2) (i) Firms registered with the Director of Industries Rajasthan in respect of stores for which they are registered, subject to their furnishing the registration and prescribed in original form the Director of Industries or a Photostat copy of a copy thereof duly attested by any Gazette Officer, will be partially exempted from earnest money and shall pay security deposit at the rate of 1% of the estimated value of tender.
- (ii) Central Government and Government of Rajasthan's Undertakings will be exempted from furnishing security amount.
- (3) **Forfeiture of Security Deposit**: Security amount in full or part may be forfeited in the following cases :-
- (a) When any terms and conditions of the contract is breached.
- (b) When the tenderer fails to make complete supply satisfactorily.
- (c) Notice of reasonable time will be given in case of forfeiture of security deposit. The decision of the Purchase Officer in this regard shall be final.
- (4) The expenses of completing and stamping the agreement shall be paid by the tenderer and the department shall be furnished free of charge with one executed stamped counter part of the agreement.
32. (i) All goods must be sent freight paid through Railways or goods transport. If goods are sent freight to pay, the freight together with departmental charge 5% of the freight will be recovered from the suppliers bill.
- (ii) R.R. should be sent under registered cover through Bank only .
- (iii) In case supply is desired to be sent by the purchase officer by passenger train, the entire railway freight will be borne by the department .
- (iv) Remittance charges on payment made shall be borne by the tenderer.
33. **Insurance** : (i) The goods will be delivered at the destination godown in perfect condition. The supplier, if he so desires, may be insured the valuable goods against loss by theft, destruction or damage, by fire, flood, under exposure to whether or otherwise viz.(war, rebellion, riot, etc.). The insurance charges will be borne by the supplier and State will not be required to pay such charges if incurred.
- (ii) The articles may also be got insured at the cost of the Purchaser, if so desired by the Purchaser. In such cases, the insurance should invariably be with Life Insurance Corporation of India or its subsidiaries.
34. **Payments**: (i) Advance payment will not be made except in rare and special cases. In case of advance payment being made, it will be against proof of dispatch and to the extent as prescribed in financial powers by rail/reputed goods transport companies, etc., and prior inspection any. The balance if any will be paid on receipt of the consignment in good condition with the certificate to that effect endorsed on the inspection not given to the tenderer.
- (ii) Unless otherwise agreed between the parties payment for the delivery of the stores will be made on submission of bill in proper form by the tenderer to the Purchase Officer in accordance with G.F.&A.R all remittance charges will be bore by the tenderer.
- (iii) In case of disputed items, 10 to 25% of the amount shall be with held and will be paid on settlement of the dispute.

- (iv) Payment in case of those goods which need testing shall be made only when such tests have been carried out, test results received conforming to the prescribed specification.
35. (i) The time specified for delivery in the tender form shall be deemed to be the essence of the contract and the successful tenderer shall arrange supplies within the period on receipt of the firm order from the Purchase Officer.
- (ii) **Liquidated damages** : In case of extension in the delivery period with liquidated damages the recovery shall be made on the basis of following percentages of value of Stores with the tenderer has failed to supply :-
- (1) (a) delay up to one fourth period of the prescribed delivery period 2 ½%
  - (b) delay exceeding one fourth but not exceeding half of the prescribed period 5%
  - (c) delay exceeding half but not exceeding three fourth of 7½% the prescribed period.
  - (d) delay exceeding three fourth of the prescribed period. 10%
- (2) Fraction of a day in reckoning period of delay in supplies shall be eliminated if it is less than half a day.
- (3) The maximum amount of liquidated damages shall be 10%.
- (4) If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrance, he shall apply in writing to the authority, which has placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.
- (5) Delivery period may be extended with or without liquidated damages if the delay in the supply of goods is on account of hindrances beyond the control of the tenderer.
36. **Recoveries** : Recoveries of liquidated damages, short supply, breakage, rejected articles shall ordinary be made from bills. Amount may also be withheld to the extent of short supply, breakages, rejected articles and in case of failure in satisfactory replacement by the supplier along with amount of liquidated damages shall be recovered from his dues and security deposit available with the department. In case recovery is not possible recourse will be taken under Rajasthan PDR Act or any other law in force.
37. Tenderers must make their own arrangements to obtain import licence, if necessary.
38. If a tenderer imposes conditions which are in addition to or in conflict with the conditions mentioned herein, his tender is liable to summary rejection. In any case none of such conditions will be deemed to have been accepted unless specifically mentioned in the letter of acceptance of tender issued by the Purchase Officer.
39. The Purchase Officer reserves the right to accept any tender not necessarily the lowest, reject any tender without assigning any reasons and accept tender for all or anyone or more of the articles for which tenderer has been given or distribute items of stores to more than one firm/supplier.
40. The tenderer shall furnish the following documents at the time of execution of agreement:-
- (i) Attested copy of Partnership Deed in case of Partnership Firms.
  - (ii) Registration Number and year of registration in case partnership firm is registered with Registrar of Firms.
  - (iii) Address of residence and office, telephone numbers in case of sole Proprietorship.
  - (iv) Registration issued by Registrar of Companies in case of Company.
- \*\*41. If any dispute arise out of the contract with regard to the interpretation, meaning and breach of the terms of the contract, the matter shall be referred to by the Parties to the Head of the Department who will appoint his senior most deputy as the Sole Arbitrator of the dispute who will not be related to this contract and whose decision shall be final. **\*\* (Deleted vide order NO F1(2)/Finance/GF&AR/2005 Part&1 dated 29.01.24\*\***
42. All legal proceedings, if necessary arise to institute may by any of the parties (Government or Contractor) shall have to be lodged in courts situated in Rajasthan and not elsewhere.
- 43. Compliance with the Code of Integrity and No Conflict of Interest**
- Any person participating in a procurement process shall -
- (a) not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
  - (b) not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
  - (c) not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;

- (d) not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) not obstruct any investigation or audit of a procurement process;
- (g) disclose conflict of interest, if any; and
- (h) disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

**44. Conflict of Interest:-**

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:

- a. have controlling partners/ shareholders in common; or
- b. receive or have received any direct or indirect subsidy from any of them; or
- c. have the same legal representative for purposes of the Bid; or
- d. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e. the Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f. the Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

**45. Declaration by the Bidder regarding Qualifications**

**Declaration by the Bidder**

In relation to my/our Bid submitted to ..... for procurement of ..... in response to their Notice Inviting Bids No..... Dated..... I/we hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that:

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:

Place:

Signature of bidder  
 Name :  
 Designation:  
 Address:

#### 46. Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is **Principal & Controller Medical College Kota**

The designation and address of the Second Appellate Authority is **Secretary Medical Education Department Jaipur.**

##### (1) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved: Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings: Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

(2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

##### (4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) determination of need of procurement;
- (b) provisions limiting participation of Bidders in the Bid process;
- (c) the decision of whether or not to enter into negotiations;
- (d) cancellation of a procurement process;
- (e) applicability of the provisions of confidentiality.

##### (5) Form of Appeal

- (a) An appeal under Para (1) or (3) above shall be in the annexed Form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

##### (6) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be nonrefundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

##### (7) Procedure for disposal of appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,
  - (i) hear all the parties to appeal present before him; and
  - (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

FORM No. 1

[See rule 83]

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

Appeal No .....of .....

Before the ..... (First / Second Appellate Authority)



1. Particulars of appellant:

- (i) Name of the appellant:
- (ii) Official address, if any:
- (iii) Residential address:

2. Name and address of the respondent(s):

- (i)
- (ii)
- (iii)

3. Number and date of the order appealed against and name and designation of the officer / authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:

4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:

5. Number of affidavits and documents enclosed with the appeal:

6. Grounds of appeal:

.....

.....

..... (Supported by an affidavit)

7. Prayer:

.....

Place .....

Date .....

Appellant's Signature

**47. Correction of arithmetical errors**

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii. if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above. If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

**48. Procuring Entity's Right to Vary Quantities**

(i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.

(ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.

(iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the Supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the Supplier.

**49. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)**

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

**Signature of tenderer.**

सर्जिकल एवं संबंधित कन्ज्युमएबल्य आइटम दर संविदा कार्य का संक्षिप्त विवरण :-

नवीन चिकित्सालय चिकित्सा महाविद्यालय कोटा सभी विभागों में काम आने वाले सर्जिकल एवं संबंधित कन्ज्युमएबल्य आइटम हेतु दो वर्ष दर संविदा किया जाना है

1. यह निविदा मूल विनिर्माताओं / अधिकृत विक्रेताओं / वितरकों / सद्भावी व्यवहारियों से ही आमंत्रित की जाती है। संबंधित निविदादाता निविदा भरते समय सुसंगत दरतावेज, जिससे वह निविदत्त आइटम के संबंध में उत्पादनकर्ता / अधिकृत विक्रेता / वितरक / सद्भावी व्यवहारी सिद्ध हो रहा हो, संलग्न करना सुनिश्चित करें। अधिकृत विक्रेता जिस मेक के आइटम हेतु निविदा प्रस्तुत करेंगे उस संबंधित मेक के उत्पादनकर्ता का ओथोराईजेशन पत्र उसी कम्पनी के लेटर पेड पर (जो सक्षम हस्ताक्षरों द्वारा जारी किये गये हो) संलग्न करना सुनिश्चित करें। असत्य या कूटरचित दरतावेज पाये जाने पर RPPP-2012 के सेक्शन - 46 व RPPP-2013 के नियम -82 के अन्तर्गत कार्यवाही की जा सकेगी।
2. यदि कोई विदेश आधारित फर्म (Foreign based) अपने प्रतिनिधि (Agent) के माध्यम से भारत में निविदा प्रक्रिया में भाग लेता है तो उसे अनिवार्य रूप से संबंधित विदेशी फर्म द्वारा उस प्रतिनिधि फर्म को (Authorized) अधिकृत करने का प्रमाण पत्र देना होगा। यदि कोई भारतीय एजेंट अन्य किसी फर्म को निविदा में भाग लेने हेतु अधिकृत करता है तो ऐसी स्थिति में मूल विदेशी फर्म को संबंधित एजेंट को अनिवार्य रूप से भारत में कार्य करने के लिये अधिकृत करने का प्रमाण पत्र देना होगा।
3. **The Firms to submit the Technical specification 'In Tabular form by incorporating all individual technical specification by mentioning Yes/No (with proof in form of page no. in Literature/brochure of instrument) and Positive or Negative Deviation, If any, with complete details, Incomplete Technical Bids will not be considered at all. The firms to enclose/upload the Original Printed Literature (Brochures) if any Photocopy will not be accepted.**
4. Performance report of the equipments by the Govt. institution where it is already in use is to be attached with the tender form. If it is not practicable, the tenderer should enclose a list of Govt. institution where equipments have been supplied.
5. The Original Manual of the equipment will have to be provided along with the supply invariably by the supplier.
6. यदि तकनीकी समिति आवश्यक समझती है तो निविदाता को स्वयं के खर्च पर निविदत्त आइटम का तय दिवस में नमूना (Sample) प्रस्तुत करना होगा।
7. Bid Security में उन्ही MSME फर्मों को छूट देय होगी जो कि निविदत्त आइटम के निर्माता के रूप में राजस्थान में नियमानुसार पंजीकृत हो।
8. **बिड दस्तावेजों के साथ बिडर के द्वारा निरस्त चैक की प्रति संलग्न की जावे ताकि Bid Security/Security Deposit या अन्य Refund सुगमता से किये जा सकें।**
9. राज्य सरकार के किसी विभाग द्वारा किसी फर्म/कम्पनी के व्यवसायिक संव्यवहार पर रोक लगाई गई हो या ब्लैक लिस्टेड किया गया हो तो वह बोली प्रक्रिया में भाग नहीं लेवे अन्यथा सम्बन्धित फर्म/कम्पनी द्वारा कार्यालय में जमा की गई धरोहर राशि कार्यालय द्वारा जब्त की जा सकेगी।
10. बिडर को अपनी फर्म के कहीं भी ब्लैकलिस्टेड नहीं होने के संबंध बिडर द्वारा लेटरहेड पर **Non - Blacklisted** संबंधी शपथ-पत्र/घोषणा प्रस्तुत करनी होगी।
11. निविदादाता निविदा में अपना/अपनी ओर से निविदा पर हस्ताक्षर हेतु अधिकृत व्यक्ति (जहां लागू हो) का नाम व पूर्ण पता, टेलीफोन/मोबाइल न. अंकित करेगा। साथ ही हस्ताक्षर हेतु अधिकृत पत्र (Authorization Letter) संलग्न करना होगा।
12. ज्वाइंट वेंचर (Joint Venture) होने की स्थिति में ज्वाइंट वेंचर (Joint Venture) डीड संलग्न करनी होगी तथा प्रत्येक दरतावेज पर दोनों पक्षों के हस्ताक्षर से ही दरतावेज मान्य होंगे।
1. साझेदारी फर्म की स्थिति में साझेदारी संलेख (Partnership Deed)/ Power of Attorney की प्रति संलग्न करनी होगी। साझेदारी संलेख (Partnership Deed)/ Power of Attorney में अधिकृत व्यक्ति द्वारा हस्ताक्षरित बिड ही मान्य होगी। कम्पनी अथवा निजी कम्पनी की स्थिति में अधिकृत व्यक्ति द्वारा हस्ताक्षरित बिड स्वीकार की जावेगी, निविदा पर हस्ताक्षर हेतु अधिकृत पत्र/Board Resolution की प्रति (जहां आवश्यक हो) संलग्न करना होगा।

2. यह बिड केवल दर अनुमोदन हेतु की जा रही है। दर अनुमोदन उपरांत आवश्यकतानुसार चिकित्सा महाविद्यालय एवं सम्बद्ध चिकित्सालयों द्वारा समय समय पर अनुमोदित सामग्री की आपूर्ति हेतु आदेश की शर्तों के अनुसार निर्धारित अवधि में अनुमोदित Make एवं Specification अनुसार आपूर्ति करना आवश्यक होगा।
3. बिड के साथ संलग्न वित्तीय बिड सामग्री की Basic दर एवं GST Amount पृथक पृथक कालम में अंकित किया जाना है। GST वाले कालम में GST की राशि की गणना कर राशि भरे न कि GST की दर।
4. निविदत्त अनुमोदित दरों के अतिरिक्त अन्य कोई प्रभार, यथा भाडा, बीमा, लोडिंग, अनलोडिंग, इत्यादि देय नहीं होगा।
5. जिन आईटमों के लिए निविदा प्रस्तुत की जा रही है, उनके संदर्भ में बिडर को विनिर्माता से बिडर के पक्ष में जारी वैध (Valid) Authorization प्रस्तुत करना अनिवार्य होगा।
6. बिड के साथ संलग्न Anx-3 में निर्धारित प्रपत्र में Compliance Sheet tabulation Form में पूर्तिकर संलग्न करनी होगी।
7. बिडर कोटेड सामग्री के Make का इन्द्राज Anx-3 में आवश्यक रूप से किया जाना सुनिश्चित करें।
8. आलोच्य निविदा में RMSCL से Apporved Items की भी दर प्राप्त की जा रही है। ऐसे Items की आपूर्ति अति आवश्यकता की स्थिति में RMSCL की NOC के आधार पर ही क्रय किये जावेंगे।
9. आपूर्ति के समय आपूर्तित आईटम की 3/4 वैधता अवधि (Expiry) शेष होगी चाहिए।
10. Chemical, Reagents आदि की आपूर्ति के साथ वांछित Test Certificates संलग्न किये जाने चाहिए।
11. बिडर का गत 05 वर्षों में किन्ही एक वर्ष में औसत टर्न ओवर न्यूनतम 3.5 करोड़ होना आवश्यक है, फर्म को CA द्वारा जारी प्रमाण पत्र (मय UIDN) प्रस्तुत करना होगा।
12. निविदादाता द्वारा राजकीय चिकित्सालय/संस्थान में Chemical, Reagents आदि की आपूर्ति का अनुभव गत तीन वित्तीय वर्षों के दौरान न्यूनतम तीन वर्ष का होना चाहिए जिसके लिए निविदादाता को कयादेश/कयादेशों की प्रति संलग्न करना होगा।

मैंने/हमने उपरोक्तानुसार समस्त शर्तों को भली भांति पढ लिया है एवम् समझ लिया है, मैं/हम उपरोक्त वर्णित सभी शर्तों की पूर्ण पालना करने के लिये सहमत है/हूँ।

बोलीदाता के हस्ताक्षर मय सील

नाम.....

पत्र व्यवहार का पूर्ण पत्ता.....

.....

.....

मोबाईल नं.....

S.No.	Code No.	Name of Item	Pack Size	Mack
1	S-1	Absorbable Gelatin Sponge IP 66, Size 80(+10) mm x 50 mm x 10 mm should be sterilized.	Piece	
2	S-3	Asepto Syringe with Transparent Bulb Sterile, 60 ml	Piece	
3	S-4	Blood Administration Set / Blood Transfusion Set <ul style="list-style-type: none"> <li>• Sharp and easy piercing spike suitable for blood bags and standard blood containers</li> <li>• Transparent cylindrical drip chamber with filter. Filter size should be 200+20 micrometer.</li> <li>• 150 cm long smooth kink resistant tubing</li> <li>• Efficient roller clamp to control and adjust the transfusion rate</li> <li>• Should conform to IS 9824(Part 3):1996</li> </ul>	Unit	
4	S-5 (a)	Disposable Sterile Surgical Rubber Gloves Size 6 ½ Inches <ul style="list-style-type: none"> <li>• Made of natural rubber Latex, powdered, without tear, properly folded in a paper</li> <li>• Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>• Tensile strength as per EN 455-2</li> <li>• Powder should be non-allergenic</li> <li>• should Conform to IS 13422</li> <li>• ISI marked / CE certified / FDA approved</li> </ul>	Pair	
5	S-5 (b)	Disposable Sterile Surgical Rubber Gloves Size 6 ½ Inches <ul style="list-style-type: none"> <li>• Made of natural rubber Latex, powder free (Polymer /Silicon Coated), without tear, properly folded in a paper</li> <li>• Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>• Tensile strength as per EN 455-2</li> <li>• should Conform to IS 13422</li> </ul> ISI marked / CE certified / FDA approved (CE Certification / FDA Approval for item is mandatory for importer firms, that cannot avail IS Standards)	Pair	
6	S-6(a)	Disposable Sterile Surgical Rubber Gloves Size 7 Inches <ul style="list-style-type: none"> <li>• Made of natural rubber Latex, powdered,,without tear, properly folded in a paper</li> <li>• Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>• Tensile strength as per EN 455-2</li> <li>• Powder should be non-allergenic</li> <li>• should Conform to IS 13422</li> <li>• ISI marked / CE certified / FDA approved</li> </ul>	Pair	
7	S-6 (b)	Disposable Sterile Surgical Rubber Gloves Size 7 Inches <ul style="list-style-type: none"> <li>• Made of natural rubber Latex, powder free (Polymer /Silicon Coated), without tear, properly folded in a paper</li> <li>• Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>• Tensile strength as per EN 455-2</li> <li>• should Conform to IS 13422</li> </ul> ISI marked / CE certified / FDA approved (CE Certification / FDA Approval for item is mandatory for importer firms, that cannot avail IS Standards)	Pair	
8	S-7 (a)	Disposable Sterile Surgical Rubber Gloves Size 7½ Inches <ul style="list-style-type: none"> <li>• Made of natural rubber Latex, powdered, without tear, properly folded in a paper</li> <li>• Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>• Tensile strength as per EN 455-2</li> <li>• Powder should be non-allergenic</li> <li>• should Conform to IS 13422</li> <li>• ISI marked / CE certified / FDA approved</li> </ul>	Pair	

9	S-7 (b)	<p>Disposable Sterile Surgical Rubber Gloves Size 7 ½ Inches</p> <ul style="list-style-type: none"> <li>• Made of natural rubber Latex, powder free (Polymer /Silicon Coated), without tear, properly folded in a paper</li> <li>• Free of holes, with Acceptable Quality Level (AQL) of 1.5 or less</li> <li>• Tensile strength as per EN 455-2</li> <li>• should Conform to IS 13422</li> </ul> <p>ISI marked / CE certified / FDA approved (CE Certification / FDA Approval for item is mandatory for importer firms, that cannot avail IS Standards</p>	Pair	
10	S-8 (a)	<p>Suction Catheter, Sterile. Size: FG 5 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>	Each Piece	
11	S-8 (b)	<p>Suction Catheter, Sterile. Size: FG 6 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>	Each Piece	
12	S-8 (c)	<p>Suction Catheter, Sterile. Size: FG 8 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>	Each Piece	
13	S-8 (d)	<p>Suction Catheter, Sterile. Size: FG 10 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>	Each Piece	
14	S-8 (e)	<p>Suction Catheter, Sterile. Size: FG 12 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>	Each Piece	
15	S-8 (f)	<p>Suction Catheter, Sterile. Size: FG 14 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>	Each Piece	
16	S-8 (g)	<p>Suction Catheter, Sterile. Size: FG 16 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>	Each Piece	

17	S-8 (h)	<p>Suction Catheter, Sterile. Size: FG 18 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>	Each Piece	
18	S-8 (j)	<p>Suction Catheter, Sterile. Size: FG 22 (For use in respiratory tract)</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant tubing</li> <li>• Rounded open tip with lateral eye</li> <li>• Colour coded universal funnel connector for safe connection to standard suction equipment</li> <li>• Length 50 cm (min.)</li> <li>• Should conform to ISO 8836:2014</li> </ul>	Each Piece	
19	S-9 (a)	<p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size 8 FG</p> <ul style="list-style-type: none"> <li>• Made of Silicone elastomer bonded with Latex</li> <li>• Should have hard plastic valve</li> <li>• Smooth distal end with smooth eyes for atraumatic intubation</li> <li>• Symmetrical foley balloon</li> <li>• Balloon capacity 3- 5 ml</li> <li>• Should conform to IS 11497</li> <li>• Color coding marking to identify size</li> <li>• Length, wall thickness and balloon capacity should be mentioned as per IS 11497</li> <li>• Specification for B,C,D,E,F,G should be mentioned as per IS 11497 for particular size</li> </ul>	Each Piece	
20	S-9 (b)	<p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size 10 FG</p> <ul style="list-style-type: none"> <li>• Made of Silicone elastomer bonded with Latex</li> <li>• Should have hard plastic valve</li> <li>• Smooth distal end with smooth eyes for atraumatic intubation</li> <li>• Symmetrical foley balloon</li> <li>• Balloon capacity 3- 5 ml</li> <li>• Should conform to IS 11497</li> <li>• Color coding marking to identify size</li> <li>• Length, wall thickness and balloon capacity should be mentioned as per IS 11497</li> <li>• Specification for B,C,D,E,F,G should be mentioned as per IS 11497 for particular size</li> </ul>	Each Piece	
21	S-9 (c)	<p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size 16 FG</p> <ul style="list-style-type: none"> <li>• Made of Silicone elastomer bonded with Latex</li> <li>• Should have hard plastic valve</li> <li>• Smooth distal end with smooth eyes for atraumatic intubation</li> <li>• Symmetrical foley balloon</li> <li>• Balloon capacity <math>30 \pm 1</math> ml</li> <li>• Should conform to IS 11497</li> <li>• Color coding marking to identify size</li> <li>• Length, wall thickness and balloon capacity should be mentioned as per IS 11497</li> <li>• Specification for B,C,D,E,F,G should be mentioned as per IS 11497 for particular size</li> </ul>	Each Piece	

22	S-9 (d)	<p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size18 FG</p> <ul style="list-style-type: none"> <li>• Made of Silicone elastomer bonded with Latex</li> <li>• Should have hard plastic valve</li> <li>• Smooth distal end with smooth eyes for atraumatic intubation</li> <li>• Symmetrical foley balloon</li> <li>• Balloon capacity <math>30 \pm 1</math> ml</li> <li>• Should conform to IS 11497</li> <li>• Color coding marking to identify size</li> <li>• Length, wall thickness and balloon capacity should be mentioned as per IS 11497.</li> <li>• Specification for B,C,D,E,F,G should be mentioned as per IS11497 for particular size</li> </ul>	Each Piece	
23	S-9 (e)	<p>Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size20 FG</p> <ul style="list-style-type: none"> <li>• Made of Silicone elastomer bonded with Latex</li> <li>• Should have hard plastic valve</li> <li>• Smooth distal end with smooth eyes for atraumatic intubation</li> <li>• Symmetrical foley balloon</li> <li>• Balloon capacity <math>30 \pm 1</math> ml</li> <li>• Should conform to IS 11497</li> <li>• Color coding marking to identify size</li> <li>• Length, wall thickness and balloon capacity should be mentioned as per IS 11497.</li> <li>• Specification for B,C,D,E,F,G should be mentioned as per IS11497 for particular size</li> </ul>	Each Piece	
24	S-10 (a)	<p>Infant Feeding Tube Size:10FG length 50 cm (min.)</p> <ul style="list-style-type: none"> <li>• Two lateral eyes at distal end</li> <li>• Soft, kink resistant non-toxic PVC tubing, non irritant to delicate mucosa</li> <li>• With female flexible mount with in-built closure</li> <li>• Radio opaque line</li> <li>• Sterile</li> </ul>	Each Piece	
25	S-10 (b)	<p>Infant Feeding Tube Size:8FG, length 50 cm (min.)</p> <ul style="list-style-type: none"> <li>• Two lateral eyes at distal end</li> <li>• Soft, kink resistant non-toxic PVC tubing, non irritant to delicate mucosa</li> <li>• With female flexible mount with in-built closure</li> <li>• Radio opaque line</li> <li>• Sterile</li> </ul>	Each Piece	
26	S-10 (c)	<p>Infant Feeding Tube Size:5FG length 50 cm (min.)</p> <ul style="list-style-type: none"> <li>• Two lateral eyes at distal end</li> <li>• Soft, kink resistant non-toxic PVC tubing, non irritant to delicate mucosa</li> <li>• With female flexible mount with in-built closure</li> <li>• Radio opaque line</li> <li>• Sterile</li> </ul>	Each Piece	
27	S-11	<p>Sterile Disposable Perfusion Set with Airway and Needle (Adult Use)</p> <ul style="list-style-type: none"> <li>• For gravity feed only</li> <li>• Sharp and easy piercing spike with air vent</li> <li>• Transparent and flexible drip chamber</li> <li>• 150 cm long smooth kink resistant tubing</li> <li>• Self sealing latex bulb which will also act as an port for extra medication</li> <li>• Efficient roller clamp to control and adjust the fluid rate</li> <li>• 21 G needle</li> <li>• Should conform to IS 12655 -4 standard</li> </ul>	Unit	

28	S-12	<p>Sterile Disposable Perfusion Set (Infusion set) with Airway and Needle (Paediatric Use)</p> <ul style="list-style-type: none"> <li>• Burette type measured volume chamber of 100 ml</li> <li>• Drop size of approx 60 drops per ml</li> <li>• Injection port, latex free, for intermittent medication.</li> <li>• Floating auto shut off valve (latex free) in burette.</li> <li>• Soft and kink resistant PVC tubing.</li> <li>• Roller controller for flow control</li> <li>• Tube length 150 cm</li> <li>• 23G needle</li> <li>• Should conform to ISO 8536-5</li> </ul>	Unit	
29	S-13	<p>Sterile Disposable Infusion Set with Microdrip (I.V.)</p> <ul style="list-style-type: none"> <li>• Microdrip Infusion set with drop size reduced to approx 60 drops per ml</li> <li>• Sharp and easy piercing spike</li> <li>• Transparent and flexible drip chamber</li> <li>• 150 cm long smooth kink resistant tubing</li> <li>• Efficient roller clamp to control and adjust the fluid rate</li> <li>• Should conform to IS 12655 - 4 standard</li> </ul>	Unit	
30	S-14	<p>Insulin syringe ( 40 units) with (fixed) 30 G needle Shall conform to IS 12227</p>	Unit	
31	S-15 (b)	<p>Sterile Disposable (Single Use Teflon / PTFE I.V. Cannula with integrated 3 Way stop cock. ) Size 18G</p> <ul style="list-style-type: none"> <li>• Should be packed in transparent, single blister pack.</li> <li>• Should conform to IS 10555 standard</li> </ul>	Each Piece	
32	S-15 (c)	<p>Sterile Disposable (Single Use) Teflon / PTFE I.V. Cannula with integrated 3 Way stop cock. Size 20G</p> <ul style="list-style-type: none"> <li>• Should be packed in transparent, single blister pack.</li> <li>• Should conform to IS 10555 standard</li> </ul>	Each Piece	
33	S-15 (d)	<p>Sterile Disposable (Single Use) Teflon / PTFE I.V. Cannula with integrated 3 Way stop cock. Size 22G</p> <ul style="list-style-type: none"> <li>• Should be packed in transparent, single blister pack.</li> <li>• Should conform to IS 10555 standard</li> </ul>	Each Piece	
34	S-15 (e)	<p>Sterile Disposable (Single Use) Teflon/ PTFE I.V. Cannula without port. Size 24G• Suitable for paediatric &amp; neonatal use• Should be packed in transparent, single blister pack. • Should conform to IS 10555 standard</p>	Each Piece	
35	S-16	<p>Mucus Extractor Sterile</p> <ul style="list-style-type: none"> <li>• Clear transparent container</li> <li>• Antibacterial filter</li> <li>• Soft, kink resistant PVC tubing</li> <li>• Tube Size 10 FG; Length 40 cm (min.)</li> <li>• Capacity 25 ml</li> </ul>	Unit	
36	S-17 (a)	<p>Nasal Oxygen Cannula (Set), Twin Bore (accessory for compressed air breathing) All Sizes (Adult)</p> <ul style="list-style-type: none"> <li>• Soft and kink resistant PVC tubing</li> <li>• Multichannel / star lumen to preventing accidental kinking</li> <li>• Twin bores should ensure equal volume of oxygen to both air passages</li> <li>• Connector for easy connection to the oxygen source</li> <li>• Tube length 200 cm</li> </ul>	Each Piece	
37	S-17 (b)	<p>Nasal Oxygen Cannula (Set), Twin Bore (accessory for compressed air breathing) All Sizes (Pediatrics)</p> <ul style="list-style-type: none"> <li>• Soft and kink resistant PVC tubing</li> <li>• Multichannel / star lumen to preventing accidental kinking</li> <li>• Twin bores should ensure equal volume of oxygen to both air passages</li> <li>• Connector for easy connection to the oxygen source</li> <li>• Tube length 200 cm</li> </ul>	Each Piece	

38	S-18	<p>Paper Adhesive Plaster 1" X 9.0 mts (with cutter)</p> <ul style="list-style-type: none"> <li>• Non woven.</li> <li>• Non allergic &amp; strong adhesive but gentle to skin.</li> <li>• Painless removal.</li> <li>• Porous and breathable.</li> </ul> <p>Paper adhesive Plaster should conform to the standards and test prescribed in applicable IS and BP standard.</p>	Unit	
39	S-19	<p>Paper Adhesive Plaster 2" X 9.0 mts (with cutter)</p> <ul style="list-style-type: none"> <li>• Non woven.</li> <li>• Non allergic &amp; strong adhesive but gentle to skin.</li> <li>• Painless removal.</li> <li>• Porous and breathable.</li> </ul> <p>Paper adhesive Plaster should conform to the standards and test prescribed in applicable IS and BP standard.</p>	Unit	
40	S-20	<p>Paper Adhesive Plaster 3" X 9.0 mts (with cutter)</p> <ul style="list-style-type: none"> <li>• Non woven.</li> <li>• Non allergic &amp; strong adhesive but gentle to skin.</li> <li>• Painless removal.</li> <li>• Porous and breathable.</li> </ul> <p>Paper adhesive Plaster should conform to the standards and test prescribed in applicable IS and BP standard.</p>	Unit	
41	S-21	<p>Plaster of Paris Bandages 15cm X 2.7mts / Roll</p> <p>Should conform to Schedule F(II) of Drug and Cosmetic Act 1940</p>	Unit	
42	S-22	<p>Plaster of Paris Bandages 10cm X 2.7mts / Roll</p> <p>Should conform to Schedule F(II) of Drug and Cosmetic Act 1940</p>	Unit	
43	S-23 (a)	<p>Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 10</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant PVC tubing for atraumatic intubation</li> <li>• Closed distal end should be coned with radio opaque material for accurate intubation</li> <li>• Four lateral eyes for greater efficiency</li> <li>• Radio opaque line</li> <li>• Marking at 50, 60, 70 cm from tip</li> <li>• Colour coded funnel</li> <li>• With luer connector / closure</li> <li>• Length 105 cm</li> </ul>	Each Piece	
44	S-23 (b)	<p>Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 12</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant PVC tubing for atraumatic intubation</li> <li>• Closed distal end should be coned with radio opaque material for accurate intubation</li> <li>• Four lateral eyes for greater efficiency</li> <li>• Radio opaque line</li> <li>• Marking at 50, 60, 70 cm from tip</li> <li>• Colour coded funnel</li> <li>• With luer connector / closure</li> <li>• Length 105 cm</li> </ul>	Each Piece	
45	S-24 (a)	<p>Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 14</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant PVC tubing for atraumatic intubation</li> <li>• Closed distal end should be coned with radio opaque material for accurate intubation</li> <li>• Four lateral eyes for greater efficiency</li> <li>• Radio opaque line</li> <li>• Marking at 50, 60, 70 cm from tip</li> <li>• Colour coded funnel</li> <li>• With luer connector / closure</li> <li>• Length 105 cm</li> </ul>	Each Piece	

46	S-24 (b)	<p>Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 16</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant PVC tubing for atraumatic intubation</li> <li>• Closed distal end should be coned with radio opaque material for accurate intubation</li> <li>• Four lateral eyes for greater efficiency</li> <li>• Radio opaque line</li> <li>• Marking at 50, 60, 70 cm from tip</li> <li>• Colour coded funnel</li> <li>• With luer connector / closure</li> <li>• Length 105 cm</li> </ul>	Each Piece
47	S-24 (c)	<p>Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 18</p> <ul style="list-style-type: none"> <li>• Soft, kink resistant PVC tubing for atraumatic intubation</li> <li>• Closed distal end should be coned with radio opaque material for accurate intubation</li> <li>• Four lateral eyes for greater efficiency</li> <li>• Radio opaque line</li> <li>• Marking at 50, 60, 70 cm from tip</li> <li>• Colour coded funnel</li> <li>• With luer connector / closure</li> <li>• Length 105 cm</li> </ul>	Each Piece
48	S-26	<p>Sterile Hypodermic Syringe with Needle attached, 24G, Single Use - 2 ml</p> <ul style="list-style-type: none"> <li>• Clear transparent chamber</li> <li>• Prominent graduation</li> <li>• Inert material gasket at the piston to minimise friction during movement &amp; prevent leakage and back flow</li> <li>• Sharp needle ensuring minimum trauma during penetration</li> <li>• Shall conform to IS 12050</li> <li>• Packing: Needle should be attached with the syringe and packed in unit ribbon pack</li> <li>• The words "DESTROY AFTER SINGLE USE" or equivalent should be written on Unit Container</li> </ul>	Unit
49	S-27	<p>Sterile Hypodermic Syringe with Needle attached, 24G, Single Use - 5 ml</p> <ul style="list-style-type: none"> <li>• Clear transparent chamber</li> <li>• Prominent graduation</li> <li>• Inert material gasket at the piston to minimise friction during movement &amp; prevent leakage and back flow</li> <li>• Sharp needle ensuring minimum trauma during penetration</li> <li>• Shall conform to IS 12050</li> <li>• Packing: Needle should be attached with the syringe and packed in unit ribbon pack</li> <li>• The words "DESTROY AFTER SINGLE USE" or equivalent should be written on Unit Container.</li> </ul>	Unit
50	S-28	<p>Sterile Hypodermic Syringe with Needle attached, 22G, Single Use - 10 ml</p> <ul style="list-style-type: none"> <li>• Clear transparent chamber</li> <li>• Prominent graduation</li> <li>• Inert material gasket at the piston to minimise friction during movement &amp; prevent leakage and back flow</li> <li>• Sharp needle ensuring minimum trauma during penetration</li> <li>• Shall conform to IS 12050</li> <li>• Packing: Needle should be attached with the syringe and packed in unit ribbon pack</li> <li>• The words "DESTROY AFTER SINGLE USE" or equivalent should be written on Unit Container.</li> </ul>	Unit

51	S-29	<p>Sterile Hypodermic Syringe with Needle attached, 22G, Single Use - 20 ml</p> <ul style="list-style-type: none"> <li>• Clear transparent chamber</li> <li>• Prominent graduation</li> <li>• Inert material gasket at the piston to minimise friction during movement &amp; prevent leakage and back flow</li> <li>• Sharp needle ensuring minimum trauma during penetration</li> <li>• Shall conform to IS 12050</li> <li>• Packing: Needle should be attached with the syringe and packed in unit ribbon pack</li> <li>• The words "DESTROY AFTER SINGLE USE" or equivalent should be written on Unit Container.</li> </ul>	Unit	
52	S-30 (a)	<p>Surgical Blade Sterile, Size 11</p> <ul style="list-style-type: none"> <li>• Single peel pack in metal foil</li> <li>• The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. The surfaces of the blade shall be smooth and free from tool marks and any sign of corrosion.</li> <li>• Should conform to IS 3319</li> </ul>	100 Blades/ Packet	
53	S-30 (b)	<p>Surgical Blade Sterile, Size 15</p> <ul style="list-style-type: none"> <li>• Single peel pack in metal foil</li> <li>• The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. The surfaces of the blade shall be smooth and free from tool marks and any sign of corrosion.</li> <li>• Should conform to IS 3319</li> </ul>	100 Blades/ Packet	
54	S-30 (c)	<p>Surgical Blade Sterile, Size 22</p> <ul style="list-style-type: none"> <li>• Single peel pack in metal foil</li> <li>• The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. The surfaces of the blade shall be smooth and free from tool marks and any sign of corrosion.</li> <li>• Should conform to IS 3319</li> </ul>	100 Blades/ Packet	
55	S-39 (a)	<p>Sterile Disposable Spinal Needle for Single Use 22G x 3 ½ inch</p> <ul style="list-style-type: none"> <li>• Clear / transparent hub</li> <li>• Sharp tip which should ensure minimal puncture trauma</li> </ul>	Each Piece	
56	S-39 (b)	<p>Sterile Disposable Spinal Needle for Single Use 25G x 3 ½ inch</p> <ul style="list-style-type: none"> <li>• Clear / transparent hub</li> <li>• Sharp tip which should ensure minimal puncture trauma</li> </ul>	Each Piece	
57	S-40	<p>Urine Collecting Bag, Disposable 2000 ml</p> <ul style="list-style-type: none"> <li>• Transparent sheet</li> <li>• Kink resistant flexible tubing not less than 90 cm in length</li> <li>• should have non-return valve</li> <li>• Top drainage outlet</li> <li>• Graduated bag</li> <li>• Moulded handle for easy handling</li> </ul>	Unit	
58	S-43 (a)	<p>Endotracheal Tube, Plain - Size 2.5mm</p> <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	
59	S-43 (b)	<p>Endotracheal Tube, Plain - Size 3mm</p> <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	

60	S-43 (c)	Endotracheal Tube, Plain - Size 3.5mm <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	
61	S-43 (d)	Endotracheal Tube, Plain - Size 4mm <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	
62	S-43 (e)	Endotracheal Tube, Plain - Size 4.5mm <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	
63	S-43 (f)	Endotracheal Tube, Plain - Size 5mm <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	
64	S-43 (g)	Endotracheal Tube, Plain - Size 5.5mm <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	
65	S-43 (h)	Endotracheal Tube, Plain with radio-opaque line, Sterile, Single Use - Size 6mm <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	
66	S-43 (i)	Endotracheal Tube, Plain - Size 6.5mm <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	
67	S-43 (j)	Endotracheal Tube, Plain - Size 7mm <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	
68	S-43 (k)	Endotracheal Tube, Plain - Size 7.5mm <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	

69	S-43 (l)	Endotracheal Tube, Plain - Size 8mm <ul style="list-style-type: none"> <li>• Transparent</li> <li>• Standard 15 mm connector at proximal end</li> <li>• Radio-opaque line throughout the length</li> <li>• Tip suitable for nasal and oral intubation</li> <li>• Single use, sterile</li> </ul>	Each Piece	
70	S-44 (a)	Endotracheal Tube, Cuffed - Size 4mm <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>	Each Piece	
71	S-44 (b)	Endotracheal Tube, Cuff - Size 4.5mm <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>	Each Piece	
72	S-44 (c)	Endotracheal Tube, Cuff - Size 5mm <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>	Each Piece	
73	S-44 (d)	Endotracheal Tube, Cuff - Size 6mm <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>	Each Piece	
74	S-44 (e)	Endotracheal Tube, Cuff - Size 6.5mm <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>	Each Piece	
75	S-44 (f)	Endotracheal Tube, Cuff - Size 7mm <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>	Each Piece	
76	S-44 (g)	Endotracheal Tube, Cuff - Size 7.5 <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>	Each Piece	


77	S-44 (h)	Endotracheal Tube, Cuff - Size 8 <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>	Each Piece	
78	S-44 (i)	Endotracheal Tube, Cuff - Size 8.5 <ul style="list-style-type: none"> <li>• Soft cuff towards the distal end</li> <li>• Kink resistant inflation tube</li> <li>• Murphy eye at distal end with polished smoothness</li> <li>• Radio-opaque line</li> <li>• Standard 15 mm connector</li> <li>• Sterile, single use</li> <li>• Curved shaped blister pack – suiting the shape of product</li> </ul>	Each Piece	
79	S-46	Tracheostomy Tube (PVC), Cuffed, Sterile, Single Use - All Sizes <ul style="list-style-type: none"> <li>• Soft flexible flange at for easy fixation</li> <li>• 15 mm connector at terminal end which can be rotated in 360 degree direction</li> <li>• Non-irritant</li> <li>• Radio-opaque line</li> <li>• Balloon with non return valve</li> </ul>	Each Piece	
80	S-47 (a)	Abdominal Drain Kit, Sterile, Having drainage catheter and Collection Bag (2000 ml) (size 24) <ul style="list-style-type: none"> <li>• Graduated Bag</li> <li>• Should have well fitting cap</li> <li>• Soft drainage catheter 50 cm long, with radio opaque line</li> <li>• Rounded open distal end with smooth atraumatic eyes in catheter</li> <li>• Catheter with markings at 2 cm interval</li> </ul>	Each Piece	
81	S-47 (b)	Abdominal Drain Kit, Sterile, Having drainage catheter and Collection Bag (2000 ml) (size 28) <ul style="list-style-type: none"> <li>• Graduated Bag</li> <li>• Should have well fitting cap</li> <li>• Soft drainage catheter 50 cm long, with radio opaque line</li> <li>• Rounded open distal end with smooth atraumatic eyes in catheter</li> <li>• Catheter with markings at 2 cm interval</li> </ul>	Each Piece	
82	S-47 (c)	Abdominal Drain Kit, Sterile, Having drainage catheter and Collection Bag (2000 ml) (size 32) <ul style="list-style-type: none"> <li>• Graduated Bag</li> <li>• Should have well fitting cap</li> <li>• Soft drainage catheter 50 cm long, with radio opaque line</li> <li>• Rounded open distal end with smooth atraumatic eyes in catheter</li> <li>• Catheter with markings at 2 cm interval</li> </ul>	Each Piece	
83	S-73	Polypropylene Nonabsorbable Synthetic Surgical Mesh 7.5 cmX 15 cm soft to feel fast edges,slightly stretchbonding.	Piece	
84	S-74	Polypropylene Nonabsorbable Synthetic Surgical Mesh 15 cmX 15 cm soft to feel fast edges,slightly stretchbonding.	Piece	
85	S-79	Sterilised Umbilical Cotton Tape Width 3 mm, Length 75 cm Should conform to Schedule F(III) of Drug and Cosmetic Act 1940	Each Piece	
86	S-80	Bone Wax Sterilised	2 gm/ Packet	
87	S-82	Skin Graft Knife Blade (Sterile) (disposable) Skin Grafting Knife Blade (Sterile) made of carbon steel or stainless steel material 158 mm long individually wrapped in wrapper corrosion inhibitor paper in single packet,.In packs of 10. The edge must be sharp enough to cut the skin in a single shave and should snugly fit in the handle Should conform to IS 3759. 2. Skin Grafting Knife Handle (Watson modification of Humby's Knife ) Stainless Steel, CE certified, in which the blade specified in (a) above should fit snugly. Should conform to 7980-1976.	One Pack each	

88	S-84 (a)	K Wire, length 375 mm; 1mm Length of wire should be mentioned with specification. Should conform to IS 8261	Each unit	
89	S-84 (b)	K Wire, length 375 mm; 1.6mm • Length of wire should be mentioned with specification. • Should conform to IS 8261	Each unit	
90	S-84 (c)	K Wire, length 375 mm; size 1.8mm • Length of wire should be mentioned with specification. • Should conform to IS 8261	Each unit	
91	S-85	Face Mask, Disposable • Should be manufactured from non woven poly prop fabric • Should be 3 ply construction • Should have high bacterial filtration efficiency • Should be heat sealed to keep 3 layers together • Standard size 17.5 x9 cm • Color green/blue • There should be a string each at all four corners, length of string should be 40cm • Nose clip should be there • No elastic band.	Piece	
92	S-86 (a)	Surgical Cap, Disposable (For Surgeons) • Should be manufactured from non woven fabric. • Strip for tying the cap stitched on the back for proper grip on the forehead. • Green colour • Ultrasonically stitched • Air permeable/breathable • Should retain skin and hair particle. • Strip for tying the cap	Piece	
93	S-86 (b)	Surgical Cap, Disposable ( For Nurses) • Should be manufactured from non woven fabric • Blue / Green colour • Round upon wearing, with elastic • Air permeable / breathable • Should retain skin and hair particles	Piece	
94	S-90 (c)	Rubber examination gloves made of natural rubber latex. Non-sterile, Ambidextous, AQL 1.5 Micro Textured Powdered with absorbable dusting powder USP. Medium should conform to IS 15354	Dispenser Box of 100 Gloves	
95	S-90 (d)	Rubber examination gloves made of natural rubber latex. Non-sterile, Ambidextous, AQL 1.5 Micro Textured Powdered with absorbable dusting powder USP. Large should conform to IS 15354	Dispenser Box of 100 Gloves	
96	S-91	Pressure Monitoring Line / High Pressure Extension Line • Suitable for high pressure monitoring and for connection between syringe infusion pump and patient • Male luer lock at one end and female luer lock at other end ; should fit all standard equipment. Luer lock connectors should provide secure fitting. • Pressure upto 800 psi • Length 200 cm • Sterile	Each piece in blister pack	
97	S-92	Urine Collecting Bag for new born /Paediatric Urine Collection Bag, capacity 100ml • Should have suitability for both male and female patients • Should be provided with adhesive for fixation and good grip with minimal risk of allergy and injury • Capacity 100 ml • Sterile	Each Piece	

98	S-93	Umbilical Catheter (for New Born) All sizes <ul style="list-style-type: none"> <li>• Radio opaque line</li> <li>• With female flexible mount</li> <li>• Colour coded connector</li> <li>• Open tip should be soft, rounded, atraumatic</li> <li>• Length 40 cm</li> </ul>	Each Piece													
99	S-94	Umbilical Cord Clamp <ul style="list-style-type: none"> <li>• Suitable for clamping umbilical cord of new born</li> <li>• Security lock to prevent accidental opening after clamping</li> <li>• Grooved clamping area</li> </ul>	Each Piece													
100	S-95	Absorbable Oxidized Regenerated Cellulose net size 2"x 3" with surgical sponge Topical Absorbable Haemostatic Bactericidal Property	Each Piece													
101	S-96 (a)	Close wound Drainage Device under negative pressure (Closed Wound Suction Unit)• Option to use one or two catheters simultaneously• Bellow chamber with capacity 800 ml• Bellow unit with connector• Graduated Bellow• Connecting tube with clamp and "Y"connector• Curved needle / trocar with catheter• Multiperforated catheter / Radon drain with radio opaque line• Catheter 16 FG	Each Piece													
102	S-96 (b)	Close wound Drainage Device under negative pressure (Closed Wound Suction Unit) <ul style="list-style-type: none"> <li>• Option to use one or two catheters simultaneously</li> <li>• Bellow chamber with capacity 800 ml</li> <li>• Bellow unit with connector</li> <li>• Graduated Bellow</li> <li>• Connecting tube with clamp and "Y"connector</li> <li>• Curved needle / trocar with catheter</li> <li>• Multiperforated catheter / Radon drain with radio opaque line</li> <li>• Catheter 18 FG</li> </ul>	Each Piece													
103	S-99 (a)	Sanitary Napkin, Beltless <ol style="list-style-type: none"> <li>1. Covering – Covering of the absorbent filler shall be good quality knitted sleeve or non-woven fabric which has sufficient porosity to permit the assembled napkin to meet the absorbency requirements. The napkins shall have a non absorbent barrier on one side which shall have an identifying mark indicating the side of the barrier.</li> <li>2. Absorbent Filler – The filler material shall consist of cellulose pulp/ wadding, and shall be free from lumps, oil spots, dirt or foreign material, etc.</li> <li>3. Back Strip – A back strip for sticking the sanitary napkin onto the underwear should be there using good quality adhesive material.</li> <li>4. Size - The size of absorbent section / complete sanitary napkin shall be as follows: ( in mm)</li> </ol> <table border="0"> <tr> <td>Absorbent section</td> <td>Total</td> <td></td> </tr> <tr> <td>Pad Length</td> <td>210 +_ 10</td> <td>230 +_ 10</td> </tr> <tr> <td>Width</td> <td>60 to 75</td> <td>70 to 85</td> </tr> <tr> <td>Thickness</td> <td>8 +_ 2</td> <td></td> </tr> </table> <ol style="list-style-type: none"> <li>5. Weight : Not more than 10 gm . . Instruction for usage should be mentioned on every packet</li> </ol>	Absorbent section	Total		Pad Length	210 +_ 10	230 +_ 10	Width	60 to 75	70 to 85	Thickness	8 +_ 2		6 Napkins per pack	
Absorbent section	Total															
Pad Length	210 +_ 10	230 +_ 10														
Width	60 to 75	70 to 85														
Thickness	8 +_ 2															
104	S-100	Oxygen mask (Adult) <ul style="list-style-type: none"> <li>• Mould Facemask with adjustable elastic strap for proper position of mask on the mouth and nasal area</li> <li>• Friendly soft medical PVC material with comfortable fitting.</li> <li>• Aluminium nasal clip provides better fixation.</li> <li>• Anatomical design provides lighter seal.</li> <li>• Latex free elastic strap available.</li> </ul>	Unit													

105	S-101	<p>Oxygen mask (Paediatric)</p> <ul style="list-style-type: none"> <li>• Mould Facemask with adjustable elastic strap for proper position of mask on the mouth and nasal area</li> <li>• Friendly soft medical PVC material with comfortable fitting.</li> <li>• Aluminium nasal clip provides better fixation.</li> <li>• Anatomical design provides lighter seal.</li> <li>• Latex free elastic strap available.</li> <li>• Mask connector 4M</li> </ul>	Unit	
106	S-102	<p>Sterile Catheter, single Use, for Urinary Drainage(Foley Balloon Catheter), 2 way, Size 14</p> <ul style="list-style-type: none"> <li>• Made of Silicone elastomer bonded with Latex</li> <li>• Should have hard plastic valve</li> <li>• Smooth distal end with smooth eyes for a traumatic intubation</li> <li>• Symmetrical Foley Balloon</li> <li>• Balloon Capacity 30+- 1 ml</li> <li>• Should conform to IS 11497</li> <li>• Color coding marking to identify size</li> <li>• Length, wall thickness and ballon capacity should be mentioned as per IS 11497</li> <li>• Specification for B,C,D,E,F,G should be mentioned as per IS 11497</li> </ul>	Each Piece	
107	S-103	<p>Nelaton - Catheter size 14 FG Distal end is close and proximal end has female colour code connector</p> <ul style="list-style-type: none"> <li>• Soft, Kink resistant medical grade PVC tube</li> <li>• Length:40 cm</li> <li>• Individually packed in poly and sterile</li> </ul>	Each Piece	
108	S-104	<p>ECG Electrode</p> <ul style="list-style-type: none"> <li>•Reliable trace, •High conductivity, • Easy to handle</li> </ul>	Each Piece	
109	S-105	<p>Surgical Blade Sterile, Size 23</p> <ul style="list-style-type: none"> <li>• Single peel pack in metal foil</li> <li>• The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. The surfaces of the blade shall be smooth and free from tool marks and any sign of corrosion.</li> <li>• Should conform to IS 3319</li> </ul>	Each Piece	
110	S-106	<p>Sterile Hypodermic Syringe with Needle attached, 22G, Single Use - 50 ml</p> <ul style="list-style-type: none"> <li>• Clear transparent chamber</li> <li>• Prominent graduation</li> <li>• Inert material gasket at the piston to minimise friction during movement &amp; prevent leakage and back flow</li> <li>• Sharp needle ensuring minimum trauma during penetration</li> <li>• Shall conform to IS 12050</li> <li>• Packing: Needle should be attached with the syringe and packed in unit ribbon pack</li> <li>• The words "DESTROY AFTER SINGLE USE" or equivalent should be written on Unit Container.</li> </ul>	Each Piece	
111	S-108	<p>Urethral Catheter 91 (FG-10), made up of medical grade PVC</p>	Each Piece	
112	S-109	<p>Vacuum Suction Set, 2.5 meter Length,</p> <ul style="list-style-type: none"> <li>•Suction handle with Suction Tube</li> <li>•Sterile, • Pyrogenic Free, •Latex free, • Single use</li> </ul>	Each Piece	
113	S-110	<p>Epidural Minipack 18G, 90 mm, Metal Stylet For Single Use only,</p> <ul style="list-style-type: none"> <li>•Sterile,</li> <li>•Epidural catheter 20G, L 90 cm,</li> <li>•6 Lateral Holes closed end,</li> <li>•Borst Adapter</li> <li>•Epidural Catheter Flat filter 0.2 micro meter</li> <li>•Thread Assist Guide</li> <li>•LOR (Loss of resistance) Plastic Syringe 6 ml</li> </ul>	Each Piece	

114	S-119	3 Way Stop Cock , Non Pyrogenic & Single Use, should be leak proof, with smooth movements	Each Piece	
115	S-120	3 Way Stop Cock with extension Tube (Vein -O-Line) size 10 cm (Non Pyrogenic & Single Use)	Each Piece	
116	S-121	3 Way Stop Cock with extension Tube (Vein -O-Line) size 50 cm (Non Pyrogenic & Single Use)	Each Piece	
117	S-122	3 Way Stop Cock with extension Tube (Vein -O-Line) size 100 cm (Non Pyrogenic & Single Use)	Each Piece	
118	S-123	3 Way Stop Cock with extension Tube (Vein -O-Line) size 150 cm (Non Pyrogenic & Single Use)	Each Piece	
119	S-124	Abdominal Drain Kit, Sterile, having drainage catheter and Collection Bag (2000 ml) (size 16) <ul style="list-style-type: none"> <li>• Graduated Bag,</li> <li>• Should have well fitting cap</li> <li>• Soft drainage catheter 50 cm long, with radio opaque line</li> <li>• Rounded open distal end with smooth atraumatic eyes in catheter</li> <li>• Catheter with markings at 2 cm interval</li> </ul>	Each Piece	
120	S-125	Abdominal Drain Kit, Sterile, having drainage catheter and Collection Bag (2000 ml) (size 20) <ul style="list-style-type: none"> <li>• Graduated Bag</li> <li>• Should have well fitting cap</li> <li>• Soft drainage catheter 50 cm long, with radio opaque line</li> <li>• Rounded open distal end with smooth atraumatic eyes in catheter</li> <li>• Catheter with markings at 2 cm interval</li> </ul>	Each Piece	
121	S-126	Nasal Prong Neonatal (Flexible Medical Grade, 2 Meter Long, Multichannel Kink Resistance Tube	Each Piece	
122	S-127	Elastic Adhesive Bandage BP 1m x 10cm Adhesive material should have good quality sticking property, non-allergic	Each Piece	
123	S-128	Sterile Disposable (Single Use Teflon/PTFE I.V Cannula with integrated 3 way stop cock Size 26G <ul style="list-style-type: none"> <li>• Should be packed in transparent single blister pack</li> <li>• Should confirm to IS 10555 standard</li> <li>• (Neonatal IV Cannula Size 26)</li> </ul>	Each Piece	
124	S-129	NIV Mask (Noninvasive Ventilation Mask) Adult <ul style="list-style-type: none"> <li>• Should be light weight silicon based full face &amp; nasal mask with face &amp; forehead soft cushion pads for adults in Large size.</li> <li>• Should be with ergonomically designed clips/straps for easy disengagement of the head gear.</li> <li>• Should be Single Use for Ventilator without vent</li> <li>• Non allergic, leak proof, contour should be maintained</li> </ul>	Each Piece	

125	S-130	<p>NIV Mask (Noninvasive Ventilation Mask) Adult</p> <ul style="list-style-type: none"> <li>· Should be light weight silicon based full face &amp; nasal mask with face &amp; forehead soft cushion pads for adults in Medium size.</li> <li>· Should be with ergonomically designed clips/straps for easy disengagement of the head gear.</li> <li>· Should be Single Use for Ventilator without vent</li> <li>· Non allergic, leak proof, contour should be maintained</li> </ul>	Each Piece	
126	S-131	<p>NIV Mask (Noninvasive Ventilation Mask) Adult</p> <ul style="list-style-type: none"> <li>· Should be light weight silicon based full face &amp; nasal mask with face &amp; forehead soft cushion pads for adults in Large size.</li> <li>· Should be with ergonomically designed clips/straps for easy disengagement of the head gear.</li> <li>· Should be Single Use for BiPAP with vent</li> <li>· Non allergic, leak proof, contour should be maintained</li> </ul>	Each Piece	
127	S-132	<p>NIV Mask (Noninvasive Ventilation Mask) Adult</p> <ul style="list-style-type: none"> <li>· Should be light weight silicon based full face &amp; nasal mask with face &amp; forehead soft cushion pads for adults in Medium size.</li> <li>· Should be with ergonomically designed clips/straps for easy disengagement of the head gear.</li> <li>· Should be Single Use for BiPAP with vent</li> <li>· Non allergic, leak proof, contour should be maintained</li> </ul>	Each Piece	
128	S-133	<p>NIV Mask (Noninvasive Ventilation Mask) Paediatric</p> <ul style="list-style-type: none"> <li>· Should be light weight silicon based full face &amp; nasal mask with face &amp; forehead soft cushion pads in Small size.</li> <li>· Should be with ergonomically designed clips/straps for easy disengagement of the head gear</li> <li>· Should be Single Use with Bronchoscopy and CO2 &amp; O2 port with chin support</li> <li>· Non allergic, leak proof, contour should be maintained</li> </ul>	Each Piece	
129	S-134	Nebulization Mask Adult	Each Piece	
130	S-135	Nebulization Mask Paediatric	Each Piece	

### List of Sutures Specification

S.N	Code No.	Name of approved item (s) with specification	Size	Packing Unit	Mack
1	R-4	Absorbable Surgical Suture (Sterile Catgut), BP/USP Needled Suture Chromic (1/2 Cir RB Needle 30mm Length 76 cm)	1/0	12 Foils	
2	R-5	Absorbable Surgical Suture (Sterile Catgut), BP/USP Needled Suture Chromic (1/2 Cir RB Needle 40mm Length 76 cm)	1/0	12 Foils	
3	R-10	Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) 1/2 Cir RB Needle 30mm length 90 cm	2/0	12 Foils	
4	R-11	Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) 1/2 Cir RB Needle 30mm length 75- 90 cm	1/0	12 Foils	
5	R-13	Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) 1/2 Cir RB Needle 40mm length 90 cm	1	12 Foils	
6	R-15	Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide) (1/2 Cir RB Needle 20mm length 70 cm)	4/0	12 Foils	
7	R-16	Absorbable Surgical Suture (Synthetic) Sterilised Surgical Needled Suture (Braided) Coated Polyglactin /Polyglycolic Acid / Poly(Glycolide-co-L-lactide ) (1/2 Cir RB needle 40mm Length 90 cm)	2/0	12 Foils	
8	R-20	Non Absorbable Surgical Suture, Sterilised Surgical Needled Suture Black Braided Silk (1/2 Cir RB Needle 20mm, Length 76 cm)	3/0	12 Foils	
9	R-21	Non Absorbable Surgical Suture, Sterilised Surgical Needled Suture Black Braided Silk (3/8 Cir Reverse Cutting Needle 26mm, Length 76 cm)	3/0	12 Foils	
10	R-24	Non Absorbable Surgical Suture, Sterilised Surgical Needled Suture Polyamide Monofilament Black (Nylon) (3/8 Conventional Cutting needle 16 mm length 70 cm)	3/0	12 Foils	
11	R-27	Non Absorbable Surgical Suture, Sterilised Surgical Needled Suture Polyamide Monofilament Black (Nylon) (3/8 Cir R Cutting Needle 40-45mm Length 60-70 cm.)	2/0	12 Foils	
12	R-28	Non Absorbable Surgical Suture, Sterilised Surgical Needled Suture Polyamide Monofilament Black (Nylon) (3/8 Cir R Cutting Needle 45mm Length 70 cm.)	1/0	12 Foils	

13	R-38	Non Absorbable Surgical Suture, Sterilised Surgical Needled Suture Monofilament Polypropylene Blue (1/2 Cir RB Needle 30mm, Length 90 cm)	2/0	12 Foils	
14	R-45	Non Absorbable Surgical Suture, Sterilised Surgical Needled Suture Monofilament Polypropylene Blue (1/2 Cir RB Heavy 40mm, length 90 cm)	1	12 Foils	
15	R-68	Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin/ Polyglycolic Acid violet) 1/2 Circle CT round bodied 40mm, GS needle, suture length 90 cm/	1	12 Foils	
16	R-69	Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin/ Polyglycolic Acid violet) 1/2 circle CT round bodied 40mm, GS needle, suture length 90 cm	1/0	12 Foils	
17	R-70	Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin / Polyglycolic Acid violet) 1/2 circle round bodied 30mm, suture length 90 cm/	2/0	12 Foils	
18	R-71	Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin/ Polyglycolic Acid violet) 1/2 circle Reverse Cutting, OS 40mm, suture length 90 cm	1	12 Foils	
19	R-72	Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin / Polyglycolic Acid violet) 1/2 circle Reverse Cutting 36mm, OS needle, suture length 90 cm/	1/0	12 Foils	
20	R-73	Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin / Polyglycolic Acid violet) 1/2 circle round bodied 20mm, suture length 70 cm	3/0	12 Foils	
21	R-74	Absorbable Surgical Suture (Synthetic) antibacterial coated sterilised needled suture (Braided coated Polyglactin/ Polyglycolic Acid violet) 3/8 circle R Cutting, PS-1, 24mm, suture length 70 cm	3/0	12 Foils	