



भारतीय विमानपत्तन प्राधिकरण  
AIRPORTS AUTHORITY OF INDIA

**AIRPORTS AUTHORITY OF INDIA**  
NSCBI Airport, Kolkata 700 052  
(EMD-II)

# **TENDER DOCUMENT**

**Name of Work: - Operation and Maintenance of Aeronautical Ground Lighting System with ILCMS (CAT-I/II/III) at NSCBI Airport, Kolkata (2026-2028).**

**GEM Bid:** \_\_\_\_\_

Estimated Cost	:	₹12,77,53,080.00 (Excluding GST) ₹15,07,48,634.00 (Including GST)
EMD Amount	:	₹45,22,459.00 (Including GST) online in GEM Portal
Time Allowed	:	24 (Twenty-Four) Months
Tender Fee	:	₹1,180/- (i/c GST) Non- Refundable - online in GEM Portal.
Total pages	:	251 (including cover page and index)

**AIRPORTS AUTHORITY OF INDIA  
NSCBI AIRPORT, KOLKATA - 700 052  
(EMD-II)**

**INDEX**

<b>Sl. No.</b>	<b>PARTICULARS</b>	<b>Page Nos.</b>
1.	COVER PAGE & INDEX	1-2
2.	NOTICE INVITING E-TENDER	3-8
3.	STRUCTURED FINANCIAL MESSAGING SYSTEM (SFMS)	9-10
4.	FORMS AND ANNEXURES	11-41
5.	GENERAL CONDITIONS OF CONTRACT (GCC)	42-194
6.	SPECIAL CONDITION OF CONTRACT	195-236
7.	PREVENTIVE MAINTENANCE SCHEDULE	237-244
8.	INVENTORY	245-250
9.	SCHEDULE OF WORK	251

Certified that this tender document contains page no. **01 to 251** including cover page and index.

## NOTICE INVITING e-TENDER (2 BOT – 2 Envelope Open Tender)

Ref. No. AAC/EMD-II/AGL-Maint/26-27/01

Date: 22.04.2026

(GeM Bid No: \_\_\_\_\_)

1. Item Rate/ ~~Percentage rate~~/ EPC e-tenders are invited through the GeM portal by Asst. Gen. Manager (Engg.- Elect.) AGL Division (EMD - II), Department of Electrical Engineering, Airports Authority of India, Operation Building, Ground Floor, NSCBI Airport, Kolkata – 700052 ( Bid Manager) on behalf of the Chairman, AAI from the **OEM / OEM authorized agencies / Specialized agencies** for the work/~~composite work~~ of "**Operation and Maintenance of Aeronautical Ground Lighting System with ILCMS (CAT-I/II/III) at NSCBI Airport, Kolkata (2026-2028).**" Estimate cost **₹15,07,48,634.00 (Including GST) (Fifteen Crore Seven Lakh Forty-Eight Thousand Six Hundred and Thirty-Four Only)** with completion period of **24 (Twenty-Four) Months**.

The tendering process is online at GeM portal URL address <https://gem.gov.in> or [www.aai.aero](http://www.aai.aero). Prospective Tenderers may download and go through the tender document.

Earnest Money Deposit (EMD) of **₹45,22,459/-** will be required to be paid in the Bank Account mentioned below. Contractors may have the option to submit EMD in the form of Insurance Surety Bonds or Bank Guarantee (BG) paper form from a Nationalized or any scheduled bank but not from Co-operative or Gramin / Rural bank (scheduled or non-scheduled banks), if EMD amount is more than 10.00 lakh.

The Bank Guarantee (PBG/BG-SD/FBG) in accordance with the bank details as:

CORPORATE NAME: AIRPORTS AUTHORITY OF INDIA

BANK NAME: ICICI BANK

IFSC CODE: ICIC0000007

BG ADVISING MESSAGE: IFN760COV (BG ISSUE)  
IFN767COV (BG AMENDMENT)

UNIQUE IDENTIFIER CODE (7037): AAIKOLKATA

Please note that under no circumstances bid procedure related queries shall be referred to the Independent External Monitors (IEMs).

In case of agency want to deposit EMD amount in the form of Bank Transfer / RTGS / NEFT, the details of Bank Account are as follows:

Beneficiary Name: AIRPORTS AUTHORITY OF INDIA

Name of Bank: STATE BANK OF INDIA

Bank A/c No.: 11094829425

IFSC Code: SBIN0003029

Note: MSEs are exempted from EMD as per para 12.

2. Following 2 envelopes shall be submitted through GeM portal by the tenderer as per the following schedule:

**CRITICAL DATA SHEET**

Sl. No.	Description	Date
1.	Publishing Date	As per GeM portal.
2.	Bid Document Download / Sale Start Date	As per GeM portal.
3.	Clarifications Start Date	As per GeM portal.
4.	Clarifications End Date	As per GeM portal.
5.	Bid Submission Start Date	As per GeM portal.
6.	Bid Submission End Date	As per GeM portal.
7.	Last date of submission of Original Insurance Surety Bond against EMD, if not paid online	As per GeM portal.
8.	Bid Opening (Envelop-I)	As per GeM portal.
9.	Bid Opening (Envelop-II)	Will be intimated through GeM portal.

**Envelope-I (EMD, Technical bid and Pre-qualification): - Bid containing following:**

**A. EMD, if not paid online:**

- i) Scanned copy of Insurance Surety Bond / BG against EMD with copy of the SFMS (Structured Financial Messaging System) BG confirmation message sent by the BG issuing Bank to ICICI Bank (as per Appendix-IA of GCC) along with letter of undertaking (as per Appendix- XIA of GCC).

**B. Technical Bid containing the following: -**

- i) Scanned copy of tender acceptance letter on Bidder's Letter Head
- ii) Scanned copy of Permanent Account Number (PAN) and GST Registration Number
- iii) Scanned copy of Undertaking regarding GST as per format given under Annexure- 'A'.
- iv) All the bidders other than OEM of ILCMS at NSCBI Airport, Kolkata shall submit scanned copy of **Tender Specific Manufacturer's Authorization Form** (Annexure-P) duly signed and stamped by OEM of ILCMS at NSCBI Airport, Kolkata or from their authorized agency. If Tender Specific Manufacturer's Authorization Form (MAF) is issued by the OEM authorized agency, the bidder shall also submit the certificate of OEM issued to its authorized agency.
- v) Scanned copy of undertaking regarding Blacklisting/Debarment on Bidder's Letter Head as per format given under Annexure- 'B'.
- vi) Scanned copy of Declaration for MSE units (applicable for MSE Units only) as per format given under Annexure- 'C'.
- vii) Scanned copy of Form - 'A' details of similar works completed during last seven years with completion certificate issue by client.
- viii) Scanned copy of Form - 'B' - Financial Information.
- ix) Scanned copy of Form - 'C' - Net Worth.
- x) Bidder shall submit scanned copy of 'Undertaking' on Company's Letter Head that I/We will deploy sufficient plant and machinery as per the requirement of work in consultation with the Engineer-in-Charge (E-I-C) to achieve the milestones/targets and overall completion within the time period as per format given under Annexure- 'D'.
- xi) Bidder shall submit scan copy of 'Undertaking' as per Annexure- 'E'.

- xii) Bidders other than proprietary firm shall submit scanned copy of Authorization Letter/Power of Attorney along with copy of certificate of Incorporation of the Company under company's act showing CIN/LLPIN/Name of Directors of the company & Copy of Board Resolution regarding Authority to assign Power of Attorney.
- xiii) Proprietary firm shall submit scanned copy of Authorization Letter / Power of Attorney only if the tender is processed by a person other than proprietor.
- xiv) Digitally signed complete tender document to be uploaded.
- xv) PQ Performa/Check list duly filled to be uploaded as format given under Annexure- 'F'.

**A. Qualifying requirements of contractors / tenderers containing the following: -**

- i) Should have successfully completed or substantially completed **three works**, each of **₹3,04,49,727.00 (Including all taxes / GST)** or **two works**, each of **₹3,76,87,159.00 (Including all taxes / GST)** or **one work** of **₹6,02,99,454.00 (Including all taxes / GST)** in single contract of similar nature of work i.e. **“Operation and Maintenance of Aeronautical Ground Lighting System with ILCMS”** during last 07 (seven) years ending last day of month previous to the one in which tenders are invited.

The details of similar works completed during last 07(seven) years in the given format- **Form-A** with supporting documents issued by client.

**Note:**

1. *The Experience Certificates of works completed pre GST era, Completion amount will be divided by 1.12 (to exclude pre GST taxes) to make it at par with experience certificates of post GST era but excluding GST.*
2. *The Tenders invited for Annual Rate Contracts for O&M/ AMC/ CMC works, agency having experience completed AMC contract of more than one year shall be counted for the value of work for a completed one year on pro-rata basis. However, the agency who has completed one year of work in running AMC contract of more than one year, may be counted for the value of work for a completed one year on pro-rata basis*
3. *Experience gained by executing work on back-to-back contract/ Sub-contract basis is acceptable in the following conditions:*
  - (a) *Work should be actually executed by the second agency (sub-contractor) with due concurrence of the owner as tripartite agreement/ written approval. It should be backed by valid agreement and experience certificate.*
  - (b) *Payments received by second agency should be reflected in TDS certificates.*
4. *Experience gained in composite works for the specialized nature of works (List of Specialized Items / Jobs/ Works are mentioned at Para 35.3 of AAI Works Manual) were executed by main contractor either by in-house expertise & experience or by engaging the specialized agencies with the approval of main client as per contract conditions. In such cases, main contractor as well as specialized agency both get the experience certificate for the same work from their respective client(s) i.e. main contractor for composite work along with specialized works from owner and specialized agency for specialized work(s) from the main contractor.*

*In this situation, the experience certificate of either specialized agency or main agency having in-house expertise & experience, who has actually executed the specialized work(s), shall be considered for Technical /Pre-qualifying criteria in similar specialized nature of work(s).*

5. *Substantial completion shall be based on 80(eighty) percent of awarded cost or more value wise works completed under the contract.*

**“The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated from the date of completion to date of bid opening (Cover-I/ Technical Bid).**

Client certificate for experience should show the nature of work done, the value of work, date of start, date of completion as per agreement, actual date of completion and satisfactory completion of work. **Tenderers showing work experience certificate from non-government /non-PSU organizations should submit copy of tax deduction at sources (TDS) certificate(s) along with a certificate issued by registered Chartered Accountant, clearly specifying the name of work, total payment received against the work and TDS amount for the work.**

- ii) Should have Average Annual financial turnover of **₹2,26,12,295.00 on construction works** during last three years ending 31st March of the previous financial year. The Financial Information shall be submitted in the given format – **Form-B**.  
Tenderers showing continuous losses during the last three years in the balance sheet shall be summarily rejected.
- iii) The tenderer should have a minimum net worth of **₹1,13,06,148.00**, issued by certified Chartered Accountants. The certificate should be submitted in the given format – **Form-C**.

#### **Envelope-II: - The Financial e-Bid through GeM portal.**

All rates shall be quoted in the format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the tenderers. Tenderers are required to download the BOQ file, open it and complete the blue coloured (unprotected) cells with their respective financial quotes and other details (such as name of the tenderer). No other cells should be changed. Once the details have been completed, the tenderer should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the tenderer, the bid will be rejected.

#### **3. Refund of EMD**

EMD deposited by all the bidders except the confirmed lowest bidder shall be returned within one week from the date of opening of the financial bid. EMD of the successful bidder shall be returned on receipt of Security Deposit equivalent to EMD amount/ performance bank guarantee.

#### **4. Bid Submission: -**

Bid submission to be done as per guidance provided by GeM authorities in the website- <https://gem.gov.in>. Uploading of application in location other than specified above shall not be considered. **Hard copy of application shall not be entertained.**

5. Not more than one tender shall be submitted by one tenderer or tenderers having business relationship. Under no circumstance will father and his son(s) or other close relations who have business relationship with one another (i.e. when one or more partner(s)/director(s) are common) be allowed to tender for the same contract as separate competitors. A breach of this condition will render the tenders of both parties liable to rejection.
6. Tenderer who has downloaded the tender from GeM portal website <https://gem.gov.in>, shall not tamper/modify the tender form including downloaded price bid template in any manner. In case if the

same is found to be tampered/modified in any manner, tender will be completely rejected and EMD would be forfeited and tenderer is liable to be banned from doing business with AAI.

**7. Bids Opening Process is as below: -**

**Envelope-I: (Technical bid and Pre-qualification): -**

Envelope- I containing documents as per Para 2(A) and (B) (uploaded by the tenderers) shall be opened on date & time mentioned in CRITICAL DATA SHEET.

If any clarification is needed from the tenderer about the deficiency in his uploaded documents in Envelope-I, he will be asked to provide it through GeM portal or email if required. The tenderer shall upload the requisite clarification / documents within time specified by AAI, failing which it shall be presumed that bidder does not have anything to submit and bid shall be evaluated accordingly.

The intimation regarding acceptance / rejection of their bids will be intimated to the tenderers through GeM portal.

**Envelope-II (Financial Bid):**

Envelope-II containing financial bid of the tenderers found to be meeting the technical criteria and qualifying requirements shall be opened on date & time mentioned in CRITICAL DATA SHEET. **(In case the date and time for opening of Envelope-II (Financial Bid) is required to be changed, the same shall be intimated through GeM portal).**

8. AAI reserves the right to accept or reject any or all applications without assigning any reasons. AAI also reserves the right to call off tender process at any stage without assigning any reason.
9. AAI reserves the right to disallow the working agencies whose performance at ongoing project(s) is below par and usually poor and has been issued letter of restrain/Temporary or Permanent debarment/black listing by any department of AAI. **AAI reserves the right to verify the credential submitted by the tenderer at any stage (before or after the award the work). If at any stage, any information /documents submitted by the applicant is found to be incorrect/false or have some discrepancy which disqualifies the tenderer then AAI shall take the following action:**
  - (a)**Forfeit the entire amount of EMD submitted by the tenderer.**
  - (b) **The tenderer shall be liable for debarment for a period upto two years from tendering in AAI, including termination of the contract apart from any other appropriate contractual/legal action.**
10. Consortium /JV companies shall not be permitted.
11. Purchase preference to Central Public Sector Undertaking shall be applicable as per the directive of Govt. of India prevalent on the date of acceptance.
12. Concessions to Indian Micro & Small Enterprises (MSEs) units registered with DIC/NSIC/ KVIC/ KVIB/ Directorate of Handicraft and Handloom etc., to be given as per the provisions of Public Procurement Policy for MSEs order 2012 with up to date amendments, shall be applicable for tenders of supply/services and shall not be extended to construction work.
13. Tenderers have to submit Unique Document Identification Number (UDIN) generated documents like Financial information (Turnover with loss/ profit), Net worth Certificate etc. as per NIT conditions duly certified by CA and having UDIN. The documents submitted by bidders without UDIN shall not be entertained.

14. Department of Promotion of Industry and Internal Trade (DPIIT), Ministry of Commerce and Industry, Government of India, issued Public Procurement (Preference to Make in India), Order 2017 vide OM No. P-45021/2/2017-PP(BE-II) dated 16.09.2020 is applicable.
15. Requirement of registration by the Bidder from a country sharing land border with India based on order No. F No. 6/18/2019-PPD dated 23/07/2020 of Government of India, Ministry of Finance, Department of Expenditure (Public procurement Division) with up to date amendments, regarding restriction under Rule 144(xi) of the General Financial Rules (GFR) 2017 shall be applicable. Bidder shall submit scanned copy of 'Undertaking' on Company's letter head in this regard. (**Annexure – LBS**).

Sd/-  
(BID MANAGER)

TENDER ACCEPTANCE LETTER  
(To be given on Contractor's Letter Head)

Date:-...../...../.....

To,  
Asst. Gen. Manager (Engg – Elect.),  
Electrical Maintenance Division,  
Airports Authority of India,  
NSCBI Airport, Kolkata – 700052

Sub: Acceptance of Terms & Conditions of Tender.

(Tender ID No: \_\_\_\_\_)

Name of Work:

\_\_\_\_\_  
\_\_\_\_\_

Dear Sir,

- 1) I / We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from GeM Portal web site(s) namely: <https://gem.gov.in/> as per your advertisement, given in the above mentioned website(s).
- 2) I / We hereby certify that I / we have inspected the site and read the entire terms and conditions of the tender documents, corrigendum(s) and reply to query if any made available to me/ us which shall form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
- 3) I / We hereby unconditionally accept the tender conditions of AAI's tender documents in its totality / entirety for above mentioned work.
- 4) I/We declare that I/We have not paid and will not pay any bribe to any officer of AAI for awarding this contract at any stage during its execution or at the time of payment of bills, and further if any officer of AAI asks for bribe/gratification, I will immediately report it to the Appropriate Authority in AAI'.
- 5) I / We hereby submitted that I / We paid/ submitted the required earnest money as per NIT conditions.
- 6) I / We certify that all information/ documents furnished by our Firm is true & correct and in the event at any stage, the information/ documents is found to be incorrect/ untrue or found violated, then we shall be liable for debarment from tendering in AAI without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Yours faithfully,

(SIGNATURE OF THE BIDDER WITH OFFICIAL SEAL)

(To be submitted along with Technical Bid on company letter head)

AFFIDAVIT FOR PAYMENT OF MINIMUM WAGES

Name of work: \_\_\_\_\_

I..... (Name), aged ..... years, S/o  
..... (Name), Proprietor / Managing Partner / Managing  
Director of ..... (Name of the Agency) do  
hereby solemnly affirm and state as follows:

I am competent to swear this affidavit on behalf of... ..(Name of Agency). I  
state that, in the event of work is awarded to our agency; the wages to be paid to the workers engaged shall  
not be less than the minimum wages determined by appropriate Govt. Authorities from time to time.

Dated this, the..... day of ..... month ..... year.

DEPONENT

Note:

*Hard copy of this affidavit on non-judicial paper of Rs. 100/- shall be submitted after award of work.*

(TO BE UPLOADED in “Technical Bid”)

To  
Asst. Gen. Manager (Engg – Elect.),  
Electrical Maintenance Division,  
Airports Authority of India,  
NSCBI Airport,  
Kolkata – 700052

Name of work: \_\_\_\_\_

Tender Id.: \_\_\_\_\_

**UNDERTAKING FOR GST– Reg.**

Sir (S),

I/ we do hereby undertake / declare the following related to the above tender.

1. That I/We are registered under GST and compliant of GST provision.
2. In case of noncompliance of GST provisions and blockage of any input credit, I/We shall be responsible to indemnify AAI.
3. That I/We shall pass on all input credits to AAI.

Also kindly filled up the following enclosed format and submit the same.

I/ We confirm that information provided above is true to my knowledge and belief

Encl.:

- (i) Template for Updation of GST Registration Details of Vendor
- (ii) Annexure - 1: HSN / SAC Code of Materials / Service supplied by Vendor
- (iii) Annexure - 2: Details of Contact Person

\_\_\_\_\_  
SIGNATURE OF THE TENDERER  
WITH COMPANY SEAL

Place:

Date:

Template for Updation of GST Registration Details of Vendor

Sl. No.	Particulars	Details to be Provided
1	Name of Vendor	
2	Vendor Code in AAI (for each state / UT)	
3	Main Vendor Code in AAI	
4	PAN No	
5	E Mail ID	
6	Mobile No	
7	Whether Registered under GST ?	1. Registered [ ] 2. Composition [ ] 3. Unregistered [ ]
8	If Not Registered, reason for the same?	1. Below Threshold Limit [ ] 2. In Process of Registration [ ] 3. Other, Please specify - _____
9	Whether located in SEZ	1. Yes [ ] / 2. No [ ]
10	GSTN No / Composition Registration No	
11	UIN No (In case of Government Department / Authorities)	
12	Address as per GST Registration for State / UT	
	Street/House number	
	City	
	State / UT	
	PIN Code	
13	Whether having multiple registrations in same state?	1. Yes [ ] / 2. No [ ]

	- If Yes, specify business unit	
14	Whether having separate GST Registration in other state / union territory	1. Yes [ ] / 2. No [ ]
	- If Yes, provide details of the same for each GST Registration No. in separate form	
15	Have provided documentary evidence of information mentioned above	1. Yes [ ] / 2. No [ ]
	- If No, provide date by which all relevant documents will be provided.	

I/ We confirm that information provided above is true to my knowledge and belief

Date: \_\_\_\_\_

\_\_\_\_\_

(Name & Signature of Authorized Signatory)

Place : \_\_\_\_\_

(Company Seal)

**Annexure - 1: HSN / SAC Code of Materials / Service supplied by Vendor**

Sl. No.	Particulars	Details to be Provided
1)	Name of Vendor	
2)	Vendor Code in AAI	
3)	GST Registration No	
4)	HSN / SAC code of materials / service supplied	Description of Materials / Service ( Provide details below)
5)		
6)		
7)		
8)		
9)		
10)		

I/ We confirm that information provided above is true to my knowledge and belief

Date: \_\_\_\_\_

\_\_\_\_\_

Place : \_\_\_\_\_

(Name & Signature of Authorized Signatory)  
(Company Seal )

Annexure - 2: Details of Contact Person

Sl. No.	Particulars	Details to be Provided
1	Name of Vendor	
2	Vendor Code in AAI	
3	First Name of Contact Person	
4	Last Name of Contact Person	
5	Telephone No	
6	Mobile No	
7	E Mail ID	

I/ We confirm that information provided above is true to my knowledge and belief

Date :

Place :

(Name & Signature of Authorized Signatory)

(Company Seal )

(TO BE SUBMITTED in “Technical Bid”)

PO Performa / Checklist Format to be filled and submitted by the bidder along with applicationFOR SHORT LISTING

Name of work: \_\_\_\_\_

Ref. No.	Qualifying Criteria	Particulars	Enclosure Lists	Check
(A)	(B)	(C)	(D)	
(It is mandatory to fill up or type the Column C & D in details by the firm / contractor)				
1.	Name:			
	Address:			
	Contact Details: (Phone No.)			
	(email ID)			
	Contact Person:			
	PAN No.			
2.	Duly signed scanned copy of Tender Acceptance Letter		Copy Enclosed: YES/NO	
3.	Scanned copy of affidavit regarding compliance of minimum wages		Copy Enclosed: YES/NO	
4.	Scanned copy of black listing/ debaring of firm		Copy Enclosed: YES/NO	
5.	Duly signed scanned copy of undertaking for GST		Copy Enclosed: YES/NO	
6.	PAN & GST Registration No.		Copy Enclosed: YES/NO	
7.	Scanned copy of FORM – E Work in Hand		Copy Enclosed: YES/NO	
8.	Valid contractor electrical license		Copy Enclosed: YES/NO	

9.	Scanned copy of Authorization Letter/ Power of Attorney along with copy of certificate of Incorporation of the Company under Companies Act showing CIN/LLPIN/Name of Directors of the company & Copy of Board Resolution regarding Authority to assign Power of Attorney.  <i>OR</i> Scanned copy of Authorization Letter/ Power of Attorney (In case of proprietary Firm)		Copy Enclosed: YES/NO
10.	Form-A-details of similar works completed during last seven years with completion certificate issued by client		Copy Enclosed: YES/NO
11.	Form-B-Financial Information		Copy Enclosed: YES/NO
12.	Form-C-Net Worth		Copy Enclosed: YES/NO
13.	Copy of Tools and Plant Undertaking on company's letterhead.		Copy Enclosed: YES/NO
14.	Scanned copy of Undertaking from Foreign /Indian Parent / Principal Company / Firm.		Copy Enclosed: YES/NO
15.	Digitally signed complete tender document		YES/NO
16.	Scanned copy of signed Annexure-LBS		Copy Enclosed: YES/NO
17.	Certificate from clients having satisfactorily completed similar nature of work during last seven years ending on last day of month previous to the one in which tenders are invited	Details of the Three/Two/One work(s) as applicable to client:	Copy of certificates along with details Bill of Material/Quantity enclosed:
18.	WORK NO. 1		

a)	Name of Client		Copy Enclosed: YES/NO
b)	Name of Work		Copy Enclosed: YES/NO
c)	Date of Start		Copy Enclosed: YES/NO
d)	Stipulated Date of Completion		Copy Enclosed: YES/NO
e)	Actual Date of Completion		Copy Enclosed: YES/NO
f)	Completion Cost		Copy Enclosed: YES/NO
g)	Work Order/ Agreement No.		Copy Enclosed: YES/NO
h)	Copy of Work Order with BOQ		Copy Enclosed: YES/NO
i)	TDS Amount, if applicable		Copy Enclosed: YES/NO
j)	TDS Certificate		Copy Enclosed: YES/NO
k)	Bill of Material/Quantity		Copy Enclosed: YES/NO
l)	Whether experience from Govt. organizations or private clients?		In case experience of non-govt./non-PSU client, TDS certificate from clients to be enclosed)  Copy Enclosed: YES/NO
19.	WORK NO. 2		
a)	Name of Client		Copy Enclosed: YES/NO

b)	Name of Work		Copy Enclosed: YES/NO
c)	Date of Start		Copy Enclosed: YES/NO
d)	Stipulated Date of Completion		Copy Enclosed: YES/NO
e)	Actual Date of Completion		Copy Enclosed: YES/NO
f)	Completion Cost		Copy Enclosed: YES/NO
g)	Work Order/ Agreement No.		Copy Enclosed: YES/NO
h)	Copy of Work Order with BOQ		Copy Enclosed: YES/NO
i)	TDS Amount, if applicable		Copy Enclosed: YES/NO
j)	TDS Certificate		Copy Enclosed: YES/NO
k)	Bill of Material/Quantity		Copy Enclosed: YES/NO
l)	Whether experience from Govt. organizations or private clients?		In case experience of non-govt./non-PSU client, TDS certificate from clients to be enclosed)  Copy Enclosed: YES/NO
20.	WORK NO. 3		
a)	Name of Client		Copy Enclosed: YES/NO
b)	Name of Work		Copy Enclosed: YES/NO

c)	Date of Start		Copy Enclosed: YES/NO
d)	Stipulated Date of Completion		Copy Enclosed: YES/NO
e)	Actual Date of Completion		Copy Enclosed: YES/NO
f)	Completion Cost		Copy Enclosed: YES/NO
g)	Work Order/ Agreement No.		Copy Enclosed: YES/NO
h)	Copy of Work Order with BOQ		Copy Enclosed: YES/NO
i)	TDS Amount, if applicable		Copy Enclosed: YES/NO
j)	TDS Certificate		Copy Enclosed: YES/NO
k)	Bill of Material/Quantity		Copy Enclosed: YES/NO
l)	Whether experience from Govt. organizations or private clients?		In case experience of non-govt./non-PSU client, TDS certificate from clients to be enclosed)  Copy Enclosed: YES/NO
21.	Annual Financial Turnover ( <i>Annualized average Financial Turnover equivalent to Indian Rupees during last three years ending 31st March of the previous financial year having UDIN</i> )		
	Year 2021-22		Proof of turnover Enclosed (Abridged balance sheet & Profit & Loss A/c having UDIN) YES/NO
	Year 2022-23		
	Year 2023-24		
	Average		
22.	Scanned copy of Form-D –		

	Financial Data (Work done during last 5 years)		
23.	Scanned copy of Undertakings regarding MII policy.		Copy Enclosed: YES/NO
24.	Scanned copy of signed Integrity Pact as per Appendix-XVIII of GCC.		Copy Enclosed: YES/NO

**DECLARATION**

I, ( \_\_\_\_\_ ) hereby declare that the documents submitted/enclosed are true and correct. In case any document at any stage found fake/incorrect, my EMD may be forfeited & action as deemed fit by AAI can be taken against me.

Place:

Date:

Signature of Authorized Signatory of the Contractor/Firm

*Note: If any of the supporting documents is submitted in any language other than English, a self-attested English Version shall be submitted with the respective document, however as mentioned all the documents duly self-attested shall be submitted.*

**ANNEXURE-E**

**FORM "A"**

**DETAILS OF SIMILAR WORK SUCCESSFULLY COMPLETED OR SUBSTANTIALLY COMPLETED DURING THE LAST SEVEN YEARS ENDING ON ...**

S.	Details of work	W-1	W-2	W-3
1.	Name of work/ project and Location			
2.	Name and Address of client			
3.	Awarded Cost of work (in Rs. Lakhs)			
4.	Date of commencement as per contract			
5.	Stipulated date of completion			
6.	Actual date of completion			
7.	Completion Cost/ Actual work done			
8.	Whether the work was done on back to back basis Yes/No			

**SIGNATURE (S) OF BIDDER (S)**

**(WITH STAMP)**

**Note:-**

The contractor should give list of only of eligible category works of requisite amount with supporting documents issued from client.

FORM-B  
FINANCIAL INFORMATION

Name of the firm / contractor.....

1. Financial Analysis - Details to be furnished turnover on construction works with profit / loss as per figure in balance sheet account for the last three years duly certified by the Chartered Accountant as submitted by the applicant to the Income - Tax Department

Fig in lakhs Rs.

S. No.	Particulars	Financial Year (Last three years)		
		FY...	FY...	FY...
1.	Turn-Over on Construction Works			
2.	Profit/(loss) after Taxes (standalone)			

2. Financial arrangements for carrying out the proposed work.

Unique Document Identification Number(UDIN).....

Signature of Chartered Accountant with Seal

SIGNATURE (S) OF BIDDER (S)

Note: The bidder should give information strictly in above format.

Form 'C'

FORM FOR CERTIFICATE OF NET WORTH FROM CHARTED ACCOUNTANT

This is to certify that as per audited balance sheet and profit & loss account during the financial year ..... the Net Worth of M/S ..... (Name & registered address of Individual/Firm/Company), as on.....(the date of certificate) is Rs..... after considering all liabilities. It is further certified that Net Worth of the company has not eroded by more than 30 % in last three years ending on 31<sup>st</sup> march..... (the relevant year\*)

Unique Document Identification Number(UDIN).....

Signature of Chartered Accountant

.....

Name of Chartered Accountant

.....

Membership of ICAI

Date and Seal

SIGNATURE (S) OF BIDDER (S)

\*The relevant year shall be the financial year ending 31st March preceding the calendar year of bid submission or 31st March of the financial year preceding the previous financial year, if the balance sheet of the previous financial year has not been audited.

FORM-E  
WORKS IN HAND

(On or after the Bid Submission Start Date i.e.....)

Name of the Bidder: -

Name and Brief contract (Clearly indicate the part of the work assigned to the bidder (s))	Name of client with telephone Number and fax number	Contract Value in Rupees (Give only the value of Work assigned to the bidder (s))	Value of balance work yet to be done in Rupee as on ....(m).....	Value of work to be done in 'T' i.e. ....(d)..... (Completion Period of the Project) w.e.f. .....(m)..... (Submission End date).  From.....(m)..... To....((m)+(d))....

Unique Document Identification Number(UDIN).....

Signature of Chartered Accountant with Seal

SIGNATURE (S) OF BIDDER (S)

UNDERTAKING REGARDING DEBARMENT/BLACKLISTING/RESTRAINMENT

Name of Work: \_\_\_\_\_

(Tender ID: \_\_\_\_\_)

I/We ..... (name and post of authorized signatory) on behalf of .....  
(Name of firm) do here by solemnly affirm and declare as follows:

- (i) Our firm is not restrained/ debarred/ blacklisted by Airports Authority of India (AAI)/ Ministry of Civil Aviation(MoCA)/ Dept. of Expenditure(DoE), Ministry of Finance and the debarment/ blacklisting/ restraintment is not in force as on last date of opening of tender (Envelope-I, normally called as technical bid).
- (ii) None of Proprietor /Partners /Board Members /Directors of M/s..... (Name of firm) has remained Proprietor /Partner /Board Member /Director in any firm which stands debarred /blacklisted/restrained by AAI/ MoCA/ DoE and the debarment/ blacklisting/ restraintment is not in force as on last date of opening of tender (Envelope-I, normally called as technical bid).
- (iii) Our firm understands that if our firm either debarred before the date of opening of tender (first bid, normally called as technical bid, in case of two packet/two stage bidding) or debarred before the date of contract by AAI/ MoCA/ DoE (Debarment applicable for all Ministries/ Departments), our bid is liable to be rejected at that stage.
- (iv) Our firm understands that at any stage, if above statements are found to be false, our firm shall be liable for debarment from bidding in AAI, apart from any other appropriate contractual legal action including debarment/ blacklisting/ restraintment, termination of the contract etc. as deemed fit.

Date:

[Signature and name of the  
authorized signatory of the firm]

Place:

Note: Above undertaking is to be given on company's letter head.

Undertaking for EPF/ESI Registration

*(To be submitted by bidders on their letter head)*

Name of Work: \_\_\_\_\_

I, (\_\_\_\_\_), age \_\_\_ years S/o \_\_\_\_\_ proprietor / Managing Partner/  
Managing Director of M/s \_\_\_\_\_ having address  
\_\_\_\_\_ do hereby solemnly affirm and state as follows:-

I hereby undertake that I shall produce EPF/ESI registration after award of work and I shall continue these registration numbers till the actual completion of contract. Failing which suitable action may be taken against our firm as deemed fit by AAI.

Date:

(Signature of the Contractor)

With rubber-stamp.

**UNDERTAKING FOR DECLARATION BY BIDDER REGARDING REQUIREMENT  
OF LOCAL CONTENTS**

(Scanned copy to be submitted by Bidder in Cover-I on letter head of the Company/Firm)

Name of Work:

Tender/Bid ID:

I, the undersigned, \_\_\_\_\_ (full names), do hereby declare, in my capacity as \_\_\_\_\_ of M/s \_\_\_\_\_ (Name of company/Firm) that:

1) I am competent to swear this undertaking on behalf of M/s \_\_\_\_\_ (Name of company/Firm).

2) I have read the Order(s) "Public Procurement Policy (Preference to Make In India), order 2017- revision dated 16.09.2020" notified by Government of India, Ministry of Commerce and Industry, Department of Promotion of Industrial & Internal Trade (Public Procurement Section) vide letter No. P- 45021/2/2017-PP (BE-II) dated 16<sup>th</sup> Sep 2020 or as amended up-to-date.

3) My "local contents" for this tender is \_\_\_\_\_ (specify the percentage of local contents) as per details attached under 'Annexure K (B)' and we meet the mandatory minimum Local Content requirement i.e. \_\_\_\_\_ (specify the percentage of local contents) for 'Class-I local supplier' / 'Class-II local supplier' (strikeout, whichever is not applicable) as per Government of India, "Public Procurement Policy (Preference to Make In India), order 2017" amended up to date to participate in AAI tender ID. No. \_\_\_\_\_.

4) The details of location(s) at which the local value addition is made are as per Annexure K(B).

5) I / we are not debarred/blacklisted by any procuring entity for violation of this order and the debarment is not in force as on last date of submission of bid.

Signature and name of the authorized signatory of the firm

with Rubber Stamp

Date:

Place:

SIGNATURE (S) OF BIDDER (S)

DETAILS OF LOCAL CONTENTS

(Scanned copy to be submitted by Bidder in Cover-I on letter head of the Company/Firm)

Name of Work:

Tender ID :

I/we hereby certify that AGL Equipment designed and supplied by us will have the local content as below: -

S.NO.	BOQ ITEM NO. (ONLY SUPPLY items)	% of Local Content	Details of location(s) at which local value addition is made	Remarks
1				
2				
3				
	Total % of Local Contents			

NOTE: -

(a) Local Content shall be claimed on the supply part only and shall not be claimed on the services such as Transportation, Insurance, Installation, Commissioning, Training, Operation & AMC/CMC/AICMC etc.

(b) Local Content shall be calculated as per Govt. of India guidelines.

(c) Item wise Local Contents declared under Annexure-K (B) may vary at the time of actual supply of material. However, the total percentage of local contents shall meet the minimum local content requirement for "Class-I Local Supplier" / "Class -II Local Supplier' (as applicable) in accordance with the "Public Procurement Policy (Preference to Make In India), order 2017' revision dated 16.09.2020'.

Signature and name of the authorized signatory of the  
firm

with Rubber Stamp

Date:

Place:

PERFORMA FOR CERTIFICATE FROM STATUTORY AUDITOR / COST AUDITORY COST ACCOUNTANT/ PRACTICING CHARTERED COUNTANT REGARDING REQUIREMENT OF LOCAL CONTENTS

(Applicable for the procurement for a value in excess of Rs.10.00 Crores)

(Scanned copy to be submitted by Bidder in Cover-I on Auditor's / Accountant's letter head)

Name of Work:

Tender ID:

I / We \_\_\_\_\_ (Name of Auditor / Accountant) \_\_\_\_\_, the Statutory Auditor / Cost Auditor/ Cost Accountant/ Practicing Chartered Accountant (strikeout which is not applicable) of M/s \_\_\_\_\_ (Name of Auditing/ Accounting company/Firm) \_\_\_\_\_ hereby certify that M/s \_\_\_\_\_ (Name of Bidding company/Firm) \_\_\_\_\_ meets the mandatory minimum Local Content requirement i.e. \_\_\_\_\_ (specify the percentage of local contents) as 'Class-I local supplier' / 'Class-II local supplier' (strikeout, whichever is not applicable) as per Government of India, "Pubic Procurement Policy (Preference to Make In India), order 2017" amended up to date to participate in AAI Tender ID No. \_\_\_\_\_.

Signature and name of the Statutory Auditor / Cost Auditor/ Cost Accountant/ Practicing Chartered Accountant with Rubber Stamp

UDIN No

Date:

Place:

SIGNATURE (S) OF BIDDER (S)

TOOLS AND PLANT UNDERTAKING  
(To be submitted in the letter head of the firm)

I/we----- hereby undertake that in case the work is awarded to me/us, we will provide the required Tools/equipment as stipulated in the tender document. I/We also undertake that any additional Tools/T&P as and when required at site, as per work requirements will be deployed by purchase/lease hold/ hire and the same will be deployed without claiming any extra cost from AAI. Deployment shall be as per requirement at site and decided by the Engineer-In-Charge.

Signature of Director/Proprietor

Name of Signatory : .....

Postal Address : .....

Email ID : .....

Phone No. : .....

FORM OF UNDERTAKING

FROM FOREIGN /INDIAN PARENT / PRINCIPAL COMPANY / FIRM  
(To be completed on letterhead of Tenderer's Ultimate foreign /Indian Parent /  
Principal Company / Firm)

To  
Asst. Gen. Manager (Engg – Elect.),  
Electrical Maintenance Division,  
Airports Authority of India,  
NSCBI Airport,  
Kolkata – 700052  
Name of work: .....

Date:

Dear Sir(s),

We refer to the accompanying Tender for the subject mentioned Services("SERVICES") by (Name and address of Subsidiary) ("TENDERER") of which we are the ultimate holding company, and hereby request Airports Authority of India, Corporate Head quarter, Rajiv Gandhi Bhawan, Safdarjung Airport, New

Delhi -110003 (AAI) to enter into contract with

TT (Name of foreign / Indian Subsidiary company / firm) TTT TENDERER for the same. In the event of our subsidiary doing so and in consideration of AAI entering into such contract("AGREEMENT"), we do hereby enter into the following unconditional and irrevocable undertaking with AAI that:

1. We guarantee that our subsidiary TENDERER shall duly perform all its obligations contained in the AGREEMENT.
2. If our subsidiary TENDERER shall in any respect fail to perform its obligations under AGREEMENT or shall commit any breach thereof, we undertake, on simple demand by AAI, to perform or to take whatever steps may be necessary to achieve performance of said obligations under AGREEMENT and shall indemnify and keep indemnified AAI against any loss, damages, claims, costs and expenses which may be incurred by AAI by reason of any such failure or breach on the part of our subsidiary TENDERER.
3. Our guarantee and undertaking hereunder shall be unconditional and irrevocable and, without prejudice to the generality of the foregoing, we shall not be released or discharged from our liability hereunder by: -
  - a) Any waiver of forbearance by AAI of or in respect of any of our subsidiary TENDERER's obligations under AGREEMENT whether as to payment, time, performance or otherwise howsoever or by any failure by AAI to enforce AGREEMENT or this instrument, or
  - b) Any alteration to, addition to or deletion from AGREEMENT or the scope of the services to be performed under AGREEMENT, or
  - c) Any change in the shareholding relationship between ourselves and our subsidiary TENDERER

TENDERER's obligation under AGREEMENT and all our obligations hereunder have been duly performed.

4. We further undertake that our subsidiary TENDERER is eligible for using the experience of our any other 100% subsidiary company / firm and there will not be any issue regarding transfer of relevant rights and liabilities including Intellectual Property Rights till the successful completion of project including Defect Liability I Warrantee/ Guarantee period.
5. We further undertake I confirm that the said work experience credentials used by our subsidiary Tenderer have neither been used by us nor by any of our other foreign /Indian subsidiary company /firm for this tender. In case it is found violated, applications of all our subsidiary TENDERERs as well as ours are liable to be summarily rejected without assigning any reason thereof & AAI shall be at liberty to forfeit the entire EMD amounts of all our subsidiary tenderers as well as ours, if we are also the applicant tenderers in same tender.
6. This document shall be construed and take effect in accordance with the laws of the Republic of India.

Your faithfully,

Sign

Name & Designation

Date

For and on behalf of  
(TENDERER's ultimate holding company)

FORM-D  
FINANCIAL DATA  
(WORK DONE DURING LAST FIVE FINANCIAL YEARS)

Name of the Bidder: -

Sl. No.	Description	Financial Data for Last Five Audited Financial years				
		FY.....	FY.....	FY.....	FY.....	FY.....
1.	Maximum value of Electrical Engineering Works executed in any one year during the last 5 (five) years (updated the completed works to current costing level of enhancing at a simple rate of interest @ 7% per annum.)					
Note: a. All such documents reflect the financial data of the tenderer or member in case of JV/Consortium, and not that of sister or parent company. b. The financial data in above prescribed format shall be certified by Chartered Accountant/ Company Auditor under his signature and stamp in original along with membership no.						

Unique Document Identification Number(UDIN).....

Signature of Chartered Accountant with Seal

SIGNATURE (S) OF BIDDER (S)

PERFORMA FOR DETAILS OF ACCOUNT FOR E - PAYMENT

To  
Asst. Gen. Manager (Engg – Elect.),  
Electrical Maintenance Division,  
Airports Authority of India,  
NSCBI Airport,  
Kolkata – 700052

Date:

Subject: Request for E-Payment

Sir,

The following particulars are given below for effecting E-Payment in respect of our Claim/Bill.

- i) Name of the Company :
- ii) Address :
- iii) Bank A/c No. :
- iv) Bank/Branch Name &Address :
- v) Branch Code :
- vi) IFSC Code of the Bank :
- vii) Permanent A/c No. of the Company :

We also enclosed herewith a Cheque duly cancelled of our above Bank A/c.

Thanking you,

Yours faithfully,

Authorized Signatory

Performa for declaration by Bidder for compliance of order on Restriction under Rule 144(xi) of the General Financial Rules (GFRs)-2017

(Scanned copy to be submitted by Bidder in Cover-I on letter head of Company/Firm)

Name of Work: \_\_\_\_\_

Tender ID: \_\_\_\_\_

I, the undersigned, \_\_\_\_\_ (full names), do hereby declare, in my capacity as \_\_\_\_\_ of M/s \_\_\_\_\_ (Name of company/Firm) \_\_\_\_\_ that:

1) I am competent to swear this undertaking on behalf of M/s \_\_\_\_\_ (Name of company/Firm) \_\_\_\_\_

2) I have read the Order(s) on the subject of Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017 regarding restrictions on procurement from a bidder of a country which shares a land border with India and comply to all the provisions of the Order(s).

3) I certify that M/s \_\_\_\_\_ (Name of company/Firm) \_\_\_\_\_ is not from such a country / is from such a country, has been registered with the Competent Authority (strike out whichever is not applicable). I hereby certify that this BIDDER fulfils all requirements in this regard and is eligible to be considered [Where applicable, evidence of valid registration with the Competent Authority is attached].

4) I understand that the submission of incorrect data and / or if certificate/ declaration given by M/s \_\_\_\_\_ (Name of company/Firm) \_\_\_\_\_ is found to be false, this would be a ground for immediate termination and further legal action in accordance with law as per Clause 12 of the Public Procurement Order on Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017.

Date:

Place:

Signature and name of the authorized signatory of the firm  
with Rubber Stamp

**TENDER SPECIFIC MANUFACTURER'S AUTHORIZATION FORM**

*( to be provided on OEM's Letter Head)*

To  
**Asstt. General Manager (Engg.- Elect.)**  
AGL Division (EMD - II). Department of Electrical Engineering  
Airports Authority of India, Operation Building  
Ground Floor, NSCBI Airport, Kolkata – 700052  
**( Bid Manager)**

Name of Work:  
e-Bid No.:

**Dear Sir,**

We, M/s Honeywell Automation India Ltd. (OEM of ILCMS, Designer and System Integrator of CAT-III AGL system installed at NSCBI Airport, Kolkata) /.....( authorized agency of the OEM, Honeywell Automation India Ltd) do hereby undertake to provide necessary support for AICMC of the ALCMS / ILCMS system to M/s..... ( the bidder) during the execution of the work as mentioned above by providing hardware, spare parts, software supports, firmware, software tools for diagnostic, prognostic and break down maintenance, preventive maintenance, testing, performance certification, training / retraining & competency mapping of the Operation & maintenance personnel engaged by the bidder and AAI officials e.g ATCOs as per the regulatory requirement to ensure safe & reliable CAT-I/II/III operations with system integrity and reliability at NSCBI Airport, Kolkata licensed for ALL Weather, IFR, 4E operations.

**Seal and Signature of authorized  
representative of M/s Honeywell Automation  
India Ltd.**

**Seal and Signature of bidder**

Sub: SOP for BG Verification through SFMS of ICICI Bank.

AAI has made arrangement for Verification of Bank Guarantees received by AAI from Vendors/Customers/Concessionaires through Structured Financial Messaging System(SFMS) of ICICI bank. The system will operate on pan India basis. For making the verification system operational at AAI Regions/Metro Airports and SAUs under respective region's the following procedure is to be implemented with immediate effect.

1. The following bank details need to be incorporated in the tender document so that the prospective successful LI bidder may submit BG(PBG/BG-SD/FBG) in accordance with the bank details.

CORPORATE NAME: AIRPORTS AUTHORITY OF INDIA  
BANK NAME: ICICI BANK  
IFSC CODE: ICIC0000007  
BG ADVISING MESSAGE: IFN 760COV (BG ISSUE)  
IFN 767COV (BG AMENDMENT)

\*UNIQUE IDENTIFIER CODE: Specific code for each unit as per Annexure-I to be mentioned in field 7037 of the BG advising message code.

2. While submitting the documents to BG issuing bank, the Vendor/customer/concessionaire will also submit letter to the issuing bank as per the format mentioned.

Advisory: For Applicant and its BG Issuing Bank Branch.

It is to be noted that along with physical BG; we have Also activated an online facility to view the issued BG cover message transmitted to ICICI Bank through SFMS platform.

1. For availability of BG in platform, it is necessary that BG issuing/amending bank send the BG advice in the form of message format IFN 760CO (BG Issuance)/IFN 767COV (BG Amendment) via SFMS (Structured Financial Messaging System) as provided by RBI.
2. In the event of BG issuing/amending bank not sending the message IFN 760COV/IFN 767COV or committing any error while capturing the details at least in the below field. BG confirmation through online portal would not be updated.

Please note that the issuing bank while issuing/amending the BG, should ensure that the above information is correctly captured in the message i.e. IFN 760COV/ IFN 767COV.

Please find below indicative request letter format to be sent to issuing bank for ensuring transmission of BGs through SFMS:

Sl. No.	Name of the AAI Unit	Email ID	UNIQUE IDENTIFIER CODE (7037)
1.	KOLKATA AIRPORT	bgv.kolkata@aai.aero	AAIKOLKATA

Request Letter: Transmission of Bank Guarantee Cover Message to be submitted by  
applicant to BG issuing banks

Date: \_\_\_\_\_  
The Manager,  
(Bank),  
(Branch)

Sub: Inclusion of unique identifier code of AAI while transmitting BG cover messages where beneficiary bank is ICICI Bank (IFSC-ICIC0000007).

Dear Sir/Ma'am,

I/We, \_\_\_\_\_, request you to include unique identifier \_\_\_\_\_ in field 7037 of the SFMS cover messages IFN COV 760 (for BG issuance) and IFN COV 767 (for BG amendment) while transmitting the same to the beneficiary bank (ICICI Bank-IFSC-ICIC0000007).

Thanking You,

\_\_\_\_\_

(Vendor/Customer/Concessionaire)



# GENERAL CONDITIONS OF CONTRACT

## 2017

AIRPORTS AUTHORITY OF INDIA

# AIRPORTS AUTHORITY OF INDIA

## INDEX

Sl. No.	Details of Pages	Page No.
1.	General Guidelines	3
2.	Tender forms	4
i)	General Rules and Directions.	6
ii)	Conditions of contract	15
iii)	Clauses of contract	18
iv)	A A I Safety code	86
v)	Model Rules	91
vi)	A A I contractor's labour Regulations	96
vii)	Various Formats to be maintained (Appendix I to XX)	101
viii)	Sketch of Cement Godown	140
3.	Proforma of Schedules A to F	141

## GENERAL GUIDELINES

1. This book of “General Conditions of Contract” is applicable to both types of tenders i. e.” Percentage rate tenders and Item rate tenders”. Accordingly, alternative provisions for conditions Nos. 4, 10 & 12 of the General Rules and Directions are given in this book. The appropriate alternatives will be applicable in specific cases depending on whether this is used for percentage rate tenders or item rate tenders
2. Notice Inviting Tender, Schedules A to F, special conditions/specifications and drawings only will be issued to intending bidders. The standard form will not be issued along with the Tender Documents but the same shall form part of the agreement to be drawn and signed by both parties after acceptance of tender.
3. All blanks are confined to Notice Inviting Tender and Schedules A to F.
4. Authority approving the Notice Inviting Tenders (NIT) shall fill up all the blanks in Notice Inviting Tender and in Schedules B to F before issue of Tender documents.
5. The intending bidders will quote their rates in Schedule A.
6. The proforma for registers and Schedules A to F are only for information and guidance. These are not to be filled in the Standard Form. The Schedules with all blanks, duly filled, shall be separately issued to all intending tenderers.

AIRPORTS AUTHORITY OF INDIA

~~Percentage Rate Tender~~/Item Rate Tender & Contract for Work

Airport : Kolkata

Branch : Electrical Engineering

Office of : DGM (EE), NSCBIA, Kolkata

(A) Name of work: - Operation and Maintenance of Aeronautical Ground Lighting System with ILCMS (CAT-I/II/III) at NSCBI Airport, Kolkata (2026-2028).

(i) To be submitted/ uploaded in NIC GeM Portal.as per CRITICAL DATA SHEET.

(ii) To be opened in presence of tenders who may be present on \_\_\_\_\_ at \_\_\_\_\_ hrs. in the office of \_\_\_\_\_

Issued to -----\*

Signature of officer issuing documents-----\*

Designation -----\*

Date of issue -----\*

DELETED

\*(ii) Not applicable for e-tendering

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F, Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, Clauses of contract, Special conditions, Schedule of Rates & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I / We hereby tender for the execution of the work specified for the Chairman Airports Authority of India within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such material as are provided for, by and in respects in accordance with, such conditions so far as applicable.

We agree to keep the tender open for Ninety (90) days from the date of opening of financial bid in 3/2 bid system and not to make any modifications in its terms and conditions.

I / We undertake and confirm that for eligibility of similar work(s) has / have not been got executed on back to back basis through another contractor. Further that, if such a violation comes to the notice of AAI, then I/We shall accept the decision of AAI if we are debarred for tendering in AAI in future works. Also, if such a violation comes to the notice of AAI before date of start of work, the Engineer- in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit / Performance Guarantee.

I / We further undertake and confirm that information/ documents submitted by us are genuine, and if at any stage such documents/ information found false, then we shall be liable for debarment from tendering in AAI, and any other appropriate legal action.

A sum of ₹45,22,459.00 (Rupees Forty-Five Lakh Twenty-Two Thousand Four Hundred and Fifty-Nine only) is here by submitted in online mode / ~~BG in the format prescribed in tender documents as earnest money (Appendix I)~~. If I/we, fail to furnish the prescribed performance bank guarantee within prescribed period, I/we agree that the said Chairman, A.A.I. or his successors in office shall without prejudice to any other right or remedy, be at liberty to take appropriate action as per terms of contract. Further, if I/ we fail to commence work as specified, I/we agree that Chairman, A.A.I. or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to take action as deemed fit forfeit the said earnest money absolutely, otherwise the said earnest money shall be retained by AAI towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered, upto maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I/We agree that in case of forfeiture of earnest money or Performance Guarantee or both Earnest Money & Performance Guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

I / We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/we am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

(\* To be deleted which are not applicable)

Date :

Signatures of Contractor :

Witness:

Postal Address

Occupation:

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by competent authority on behalf of the Chairman, Airports Authority of India for sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_).

The letters referred to below shall form part of this contract Agreement: -

- (i)
- (ii)
- (iii)

For & on behalf of Chairman, Airports  
Authority of India

Signature-----

Designation-----

Date-----

AIRPORTS AUTHORITY OF INDIA

General Rules & Directions

1.	General Rules & Directions	<p>All work proposed for execution by contract are notified in a form of invitation to tender pasted in public places /GeM Portal and signed by the officer inviting tender or by publication in Newspapers and posted on AAI web-site and GeM Portal <a href="http://gem.gov.in">http://gem.gov.in</a> and <a href="http://www.aai.aero">www.aai.aero</a> (for reference only).</p> <p>This form will state the work to be carried out, as well as the date for submitting and opening tenders and the time allowed for carrying out the work, also the amount of earnest money to be deposited with the tender, and the amount of the security deposit and Performance guarantee to be deposited by the successful tenderer and the percentage, if any, to be deducted from bills. Copies of the specifications, designs and drawings and any other documents required in connection with the work signed for the purpose of identification by the officer inviting tender shall also be open for inspection by the contractor at the office of Officer inviting tender during office hours.</p>
2.		<p>In the event of the e-tender being submitted by a firm, it must be digitally signed. Such tender will be treated as signed tender. For physical tender it must be signed separately by each partner thereof or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-of-attorney authorizing him to do so, such power of attorney to be produced with the tender, and it must disclose that the firm is duly registered under the Indian Partnership Act, 1952.</p>
2. (A)		<p>In case of the tender submitted by a Joint Venture / Consortium, a copy of joint venture / consortium agreement in the specified proforma defining the lead partner should be submitted. The lead partner shall sign all the documents in respect of the works. The documents signed by any other person or firm other than the lead partner shall not be entertained.</p>
3.		<p>Receipts for payment made on account of work, when executed by a firm, must also be signed by all the partners, except where contractors are described in their tender as a firm, in which case the receipts must be signed in the name of the firm by one of the partners, or by some other person having due authority to give effectual receipts for the firm. Bank details shall be furnished by the firm through an application duly signed by all partners for payment to the firm through bank transfer.</p>

4.	Applicable for item Rate Tender only.	<p>Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenderers, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort, including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes.</p> <p>The rate(s) must be quoted in decimal coinage. Amount must be quoted in full Rupees by ignoring 50 paise and considering more than 50 paise as Rupee one.</p> <p>In case the lowest tendered amount (worked out on the basis of quoted rate of Individual items) of two or more contractors is same, then such lowest contractors will be asked to submit revised offer quoting rate of each item of the schedule of quantity for all sub sections/sub heads as the case may be, but the revised quoted rate of each item of schedule of quantity for all sub sections/sub heads should not be higher than their respective original rate quoted already at the time of submission of tender. The lowest tender shall be decided on the basis of</p>
----	---------------------------------------	--

		<p>revised offer.</p> <p>If the revised tendered amount (worked out on the basis of quoted rate of individual items) of two or more contractors received in revised offer is again found to be equal, then the lowest tender, among such contractors, shall be decided by draw of lots in the presence of Jt. GM (Engg) / DGM (Engg) / AGM (Engg) / Sr. Manager (Engg) in-Charge of major and minor component(s) work and the lowest contractors those have quoted equal amount of their tenders.</p> <p>In case of any such lowest contractor in his revised offer quotes rate of any item more than their respective original rate quoted earlier at the time of submission of tender, then such revised offer shall be treated invalid. Such case of revised offer of the lowest contractor or case of refusal to submit revised offer by the lowest contractor shall be treated as withdrawal of his tender before acceptance and 50% of his earnest money shall be forfeited.</p> <p>In case all the lowest contractors those have same tendered amount (as a result of their quoted rate of individual items), refuse to submit revised offers, then tenders are to be recalled after forfeiting 50% of EMD of each lowest contractors.</p> <p>Contractor, whose earnest money is forfeited because of non-submission of revised offer, or quoting higher revised rate(s) of any item(s) than their respective original rate quoted already at the time of submission of his bid shall not be allowed to participate in the retendering process of the work.</p> <p>Note: Till the time software supports the above provisions, revised offers from tenderers forming the tie shall be obtained and procedure prescribed for “Restricted call of tenders” shall be adopted (for e-tenders).</p>
4. (A)	Applicable for Percentage Rate Tender only.	<p>In case of Percentage Rate Tenders, tenderer shall fill up the usual printed form, stating at what percentage below/above (in figures as well as in words) the total estimated cost given in Schedule of Quantities at Schedule-A, he will be willing to execute the work. The tender submitted shall be treated as invalid if;</p> <ol style="list-style-type: none"> <li>1. The contractor dose not quote percentage above/below on the total amount of tender or any section/sub-head of the tender.</li> <li>2. The percentage above / below is not quoted in figures &amp; words both on the total amount of tender or any section / sub-head of the tender.</li> <li>3. The percentage quoted above/below is different in figures and words on the total amount of tender or any section / sub-head of the tender.</li> </ol> <p>Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected.</p> <p>No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes.</p> <p>In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/below) of two or more bidders is same, such lowest bidders will be asked to submit revised offer in the form of letter mentioning percentage above/ below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above / below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited.</p> <p>If the revised tendered amount of two more bidders received in revised offer is again found to be equal , the lowest tender, among such bidders, shall be decided by draw of lots in the presence of Jt. GM (Engg) / DGM (Engg) / AGM (Engg) /</p>

		<p>Sr. Manager (Engg) in-Charge of work &amp; the lowest bidders those who have quoted equal amount of their tenders. In case all the lowest bidders those who have quoted same tendered amount, refuse to submit revised offers, then tenders are to be recalled after forfeiting 50% of EMD of each bidder.</p> <p>Bidders, whose earnest money is forfeited because of non-submission of revised offer, shall not be allowed to participate in the re-tendering process of the work.</p> <p>Note: Till the time software supports the above provisions, revised offers from tenderers forming the tie shall be obtained and procedure prescribed for “Restricted call of tenders” shall be adopted.</p>
4. (B)		<p>In case the lowest tendered amount (estimated cost <math>\pm</math> amount worked on the basis of percentage above/below) of two or more contractor is same, such lowest contractor will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub section/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section /sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers.</p> <p>In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited.</p> <p>If the revised tendered amount of two more contractors received in revised offers is again found to be equal, the lowest tender, among such contractor, shall be decided by draw of lots in the presence of Jt.GM (Engg) / DGM (Engg), AGM (Engg) / Sr. Manager (Engg) in -Charge of major &amp; minor component(s) of work &amp; the lowest bidders those who have quoted same tendered amount of their tenders. In case all the lowest contractors those who have quoted same tendered amount, refuse to submit revised offers, then tenders are to be recalled after forfeiting 50% of EMD of each bidder.</p> <p>Bidders, whose earnest money is forfeited because of non- submission of revised offer, shall not be allowed to participate in the re-tendering process of the work.</p>
5.		<p>The officer inviting tender or his duly authorized representative, will open tenders in the presence of any intending bidders who may be present at the time, and will enter the amounts of the several tenders in a comparative statement in a suitable form. In the event of a tender being accepted, a receipt for the earnest money shall thereupon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specifications and other documents mentioned in Rule – I.</p> <p>In the event of a tender being rejected, the earnest money shall thereupon be returned to the contractor remitting the same, without any interest.</p>
6.		<p>The officer inviting tenders shall have the right of rejecting all or any of the tenders and will not be bound to accept the lowest or any other tender.</p>
7.		<p>The receipt of an accountant or clerk for any money paid by the bidder towards tender fee will not be considered as any acknowledgement or payment to the officer inviting tender and the bidder shall be responsible for seeing that he procures a receipt signed by the officer inviting tender or a duly authorized cashier.</p>
8.		<p>The memorandum of work tendered for and the schedule of materials to be supplied by the department and their issue-rates, shall be filled and completed in the office of the officer inviting tender before the tender form is issued. If a form is issued to an intending bidder without having been so filled in and incomplete, he shall request the officer to have this done before he completes and delivers his tender.</p>

9.		The bidders shall sign a declaration under the officials Secret Act 1923, for maintaining secrecy of the tender documents drawings or other records connected with the work given to them. The unsuccessful bidders shall return all the drawings given to them.
9(A).		<del>Use of correcting fluid anywhere in tender document is not permitted. Such tender is liable for rejection. If there is any correction it should be cut with a straight line and should be initialed and cello tape to be provided on all the rates quoted in case of physical tenders.</del>
10.	Applicable for Item Rate Tender Only.	<p>In the case of Item Rate Tenders, only rates quoted shall be considered. Any tender containing percentage below / above the rates quoted is liable to be rejected. Rates quoted by the bidder in item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However,</p> <ol style="list-style-type: none"> <li>i. If a discrepancy is found between rates in figures and in words, then the rates which correspond with the amount worked out by the bidder shall unless otherwise proved be taken as correct.</li> <li>ii. If the amount of an item is not worked out by the bidder or it does not correspond with the rates written either in figures or in words, then the rates quoted by the contractor in words shall be taken as correct.</li> <li>iii. Where the rates quoted by the bidder in figures and in words tally, but the amount is not worked out correctly, the rates quoted by the contractor will unless otherwise proved be taken as correct and not the amount.</li> <li>iv. In event no rate has been quoted for any item(s) leaving space blank both in figure(s) and word(s) or cancelled the quoted rate in figure(s), and word(s) but the amount corresponding to the item(s) is worked out by the bidder and added to the grand total, then rate(s) of the items(s) shall be derived from the amount(s) quoted by the contractor against such item(s).</li> <li>v. In event no rate has been quoted for any item(s), leaving space both in figure(s), word(s), and amount blank, it will be presumed that the bidder has included the cost of this/these item(s) in other items and rate for such item(s) will be considered as zero and work will be required to be executed accordingly.</li> <li>vi. Sub Para i to iv above shall not be applicable in case of e-tendering.</li> </ol>
	Applicable for percentage rate tender only.	<p>In case of percentage Rate Tenders only percentage quoted shall be considered. Any tender containing item rates is liable to be rejected Percentage quoted by the bidder in percentage rate tender shall be accurately filled in figures and words, so that there is no discrepancy. However, if the bidder has worked out the amount of the tender and if any discrepancy is found in the percentage quoted in words and figures,</p> <ol style="list-style-type: none"> <li>i. The percentage which corresponds with the amount worked out by the bidder shall, unless otherwise proved, be taken as correct.</li> <li>ii. If the amount of the tender is not worked out by the bidder or it does not correspond with the percentage written either in figures or in words, then the percentage quoted by the bidder in words shall be taken as correct.</li> <li>iii. Where the percentage quoted by the bidder in figures and in words tally but the amount is not worked out correctly, the percentage quoted by the bidder will, unless otherwise proved, be taken as correct and not the amount.</li> </ol>
11.		In the case of any tender where unit rate of any item / items appear unrealistic, such tender will be considered as unbalanced and in case the tenderer is unable to provide satisfactory explanation, such a tender is liable to be disqualified and rejected.

12.	Applicable for Item Rate Tender only.	All rates shall be quoted on the tender form. The amount for each item should be worked out and requisite totals given. Special care should be taken to write the rates in figures as well as in words and the amount in figures only, in such a way that interpolation is not possible. The total amount should be written both in
-----	---------------------------------------	---

		figures and in words. In case of figures, the word 'Rs' should be written before the figure of rupees and word 'P' after the decimal figures, e.g. 'Rs. 2.15 P' and in case of words, the word 'Rupees' should precede and the word 'Paise' should be written at the end. Unless the rate is in whole rupees and followed by the word 'only' it should invariably be upto two decimal places. While quoting the rate in schedule of quantities, the word 'only' should be written closely following the amount and it should not be written in the next line.
12(A).	Applicable for percentage rate tender only.	<del>In Percentage Rate Tender, the tenderer shall quote percentage below / above (in figures as well as in words) at which he will be willing to execute the work. He shall also work out the total amount of his offer and the same should be written in figures as well as in words in such a way that no interpolation is possible. In case of figures, the word 'Rs' should be written before the figure of rupees and work 'P' after the decimal figures, e.g. 'Rs. 2.15 P' and in case of words, the word 'Rupees' should precede and the word 'Paise' should be written at the end. (quoting of rates in Paise is not applicable in e tenders)</del>
13	Acceptance of abnormally low quoted bid	An Abnormally Low Bid is one in which the Bid price, in combination with other elements of the Bid, appears so low that it raises material concerns as to the capability of the Bidder to perform the contract at the offered price. Processing of such bid shall be as follows: i) The Bid Manager shall seek written clarifications from the lowest Bidder with approval of the tender accepting authority, including detailed price analyses of its Bid price in relation to scope, schedule, resource mobilization, allocation of risks and responsibilities, and any other requirements of the bids document. ii) If, after evaluating the price analyses, the Tender Accepting Authority determines that the Bidder has substantially failed to demonstrate its capability to deliver the contract at the offered price, then the bid/ proposal may be rejected. iii) Such contracts should be closely monitored that final payments in such cases do not abnormally increases due to extra items. Further, there is no abnormal increase in quantities of the item for which contractors have initially quoted very high rates.
13A		<del>In case the contractor does not carry out the work on ALQ items as per schedule or as per NIT specifications, the Engineer in charge shall issue a letter to the contractor to comply its obligations as per NIT for ALQ items. Engineer in charge shall also give one reminder after 10 days of 1<sup>st</sup> letter and if contractor still do not start the work on ALQ items, then bank guarantee i.e. QPBG should be encashed and work should be got executed through anothe agency at his risk and cost.</del>
14		i. The bidder, whose tender is accepted, will be required to furnish performance guarantee of 5% (Five Percent) of the tendered amount within the period specified in Schedule F. This guarantee shall be in the form of Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank but not co-operative or Gramin Bank, in accordance with the prescribed form, provided confirmatory advice is enclosed.

		<p>ii. The bidder, whose tender is accepted, will also be required to furnish by way of Security Deposit for the fulfillment of his contract, an amount equal to 5% of the contract amount of the work.</p> <p>iii. In works where condition of submission of Performance Guarantee is not applicable, the security deposit @ 10% of the tendered value shall be deducted.</p> <p>iv. The Security deposit (under ii &amp; iii above) will be collected by deductions from the running bills of the contractor at the rates mentioned above and the earnest money deposited at the time of tenders, will be treated as a part of the Security Deposit.</p> <p>v. Security deposit will also be accepted in form of Fixed Deposit Receipts / Guarantee Bonds of any Scheduled Bank but not co-operative or Gramin Bank in accordance with the prescribed form, provided confirmatory advice is enclosed.</p>			
15.		On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer-in-Charge shall be communicated in writing to the Engineer-in-Charge.			
16.		<p>1. Rates to be quoted by the parties should be inclusive of all taxes, duties, CESS, fee, royalty charges etc. levied under any statute but exclusive of GST for all the items.</p> <p>2. However GST, as applicable, shall be paid to the contractor, for any taxable supply / services / construction rendered by the agency to AAI, against a valid GST invoice as per terms and conditions of the contract.</p> <p>3. <del>In case supplies / services / works involve imports; the same should be identified separately. Basic Custom Duty &amp; IGST will be paid directly by AAI by utilizing EPCG license / Duty Credit Scrip under service Export from India Scheme (SEIS) of Govt. of India.</del></p>			
17.		The contractor/ bidder shall give a list of AAI employees related to him.			
18.		The tender for the work shall not be witnessed by a contractor or contractors / bidders who himself / themselves has / have tendered or who may and has / have tendered for the same work. Failure to observe this condition would render, tenders of the contractors tendering, as well as witnessing the tender, liable to summary rejection.			
19.		The tender for composite work includes, in addition to building work, all other works such as sanitary and water supply installations drainage installation, electrical work, horticulture work, roads and paths etc. The tenderer apart from being a registered contractor (B&R) of appropriate class, must associate himself with agencies of appropriate class which are eligible to tender for sanitary and water supply drainage, electrical and horticulture works in the composite tender.			
20.		<p>The contractor/ bidder shall submit list of works completed in last 5 years*as well as which are in hand (in progress) in the following format for assessing bidding capacity of the bidders:-</p> <p style="text-align: center; font-size: 2em; opacity: 0.5;">DELETED</p>			
	Name of work	Name and particulars of Office where work is being executed	Value of work	Position of works in progress	Remarks
	1	2	3	4	5

21		<p>The contractor/bidder shall comply with the provisions of the Apprentices Act 1961, and the rules and orders issued there under from time to time. If he fails to do so, his failure will be a breach of the contract and the Executive Director (Engg.) may in his discretion, without prejudice to any other right or remedy available in law, cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions of the said Act.</p>
22		<p>If complete site is available for work, the work shall be completed in the manner specified here in special condition of contract and NIT specifications.</p> <p>Note: In such case para 23 below may be deleted by NIT approving authority</p>
23		<p>If complete site is not available for taking up the work, the same shall be made available in phases. The scope of work covered in each phase, time for completion of work in each phase and methodology of taking over completed work in phased manner has been specified under special conditions of contract. The completion time for each phase shall be applicable as indicated in tender documents. The work shall also be taken over by Engineer-In-Charge in phases. The warranty for the works executed in each phase shall be applied independently w.e.f. date of completion /taking over of individual phase.</p> <p>Note: In such case para 22 above may be deleted by NIT approving authority.</p>

## CONDITIONS OF CONTRACT

### Definitions:

1.		<p>The contract means the documents forming the tender and acceptance thereof and the formal agreement / agreements executed between the competent authority(s) on behalf of the Chairman, Airports Authority of India and the Contractor, together with the documents referred to therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Engineer-in-Charge and all these documents taken together, shall be deemed to form one contract / two contracts and shall be complimentary to one another. Contractor has to sign two agreements, one consisting BOQ for Civil works and another one for SITC and O&amp;M /AMC / AICMC part. Engineer-in charge could be common for both the agreements. Separate invoices for the civil /construction works and SITC / O&amp;M / AICMC / AMC works have to be raised by the agency referring to the respective agreements to facilitate AAI to claim input tax credit on such SITC / O&amp;M / AICMC / AMC works as mentioned in Schedule 'F' para 2(v).</p>
2.		<p>In the contract, the following expressions shall, unless the context otherwise requires, have the meanings, hereby respectively assigned to them :-</p>
		<ul style="list-style-type: none"> <li>i. The expression works or work shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.</li> <li>ii. The site shall mean the land / or other places on, into or through which work is to be executed under the contract or any adjacent land, path or street through which work is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.</li> <li>iii. The Contractor / tenderer / bidder shall mean the individual, firm or company whether incorporated or not, Joint Venture / Consortium undertaking the works and shall include the legal personal representative of such individual or the persons constituting such firm or company, or the successors of such firm or company and the permitted assignees of such individual, firm or company.</li> <li>iv. The Chairman means the Chairman Airports Authority of India and his Successors.</li> <li>v. The Engineer-in-Charge means the Engineering Officer who shall supervise and be incharge of the work and who shall sign the contract on behalf of the Chairman, Airports Authority of India as mentioned in Schedule 'F' hereunder.</li> <li>vi. AAI or Airports Authority of India shall mean the Chairman Airports Authority of India.</li> <li>vii. The terms Member (Planning) means the head of Department of Engineering, Airports Authority of India.</li> <li>viii. Accepting Authority shall mean the authority mentioned in Schedule 'F'.</li> <li>ix. Excepted Risk are risks due to riots (other than those on account of contractor's employees), war (whether declared or not) invasion, act of foreign enemies, hostilities, civil war, rebellion revolution, insurrection, terrorism, military or usurped power, any acts of Airports Authority of India, damages from aircraft, acts of God, such as earthquake, lightening and unprecedented floods, and other causes over which the contractor has no control and accepted as such by the Accepting Authority or causes solely due to use or occupation by Airports Authority of India of the part of the works in respect of which a certificate of completion has been issued or a cause solely due to Airports Authority of India's faulty design of works.</li> <li>x. Market Rate shall be the rate as decided by the Engineer-in-Charge on the basis of the prevailing cost of materials and labour at the site where the work is to be executed plus the percentage mentioned in Schedule 'F' to cover, all overheads and profits. Provided that no extra overheads and profits shall be payable on the parts of works assigned to other agency(s) by the contractor as per terms of contract.</li> </ul>

		<p>xi. Schedule(s) referred to in these conditions shall mean the relevant schedule(s) annexed to the tender papers or the standard Schedule of Rates of the government mentioned in Schedule 'F' hereunder, with the amendments thereto issued upto the date of receipt of the tender.</p> <p>xii. Department means Airports Authority of India, which invites tender on behalf of Chairman, Airports Authority of India.</p> <p>xiii. Tendered value means the value of the entire work as stipulated in the letter of award.</p>
3.	Scope and Performance	Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.
4.		Headings and Marginal notes to these General Conditions of Contract shall not be deemed to form part thereof or be taken into consideration in the interpretation or construction thereof or of the contract.
5.		The contractor shall be furnished, free of cost one certified copy of the contract documents except standard specifications, Schedule of Rates and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.
6.	Works to be carried out	The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the Schedule of Quantities (Schedule – A) shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.
7.	Sufficiency of Tender	The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.
8.	Discrepancies and Adjustment of Errors	The several documents forming the Contract are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale drawing and figured dimensions in preference to scale and special conditions in preference to General Conditions.
8.1		In the case of discrepancy between the Schedule of Quantities, the Specifications and / or the Drawings, the following order of preference shall be observed :-
		<p>i. Description of Schedule of Quantities.</p> <p>ii. Particular/ technical Specification and Special Condition, if any.</p> <p>iii. Drawings.</p> <p>iv. C P W D Specifications.</p> <p>v. Indian Standard Specifications of B I S / IRC Code of Practice / ASTM standards.</p> <p>vi. Sound Engineering practice as directed by the Engineer-in-charge, whose decision in this regard shall final and binding on the contractor.</p>
8.2		If there are varying or conflicting provisions made in any one document forming part of the contract, the Accepting Authority shall be the deciding authority with regard to the intention of the document and his decision shall be final and binding on the contractor.
8.3		Any error in description, quantity or rate in Schedule of Quantities or any omission therefrom shall not vitiate the Contract or release the Contractor from

		the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contract.
8.4	Payment for similar items with different quoted rates in different subheads of the contract agreement	If the contractor has quoted different rates for the same item appearing in two or more subheads, then the lowest of the rates quoted shall only be considered for payments during execution of work. In case of deviation of quantity of such item, payments shall be made at the lowest quoted rate for quantity executed upto the deviation limit specified in the contract. Beyond the deviation limit the rate shall be derived as per relevant contract provision.
9.	Reverse Auction for purchase tenders	AAI may opt for reverse auction in case of purchase tender if value of supplies put to tender is more than Rs. 2Cr.
10.	Signing of Contract	The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work, shall sign either single or Two agreements, as the case may be, one consisting BOQ for Civil works and another one for SITC and O&M / AMC / AICMC part.
i)		<p>i. The notice inviting tender, all the documents including drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.</p> <p>ii. Standard AAI Form as mentioned in Schedule 'F' consisting of :</p> <p>a. Various standard clauses with corrections upto the date stipulated in Schedule 'F' along with annexures thereto.</p> <p>b. AAI Safety Code.</p> <p>c. Model Rules for the protection of health, sanitary arrangements for workers employed by AAI or its contractors.</p> <p>d. AAI Contractor's Labour Regulations.</p> <p>e. List of Acts and omissions for which fines can be imposed.</p> <p>iii. No payment for the work done will be made unless contract in form of agreement is signed by the contractor.</p>

## CLAUSES OF CONTRACT

### CLAUSE 1

	Performance Guarantee	This clause is applicable for the works for which the estimated cost put to tender is more than Rs.5 crores.
		The contractor shall submit an irrevocable Performance Guarantee of 5% (Five percent) of the Tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within period specified in Schedule 'F' from the date of issue of award letter. This guarantee shall be in the form of Insurance Surety Bonds, Account Payee Demand Draft, or Bank Guarantee (including e-Bank Guarantee) from any of the Scheduled Commercial Banks (i.e. Indian or Foreign Banks included in the Second Schedule of Reserve Bank of India Act, 1934 excluding Co-Operative/Regional Rural Banks) in accordance with the form annexed hereto. (Appendix-XI).
		ii. Performance guarantee should be furnished within 30 days of issue of award letter. In case the contractor fails to deposit performance guarantee within the stipulated period, no payment will be released to the contractor for the work done in respect of 1 <sup>st</sup> running account bill. Moreover, interest @10% per annum on performance guarantee amount would be levied (non- refundable) for delayed period of submission.
		iii. The Performance Guarantee shall be initially valid upto the stipulated date of completion plus 180 days beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest. However, in case of contracts involving maintenance of buildings and services / any other work thereafter, 50% of Performance Guarantee shall be retained as Security Deposit as per contract conditions. The same shall be returned on successful completion of commitment year wise proportionately.
		iv. The Engineer-in-Charge shall not make a claim under the performance guarantee except for amounts to which the AAI is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of: a. Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer-in-Charge may claim the full amount of the Performance Guarantee. b. Failure by the contractor to pay the Chairman, AAI any amount due, either as agreed by the contractor or determined under any of the Clauses / Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer-in-Charge.
		v. In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the Chairman, AAI.

CLAUSE 1 A

	<p>Recovery of Security Deposit</p>	<p>The person/persons whose tender(s) may be accepted (hereinafter called the contractor) shall permit AAI at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 5% of the gross amount of each running and final bill till the sum deducted will amount to security deposit of 5% of the tendered value of the work. Such deductions will be made and held by AAI by way of Security Deposit unless he/they has/have deposited the amount of Security at the rate mentioned above in the form of Bank Guarantee (including e-Bank Guarantee) from any of the Commercial Bank (i.e. Indian or Foreign Banks included in the Second Schedule of Reserve Bank of India Act,1934 excluding Co-Operative/Regional Rural Banks).</p> <p>In case a Guarantee Bonds of any Bank is furnished by the contractor to the AAI as part of the security deposit and the Bank is unable to make payment against the said Guarantee Bond, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the AAI to make good the deficit. In works where condition of submission of performance guarantee is not applicable, the security deposit at the rate of 10% (Ten Percent) of gross amount of each running bill shall be deducted instead of 5%, till the sum will amount to security deposit of 10% of the contract value of work. Other conditions shall remain same as stated above.</p> <p>All compensations or the other sums of money payable by the contractor under the terms of this contract may be deducted from, or paid by the sale of a sufficient part of his security deposit or from the interest arising therefrom, or from any sums which may be due to or may become due to the contractor by AAI on any account whatsoever and in the event of his Security Deposit being reduced by reason of any such deductions or sale as aforesaid, the contractor shall within 10 days make good in Fixed Deposit Receipt, Insurance Surety Bonds, Account Payee Demand Draft or Bank Guarantee from any of the Commercial Bank (if deposited for more than 12 months) endorsed in favour of the Airports Authority of India, any sum or sums which may have been deducted from, or raised by sale of his security deposit or any part thereof. The security deposit shall be collected from the running bills and the final bill of the contractor at the rates mentioned above.</p> <p>The security deposit as deducted above can be released against Bank Guarantee issued by any Commercial Bank (i.e. Indian or Foreign Banks included in the Second Schedule of Reserve Bank of India Act,1934 excluding Co-Operative /Regional Rural Banks), on its accumulations to a minimum of Rs. 5 lakh to the condition amount of such bank guarantee, except last one, shall not be less than Rs. 5 lakh.</p> <p>Note 1: Provided further that the validity of Bank Guarantee shall be in conformity with provisions contained in the clause 17 which shall be extended from time to time depending upon extension of contract under provision of Clause 2 &amp; Clause 5.</p> <p>Note 2: Note 1 above shall be applicable for both clause 1 and 1 A.</p>
--	-------------------------------------	---

Clause 2

	<p>Compensation for Delay</p>	<p>If the contractor fails to maintain the required progress in terms of clause 5 or to complete the Work and clear the site on or before the contract or justified extended date of completion as per clause 5(excluding any extension under clause 5.5) as well as any extension granted under clause 12 and 15, he shall, without prejudice to any other right or remedy available under the law to the AAI on account of such breach, pay as compensation the amount calculated at the rates stipulated below as the authority specified in schedule 'F' may decide on the amount of Tendered Value of the work for every completed day/month (as determined) that the progress remains below that specified in Clause 5 or that the work remains incomplete. This will also apply to items or group of items for which a separate period of completion has been specified.</p>
	<p>i) Compensation for delay of work</p>	<p>If the completion of work is delayed due to reasons attributed to contractor, AAI shall be entitled for compensation for delay as detailed below:</p> <p>i. For works costing upto Rs. 10 Lac: 1.0% (one percent) of tendered value per week of delay or lesser amount as decided by the competent authority subject to a maximum of 10% of contract value.</p> <p>ii For the works costing more than Rs. 10 Lac 0.5% (half percent) of tendered value per week of delay or lesser amount as decided by the competent authority subject to a maximum of 10% of the tendered value.</p>

Clause 2A

	Incentive for early completion	<p>In case, the contractor completes the work ahead of stipulated date of completion so provided in 'Schedule F', a bonus @ 1 % (one per cent) of the tendered value per month computed on per day basis, shall be payable to the contractor, subject to a maximum limit of 5% (five per cent) of the tendered value. The amount of bonus, if payable, shall be paid along with final bill after completion of work. Bonus/ Incentive shall be applicable for the contract completed before stipulated dated of completion and shall not be applicable for the contract extended beyond the stipulated period even with justified hindrance and without any action of compensation for delay.</p> <p>This clause shall not be applicable for the works which estimated cost put to tender is less than Rs. 50.00 Cr.</p>
--	--------------------------------	--

Clause 2B

	Release of withheld amount against compensation for delay.	<p>Withheld amount towards compensation for delay over and above Rs. 50.00 lacs, can be released against Bank Guarantee (on the format given at Appendix-1) or in the form of fixed deposit receipts or guarantee bonds of any Scheduled Bank but not Co-operative or Gramin Bank, pending finalization of case of extension of time by competent authority as per delegation of powers. Concerned Executive Director (Engg) will authorize such action on receipt of proposal from the Engineer-In-Charge through proper channel.</p>
--	--	--

Clause 3

	When Contract can be Determined	<p>Subject to other provisions contained in this clause, the Engineer-in-Charge may, without prejudice to his any other rights or remedy against the contractor in respect of any delay, inferior workmanship, any claims for damages and / or any other provisions of this contract or otherwise, and whether the date of completion has or has not elapsed, by notice in writing absolutely determine the contract in</p>
--	---------------------------------	---

	<p>any of the following cases:</p> <ol style="list-style-type: none"> <li>i. If the contractor having been given a notice by the Engineer-in-Charge in writing to rectify, reconstruct or replace any defective work or that the work is being performed in an inefficient or otherwise improper or un-workman like manner shall omit to comply with the requirement of such notice for a period of seven days thereafter.</li> <li>ii. If the contractor has, without reasonable cause, suspended the progress of the work or has failed to proceed with the work with due diligence and continues to do so after a notice in writing of seven days from the Engineer- in-Charge.</li> <li>iii. If the contractor fails to complete the work or section of work with individual date of completion on or before the stipulated or justified extended date on or before such date of completion, and the Engineer in Charge without any prejudice to any other right or remedy under any other provision in the contract has given further reasonable time in a notice given in writing in that behalf as either mutually agreed or in absence of such mutual agreement by his own assessment making such time essence of contract and in the opinion of Engineer in Charge, the contractor will be unable to complete the same or does not complete the same within the period specified.</li> <li>iv. If the contractor persistently neglects to carry out his obligations under the contract and / or commits default in complying with any of the terms and conditions of the contract and does not remedy it or take effective steps to remedy it within 7 days after a notice in writing is given to him in that behalf by the Engineer-in-Charge.</li> <li>v. If the contractor shall offer or give or agree to give to any person in AAI service or to any other person on his behalf any gift or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other contract for AAI.</li> <li>vi. If the contractor shall enter into a contract with Airports Authority of India in connection with which commission has been paid or agreed to be paid by him or to his knowledge, unless the particulars of any such commission and the terms of payment thereof have been previously disclosed in writing to the Engineer-in-charge.</li> <li>vii. If the contractor shall obtain a contract with AAI as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits any breach of Integrity Pact.</li> <li>viii. If the contractor being an individual, or if a firm, any partner thereof shall at any time be adjudged insolvent or have a receiving order or order for administration of his estate made against him or shall take any proceedings for liquidation or composition (other than a voluntary liquidation for the purpose of amalgamation or reconstruction) under any Insolvency Act for the time being in force or make any conveyance or assignment of his effects or composition or arrangement for the benefit of his creditors or purport so to do, or if any application be made under any Insolvency Act for the time being in force for the sequestration of his estate or if a trust deed be executed by him for benefit of his creditors.</li> <li>ix. If the contractor being a company shall pass a resolution or the court shall make an order that the company shall be wound up or if a receiver or a manager on behalf of a creditor shall be appointed or if circumstances shall arise which entitle the court or the creditor to appoint a receiver or a manager or which entitle the court to make a winding up order.</li> <li>x. If the contractor shall suffer an execution being levied on his goods and allow</li> </ol>
--	---

		<p>it to be continued for a period of 21 days.</p>
--	--	--

		<p>xi. If the contractor assigns (excluding part(s) of work assigned to other agency(s) by the contractor as per terms of contract), transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer, sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Engineer-in-Charge. When the contractor has made himself liable for action under any of the cases aforesaid, the Engineer-in-Charge on behalf of the Chairman, AAI shall have powers :</p> <p>a. To determine the contract as aforesaid so far as performance of work by the Contractor of work is concerned (of which determination notice in writing to the contractor under the hand of the Engineer-in-Charge shall be conclusive evidence). Upon such determination, the Earnest Money Deposit, Security Deposit already recovered and Performance Guarantee under the contract shall be liable to be forfeited and shall be absolutely at the disposal of the AAI.</p> <p>b. After giving notice to the contractor to measure up the work of the contractor and to take such whole, or the balance or part thereof, as shall be un-executed out of his hands and to give it to another contractor or any other means to complete the work. The contractor, whose contract is determined as above, shall not be allowed to participate in the tendering process for the balance work. In the event of above courses being adopted by the Engineer-in-Charge, the contractor shall have no claim to compensation for any loss sustained by him by reasons of his having purchased or procured any materials or entered into any engagements or made any advances on account or with a view to the execution of the work or the performance of the contract. And in case action is taken under any of the provision aforesaid, the contractor shall not be entitled to recover or be paid any sum for any work thereof or actually performed under this contract unless and until the Engineer-in-Charge has certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the value so certified.</p>
--	--	---

CLAUSE 3 A

		<p>In case, the work cannot be started due to reasons not within the control of the contractor within 1/8th of the stipulated time for completion of work or one month whichever is higher, either party may close the contract by giving notice to the other party stating the reasons. In such eventuality, the Earnest Money Deposit and the Performance Guarantee of the contractor shall be refunded within 30 days. Neither party shall claim any compensation for such eventuality. This clause is not applicable for any breach of the contract by either party.</p>
--	--	--

CLAUSE 3 B

Debarment of Contractor	<p>Debarment of Contractor</p> <p>(i) Contractor may be debarred if it is determined under breached the Integrity Pact of clause 41(a) and Code of Integrity of clause 41(b).</p> <p>(ii) Contractor can also be debarred for the reasons like supply of sub-standard material, non-supply of material, abandonment of work, sub-standard quality of work, poor/ unsatisfactory performance.</p> <p>(iii) The period of debarment shall be upto two years.</p>
-------------------------	--

CLAUSE 4

	<p>Contractor liable to pay compensation even if action not taken under Clause-3</p>	<p>In any case in which any of the powers conferred upon the Engineer-in-Charge by Clause-3 thereof, shall have become exercisable and the same are not exercised, the non-exercise thereof shall not constitute a waiver of any of the conditions hereof and such powers shall notwithstanding be exercisable in the event of any future case of default by the contractor and the liability of the contractor for compensation shall remain unaffected. In the event of the Engineer-in-Charge putting in force all or any of the powers vested in him under the preceding clause he may, if he so desires after giving a notice in writing to the contractor, take possession of (or at the sole discretion of the Engineer-in-Charge which shall be final and binding on the contractor) use as on hire (the amount of the hire money being also in the final determination of the Engineer-in-Charge) all or any tools, plant, materials and stores, in or upon the works, or the site thereof belonging to the contractor, or procured by the contractor and intended to be used for the execution of the work/ or any part thereof, paying or allowing for the same in account at the contract rates, or, in the case of these not being applicable, at current market rates to be certified by the Engineer-in-Charge, whose certificate thereof shall be final, and binding on the contractor, clerk of the works, foreman or other authorised agent to remove such tools, plant, materials, or stores from the premises (within a time to be specified in such notice) in the event of the contractor failing to comply with any such requisition, the Engineer- in-Charge may remove them at the contractor's expense or sell them by auction or private sale on account of the contractor and his risk in all respects and the certificate of the Engineer-in-Charge as to the expenses of any such removal and the amount of the proceeds and expenses of any such sale shall be final and conclusive against the contractor.</p>
--	--	--

CLAUSE 5

	<p>Time and Extension for Delay</p>	<p>The time allowed for execution of the Works as specified in the Schedule 'F' or the extended time in accordance with these conditions shall be the essence of the Contract. The execution of the works shall commence from such time period as mentioned in schedule 'F' or from the date of handing over of the site whichever is later. If the Contractor commits default in commencing the execution of the work as aforesaid, AAI shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the earnest money &amp; performance guarantee absolutely.</p>
<p>5.1</p>		<p>After the Contract is awarded, within 15 days, the Contractor shall submit a Time and Progress Chart for each mile stone and get it approved by the Engineer-in-charge. The Chart shall be prepared in direct relation to the time stated in the Contract documents for completion of items of the works. It shall indicate the forecast of the dates of commencement and completion of various trades of sections of the work and may be amended as necessary by agreement between the Engineer-in-Charge and the Contractor within the limitations of time imposed in the contract documents, and further to ensure good progress during the execution of the work, the contractor shall in all cases in which the time allowed for any work, exceeds one month (save for special jobs for which a separate programme has been agreed upon) complete the work as per mile stones given in Schedule 'F'. Project Management shall be done. a. For works costing upto Rs. 5.00 Cr. -- CPM/ PERT Chart</p>

- b. Works costing more than Rs. 5.00 Cr. -- By using Project Management Software like Primavera / MS Project or any other software with the approval of Engineer-in-charge.
- c. Contractor shall submit monthly progress reports (2 copies) highlighting status of various activities and physical completion of work.

**PROGRAMME CHART**

- i. The Contractor shall prepare an integrated programme chart in Project Management Software for the execution of work, showing clearly all activities from the start of work to completion, with details of manpower, equipment and machinery required for the fulfillment of the programme within the stipulated period or earlier and submit the same for approval to the Engineer-in- Charge within fifteen days of award of the contract. A recovery of Rs. 2500/- (for works costing upto Rs. 5.00 Crores) / Rs. 5000/- (for works costing more than Rs. 5.00 Crores) shall be made on per day basis in case of delay in submission of the above programme.
- ii. The programme chart should include the following:
  - a. Descriptive note explaining sequence of the various activities.
  - b. Network (PERT / CPM / BAR CHART).
  - c. Programme for procurement of materials by the contractor.

Programme for deployment of machinery / equipment's having adequate capacity, commensurate with the quantum of work to be done within the stipulated period, by the contractor. In addition to above, to achieve the progress of work as per programme, the contractor must bring at site adequate shuttering material required for cement concrete and R.C.C. works etc. for three floors within one month from the date of start of work till the completion of RCC work as per requirement of work. The contractor shall submit shuttering schedule adequate to complete structure work within laid down physical milestone.
- iii. If at any time, it appears to the Engineer-in-Charge that the actual progress of work does not conform to the approved programme referred above or after rescheduling of milestones, the contractor shall produce a revised programme within 7 (seven) days, showing the modifications to the approved programme to ensure timely completion of the work. The modified schedule of programme shall be approved by the Engineer in Charge. A recovery of Rs. 2500/- (for works costing upto Rs.5.00 Crores) / Rs. 5000/- (for works costing more than Rs.5.00 Crores) shall be made on per day basis in case of delay in submission of the modified programme.
- iv. The submission for approval by the Engineer-in-Charge of such programme or such particulars shall not relieve the contractor of any of the duties or responsibilities under the contract. This is without prejudice to the right of Engineer-in-Charge to take action against the contractor as per terms and conditions of the agreement.
- v. The contractor shall submit the progress report using MS Project / Primavera software with base line programme referred above for the work done during previous month to the Engineer-in-charge on or before 5th day of each month failing which a recovery Rs. 2500/ - (for works costing upto Rs.5.00 Crores) / Rs. 5000/- (for works costing more than Rs.5.00 Crores) shall be made on per day basis in case of delay in submission of the monthly progress report.

5.2		<p>If the work(s) be delayed by:-</p> <ul style="list-style-type: none"> <li>i. Force majeure, or an act of terrorism</li> <li>ii. Abnormally bad weather, or</li> <li>iii. Serious loss or damage by fire, or</li> <li>iv. Civil commotion, local commotion of workmen, strike or lockout, affecting any of the trades employed on the work, or</li> <li>v. Delay on the part of other contractors or tradesmen engaged by Engineer- in-Charge for executing work not forming part of the Contract, or</li> <li>vi. Non-availability of stores, which are the responsibility of AAI to supply or</li> <li>vii. Non-availability or break down of tools and Plant to be supplied or supplied by AAI or</li> <li>viii. Any other cause which, in the absolute discretion of the Engineer-in-Charge is beyond the Contractor's control.</li> </ul> <p>then upon the happening of any such event causing delay, the contractor shall immediately give notice thereof in writing to the Engineer-in-Charge but shall nevertheless use constantly his best endeavors to prevent or make good the delay and shall do all that may be reasonably required to the satisfaction of the Engineer-in-charge to proceed with the works.</p> <p>All correspondence with the agency and concerned stakeholders during execution of works will be taken into consideration for evaluation of hindrances causing delay, for grant of extension of time by the Competent Authority.</p>
5.3		<p>Request for rescheduling of Milestones and extension of time, to be eligible for consideration, shall be made by the contractor in writing within fourteen days of the happening of the event causing delay on the prescribed form to the authority indicated in schedule 'F'. The contractor may also, if practicable, indicate in such a request the period for which extension is desired.</p>
5.4		<p>In any such case the Engineer-in-Charge with the approval of authority indicated in Schedule 'F' may give a fair and reasonable extension of time and reschedule the Milestones for completion of work. Such extension or re- scheduling of the milestone shall be communicated to the contractor by the Engineer-in-charge in writing, within 1 month or 4 weeks of the date of receipt of such request respectively. Non-application by the contractor for extension of time / re-scheduling of milestones shall not be a bar for giving a fair and reasonable extension / re-scheduling of milestones by the Engineer-in-charge with the approval of authority indicated in schedule 'F' and this shall be binding on the contractor.</p>

## CLAUSE 6

	<p>Measurements of Work Done</p>	<p>Engineer-in-charge shall, except as otherwise provided, ascertain and determine by measurement, the value in accordance with the contract of work done.</p> <p>All measurement of all items having financial value shall be entered in Measurement Book and/or level field book so that a complete record is obtained of all works performed under the contract.</p> <p>All measurements and levels shall be taken jointly by the Engineer-in-Charge or his authorised representative and by the contractor or his authorised representative from time to time during the progress of the work and such measurements shall be signed and dated by the Engineer-in-Charge and the contractor or their representatives in token of their acceptance. If the contractor objects to any of the measurements recorded, a note shall be made to that effect with reason and signed by both the parties.</p> <p>If for any reason the contractor or his authorised representative is not available and the work of recording measurements is suspended by the Engineer-in-</p>
--	----------------------------------	--

		<p>Charge or his representative, the Engineer-in-Charge and the Department shall not entertain any claim from contractor for any loss or damages on this account. If the contractor or his authorised representative does not remain present at the time of such measurements after the contractor or his authorised representative has been given a notice in writing three (3) days in advance or fails to countersign or to record objection within a week from the date of the measurement, then such measurements recorded in his absence by the Engineer- in- Charge or his representative shall be deemed to be accepted by the Contractor.</p> <p>The contractor shall, without extra charge, provide all assistance with every appliance, labour and other things necessary for measurements and recording levels.</p> <p>Except where any general or detailed description of the work expressly shows to the contrary, measurements shall be taken in accordance with the procedure set forth in the specifications notwithstanding any provision in the relevant Standard Method of measurement or any general or local custom. In the case of items which are not covered by specifications, measurements shall be taken in accordance with the relevant standard method of measurement issued by the Bureau of Indian Standards and if for any item no such standard is available, then a mutually agreed method shall be followed.</p> <p>The contractor shall give, not less than seven days' notice to the Engineer-in-Charge or his authorised Representative of the work, before covering up or otherwise placing beyond the reach of measurement any work in order that the same may be measured and correct dimensions thereof be taken before the same is covered up or placed beyond the reach of measurement and shall not cover up and place beyond reach of measurement any work without consent in writing of the Engineer-in-Charge or his authorised representative of the work who shall within the aforesaid period of seven days inspect the work, and if any work shall be covered up or placed beyond the reach of measurements without such notice having been given or the Engineer-in- Charge's consent being obtained in writing, the same shall be uncovered at the Contractor's expense, or in default thereof no payment or allowance shall be made for such work or the materials with which the same was executed.</p> <p>Engineer-in-Charge or his authorised representative may cause either themselves or through another officer of the department to check the measurements recorded jointly or otherwise as aforesaid and all provisions stipulated herein above shall be applicable to such checking of measurements or levels.</p> <p>It is also a term of this contract that recording of measurements of any item of work in the measurement book and/or its payment in the interim, on account or final bill shall not be considered as conclusive evidence as to the sufficiency of any work or material to which it relates nor shall it relieve the contractor from liabilities from any over measurement or defects noticed till completion of the defects liability period.</p>
--	--	---

Clause 6 A

	<p>Computerized Measurement Book</p>	<p>Computerized measurement is mandatory for works costing more than Rs 5.00 Lacs. However in case of works costing lesser than Rs. 5.00 Lacs Engineer-in-Charge may decide for adopting computerized measurement if required, except as otherwise provided, ascertain and determine by measurement the value of work done in accordance with the contract. All measurements of all items having financial value shall be entered by the contractor and compiled in the shape of the Computerized Measurement Book having pages of A-4 size as per</p>
--	--------------------------------------	--

	<p>the format of the department so that a complete record is obtained of all the items of works performed under the contract.</p>
	<p>All such measurements and levels recorded by the contractor or his authorised representative from time to time, during the progress of the work, shall be got checked by the contractor from the Engineer-in-Charge or his authorised representative as per interval or program fixed in consultation with Engineer-in-Charge or his authorised representative. After the necessary corrections made by the Engineer-in- Charge, the measurement sheets shall be returned to the contractor for incorporating the corrections and for resubmission to the Engineer-in-Charge for the dated signatures by the Engineer-in-Charge and the contractor or their representatives in token of their acceptance.</p> <p>Whenever bill is due for payment, the contractor would initially submit draft computerized measurement sheets and these measurements would be got checked/test checked <i>from</i> the Engineer-in-Charge and/or his authorized representative. The contractor will, thereafter, incorporate such changes as may be done during these checks/test checks in his draft computerized measurements, and submit to the department a computerized measurement book, duly bound, and with its pages machine numbered. The Engineer-in-Charge and/or his authorised representative would thereafter check this MB, and record the necessary certificates for their checks / test checks.</p> <p>The final, fair, computerized measurement book given by the contractor, duly bound, with its pages machine numbered, should be <i>100%</i> correct, and no cutting or overwriting in the measurements would thereafter be allowed. If at all any error is noticed, the contractor shall have to submit a fresh computerized MB with its pages duly machine numbered and bound, after getting the earlier MB cancelled by the department. Thereafter, the MB shall be taken in the records of Engineer-in-charge, and allotted a number as per the Register of Computerized MBs. This should be done before the corresponding bill is submitted to the Engineer-in-charge for payment. The contractor shall submit two spare copies of such computerized MB's for the purpose of reference and record by the various officers of the department.</p> <p>The contractor shall also submit to the department separately his computerized Abstract of Cost and the bill based on these measurements, duly bound, and its pages machine numbered along with two spare copies of the "bill. Thereafter, this bill will be processed by the Engineer-in-charge and allotted a number as per the computerized record in the same way as done for the measurement book meant for measurements.</p> <p>The contractor shall, without extra charge, provide all assistance with every appliance, labour and other things necessary for checking of measurements / levels by the Engineer-in-charge or his representative.</p> <p>Except where any general or detailed description of the work expressly shows to the contrary, measurements shall be taken in accordance with the procedure set forth in the specifications notwithstanding any provision in the relevant Standard Method of measurement or any general of local custom. In the case of item which are not covered by specifications, measurements shall be taken in accordance with the relevant standard method of measurement issued by the Bureau of Indian Standards and if for any item no such standard is available then a mutually agreed method shall be followed.</p> <p>The contractor shall give not less than seven days' notice to the Engineer-in-Charge or his authorized representative of the work before covering up or otherwise placing beyond the reach of checking and / or test checking the measurement of any work in order that the same be checked and / or test checked and correct dimensions thereof be taken before the same is covered up or placed beyond the reach of checking and / or test checking measurement and shall not cover up and place beyond reach of measurement any work without</p>

		consent in writing of the Engineer-in-charge or his authorized representative of the work who shall within the aforesaid period of seven days inspect the work, and if any work shall be covered up or placed beyond the reach of checking and / or test checking measurements without such notice having been given or the Engineer-in charge's consent being obtained in writing the same shall be uncovered at the contractor's expense, or in default thereof no payment or allowance shall be made for such work or the materials with which the same was executed.
		Engineer-in-charge or his authorised representative may cause either themselves or through another officer of the department to check the measurements recorded by contractor and all provisions stipulated herein above shall be applicable to such checking of measurements or levels. It is also a term of this contract that checking and/or test checking the measurements of any item of work in the measurement book and/or its payment in the interim, on account of final bill shall not be considered as conclusive evidence as to the sufficiency of any work or material to which it relates nor shall it relieve the contractor from liabilities from any over measurement or defects noticed till completion of the defects liability period.

CLAUSE 7

	Payment on Intermediate Certificate to be regarded as Advances	<p>No payment shall be made for work, estimated to cost Rs. One lac or less till after the whole of the work shall have been completed and certificate of completion given. For works estimated to cost over Rs. One lac, the interim or running account bills shall be submitted by the contractor for the work executed on the basis of such recorded measurements in the format of the Department in triplicate on or before the date of every month fixed for the same by the Engineer-in-Charge. The contractor shall not be entitled to be paid any such interim payment if the gross work done together with net payment/ adjustment of advances for material collected, if any, since the last such payment is less than the amount specified in Schedule 'F', in which case the interim bill shall be prepared on the appointed date of the month after the requisite progress is achieved. Engineer-in-Charge shall arrange to have the bill verified by taking or causing to be taken, where necessary, the requisite measurements of the work. In the event of the failure of the contractor to submit the bills, Engineer-in- Charge shall prepare or cause to be prepared such bills in which event no claims whatsoever due to delays on payment including that of interest shall be payable to the contractor. Payment on account of amount admissible shall be made by the Engineer-in-Charge certifying the sum to which the contractor is considered entitled by way of interim payment at such rates as decided by the Engineer-in- Charge. An amount of ad-hoc payment not less than 75% of the net amount of the bill under check, shall be made within 10 working days of submission of the bill by the Contractor to the Engineer-in-Charge or his Authorized Engineer together with the account of the material issued by the department, or dismantled materials, if any. The remaining payment is also to be made after final checking of the bill within 28 working days of submission of bill by the contractor. In case of delay in payment of intermediate bills after 30 days of submission of bill by the contractor, provided the bill submitted by the contractor found to be in order, a simple interest @ prevailing rate of interest of General Provident Fund shall be paid to the contractor from the date of expiry of prescribed time limit.</p> <p>All such interim payments shall be regarded as payment by way of advances against final payment only and shall not preclude the requiring of bad, unsound and imperfect or unskilled work to be rejected, removed, taken away and reconstructed or re-erected. Any certificate given by the Engineer-in-charge</p>
--	--	--

	<p>relating to the work done or materials delivered forming part of such payment, may be modified or corrected by any subsequent such certificate(s) or by the final certificate and shall not by itself be conclusive evidence that any work or materials to which it relates is are in accordance with the contract and specifications. Any such interim payment, or any part thereof shall not in any respect conclude, determine or affect in any way powers of the Engineer-In-Charge under the contract or any of such payments be treated as final settlement and adjustment of accounts or in any way vary or affect the contract.</p> <p>Pending consideration or extension of date of completion, interim payments shall continue to be made as herein provided without prejudice to the right of the department to take action under the terms of this contract for delay in the completion of work, if the extension of date of completion is not granted by the competent authority.</p> <p>The Engineer-in-Charge in his sole discretion on the basis of a certificate from the Asstt Manager / Manager (Engg) to the effect that the work has been completed up to the level in question make interim advance payments without detailed measurements for work done (other than foundations, items to be covered under finishing items) up to lintel level (including sunshade etc.) and slab level, for each floor working out at 75% of the assessed value. The advance payments so allowed shall be adjusted in the subsequent interim bill(s) to be submitted by the contractor within 10 days of the interim payment. In case of delay in submission of bill by the contractor a simple interest @ 10% (percent) per annum on the advance payment made shall be paid to the AAI from the date of expiry of prescribed 10 days.</p>
--	---

#### CLAUSE 7 A

		No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge
--	--	--

#### CLAUSE 8

	Completion Certificate and Completion Plans	<p>Within ten days of the completion of the work, the contractor shall give notice of such completion to the Engineer-in-Charge and within thirty days of the receipt of such notice, the Engineer-in-Charge shall inspect the work and if there is no defect in the work, shall furnish the contractor with a final certificate of completion, otherwise a provisional certificate of physical completion indicating defects (a) to be rectified by the contractor and/or (b) for which payment will be made at reduced rates, shall be issued. But no final certificate of completion shall be issued, nor shall the work be considered to be complete for 'Civil Construction Works' until the contractor shall have removed from the premises on which the work shall be executed all scaffolding, surplus materials, rubbish and all huts and sanitary arrangements required for his/their work people on the site in connection with the execution of the works as shall have been erected or constructed by the contractor(s) and cleaned off the dirt from all wood work, doors, windows, walls, floor or other parts of the building, in, upon, or about which the work is to be executed or of which he may have had possession for the purpose of the execution; thereof, and not until the work shall have been measured by the Engineer-in-charge. If the contractor shall fail to comply with the requirements of this Clause as to removal of scaffolding, surplus materials and rubbish and all huts and sanitary arrangement as aforesaid and cleaning off dirt on or before the date fixed for the completion of work, the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish etc., and dispose of the same as he thinks fit and clean off such dirt as aforesaid, and the contractor shall have no claim in respect of scaffolding or surplus materials as aforesaid except for any sum actually realized by the sale thereof.</p> <p>a. For electrical and mechanical capital works: The contractor shall remove the rubbish from the site. Following conditions must be met before recording completion certificate :</p> <p>Submits completion plan, maintenance manual, manufactures catalogue and gives performance test for system.</p> <p>b. For repair works: The performance of the repaired system has been tested and found satisfactory.</p> <p>c. For AMC work: The system has been tested for its performance / completeness and taken over by AAI / next agency for operation and maintenance.</p>
--	---	--

#### CLAUSE 8 A

	Contractor to keep site clean	<p>When the annual repairs and maintenance of works are carried out, the splashes and droppings from white washing colour washing, painting etc., on walls, floor, windows etc. shall be removed and the surface cleaned simultaneously with the completion of these items of work in the individual rooms, quarters or premises etc.</p> <p>Where the work is done without waiting for the actual completion of all the other items of work in the contract, in case the contractor fails to comply with the requirements of this clause, the Engineer-in-charge shall have the right to get this work done at the cost of the contractor either departmentally or through any other agency. Before taking such action, the Engineer-in-charge shall give ten days notice in writing to the contractor.</p>
--	-------------------------------	--

#### CLAUSE 8 B

	Completion Plans to be Submitted by the Contractor	<p>The contractor shall submit completion plan as required vide General Specifications for Electrical works (Part-I internal) 2013 and (Part -II External) 1994 or latest available specifications, as applicable within thirty days of the completion of the work.</p> <p>The contractor shall submit completion plan for building works, all services, and obtain occupancy certificate from local bodies on the basis of completion drawings within a period of 30 days from the date of completion.</p> <p>The contractor shall also submit catalogues of all equipment's and maintenance manual for the complete E &amp; M systems. If contractor fails to submit completion plans of all works, he shall be liable to pay compensation @ 0.5% of the tendered value of works costing up to Rs. 5 Crores subject to maximum of Rs. 1.00 Lac and 0.25% for works costing more than Rs. 5 crores subject to maximum of Rs. 1.5.Lac. The decision of Project-in-charge in this regard shall be final and binding on the contractor.</p>
--	--	---

#### CLAUSE 9

	Payment of final bill	<p>The corrected final bill shall be submitted by the contractor in the same manner as specified in interim bills within three months of physical completion of the work or within one month of the date of the final certificate of completion furnished by the Engineer-in-charge whichever is earlier. No further claims shall be made by the contractor after submission of the final bill and these shall be deemed to have been waived and extinguished. Payments of those items of the bill in respect of which there is no dispute and for those items which are in dispute on account of quantity and/ or rates shall be paid at approved quantity and/ or rates by the Engineer-in-charge, within three months period reckoned from the date of receipt of the bill by the Engineer in- Charge or his authorized representative, complete with account of materials issued by the Department and dismantled materials.</p>
--	-----------------------	--

		<p>If the final bill is submitted by the contractor within the period specified above and payment of final bills is made by the AAI within above prescribed time limit, if delay in payment, a simple interest @ prevailing rate of interest of General Provident Fund shall be paid to the contractor from the date of expiry of prescribed time limit, provided the final bill submitted by the contractor is found to be in order.</p> <p>The Final bill shall be prepared for both L1 &amp; L2 bidders for all tendered items (excluding Extra Items based on market rate) and payment shall be made on the basis of lower of the two.</p>
--	--	--

CLAUSE 9 A

	<p>Payment of contractor's bills to Banks</p>	<p>Payments due to the contractor and refund of various nature may, if so desired by him and wherever possible in banks be made through electronic payment mechanism instead of direct to him, provided that the contractor furnishes to the Engineer-in- Charge.</p> <ol style="list-style-type: none"> <li>i. Informations as per proforma attached.</li> <li>ii. An authorization in the form of a legally valid document such as power of attorney conferring authority on the bank to receive payments and</li> <li>iii. His own acceptance of the correctness of the amount made out as being due to him by Authority or his signature on the bill or other claim preferred against Authority before settlement by the Engineer-in-charge of the account or claim by payment to the bank. While the receipt given by such banks shall constitute a full and sufficient discharge for the payment, the contractor shall whenever possible present his bills duly receipted and discharged through his bank.</li> </ol> <p>Nothing herein contained shall operate to create in favour of the bank any rights or equities vis-à-vis the Airports Authority of India.</p>
--	---	---

CLAUSE 10

	<p>Materials supplied by Authority</p>	<p>Materials which Authority will supply are shown in Schedule 'B' which also stipulates quantum, place of issue and rate(s) to be charged in respect thereof. The contractor shall be bound to procure them from the Engineer in charge.</p> <p>As soon as the work is awarded, the contractor shall finalise the programme for the completion of work as per clause 5 of this contract and shall give his estimates of materials required on the basis of drawings/ or schedule of quantities of the work. The contractor shall give in writing his requirements to the Engineer in-charge, which shall be issued to him keeping in view the programme of work as assessed by the Engineer in Charge in accordance with the agreed phased programme of work indicating monthly requirements of various materials. The contractor shall place his indent in writing for issue of such materials at least 7 days in advance of his requirement.</p> <p>Such materials shall be supplied for the purpose of the contract only and the value of the materials so supplied at the rate specified in the aforesaid schedule shall be set off or deducted, as and when materials are consumed in items of work (including normal wastage) for which payment is being made to the contractor, from any sum then due to him which may therefore become due to the contractor under the contract or which may be drawn from the security deposit. At the time of submission of bills, the contractor shall certify that balance of materials supplied is available at site in original good condition.</p> <p>The contractor shall submit along with every running bill (on account or interim bill) material wise reconciliation statements supported by complete calculations</p>
--	--	---

reconciling total issue, total consumption and certified balance (diameter / section wise in the case of steel) and resulting variations and reasons thereof. Engineer in charge shall (whose decision shall be final and binding on the contractor) be within his rights to follow the procedure of recovery in clause 42 at any stage of the work if reconciliation is not found to be satisfactory.

The contractor shall bear the cost of getting the material issued, loading, transporting to site, unloading, storing under cover as required, cutting assembling and joining the several parts together as necessary. Notwithstanding anything to the contrary contained in any other clause of the contract and all stores / materials so supplied to the contractor or procured with the assistance of the AAI shall remain the absolute property of Authority and the contractor shall be the trustee of the stores/ materials, and the said stores/ materials shall not be removed/ disposed off from the site of the work on any account and shall be at all times open to inspection by the Engineer-in-charge or his authorised agent. Any such stores / materials remaining unused shall be returned to the Engineer-in-charge in as good a condition in which they were originally supplied at a place directed by him, at a place of issue or any other place specified by him as he shall require, but in case it is decided not to take back the stores / materials the contractor shall have no claim for compensation on any account of such stores / materials so supplied to him as aforesaid and not used by him or for any wear and tear or damage to in such stores / materials.

On being required to return the stores / materials the contractor shall hand over the stores/ materials on being paid or credited such price as the Engineer-in-charge shall determine, having due regard to the condition of the stores / materials. The price allowed for credit to the contractor however, shall be at the prevailing market rate not exceeding the amount charged to him, excluding the storage charge, if any. The decision of the Engineer in charge shall be final and conclusive. In the event of a breach of the aforesaid condition, the contractor shall in addition to the above be held self open to account for contravention of the terms of the licenses or contracts and / or for criminal breach of trust, be liable to Authority for all advantages or profits resulting or which in the usual course would have resulted to him by reason of such breach. Provided that the contractor shall in no case be entitled to any compensation or damages on account of any delay in supply or non-supply thereof all or any such materials and stores provided further that the contractor shall be bound to execute the entire work if the materials are supplied by the Authority within the original scheduled time for completion of the work plus 50% thereof or schedule time plus 6 months whichever is more if the time of completion of work exceeds 12 months, but if a part of the materials only has been supplied within the aforesaid period, then the contractor shall be bound to do so much of the work as may be possible with the materials and stores supplied in the aforesaid period. For the completion of the rest of the work, the contractor shall be entitled to such extension of time as may be determined by the Engineer-in-charge whose decision in this regard shall be final and binding on the contractor.

The contractor shall see that only the required quantities of materials are got issued. Any such material remaining unused and in perfectly good / original condition at the time of completion or determination of the contract shall be returned to the Engineer-in-charge at the stores from which it was issued or at a place directed by him by a notice in writing. The contractor shall not be entitled for loading transporting, unloading and stacking of such unused material except for the extra lead, if any involved, beyond the original place of issue.

CLAUSE 10 A

<p>Materials to be provided by the contractor and Mandatory Tests</p>	<ol style="list-style-type: none"> <li>1. The contractor shall, at his own expense, provide all materials, required for the works other than those which are stipulated to be supplied by the Authority.</li> <li>2. The contractor shall, at his own expense and without delay; supply to the Engineer in- charge samples of materials to be used on the work and shall get these approved in advance. All such materials to be provided by the contractor shall be in conformity with the specifications laid down or referred to in the contract. The contractor shall, if requested by the Engineer-in-charge furnish proof, to the satisfaction of the Engineer-in- charge that the materials so comply. The Engineer-in-charge shall within thirty (30) days of supply of samples or within such further period as he may require intimate to the Contractor in writing whether samples are approved by him or not. If samples are not approved, the Contractor shall forthwith arrange to supply to the Engineer-in charge for his approval, fresh samples complying with the specifications laid down in the contract. When materials are required to be tested in accordance with specifications, approval of the Engineer-in-charge shall be issued after the test results are received.</li> <li>3. The contractor shall at his cost submit the samples of materials to be tested or analyzed and shall not make use of or incorporate in the work any materials represented by the samples until the required tests or analysis have been made and materials finally accepted by the Engineer-in-charge.</li> <li>4. <del>If any additional tests apart from mandatory tests specified in the contract are required to be carried out at the instance of AAI or any other advisory body, to ensure conformity of the item to the contract specifications, the cost of such tests shall be borne by AAI. In case the material / equipment fails in the above tests, the expenditure incurred by AAI on testing of such material or equipment along with incidental charges borne by AAI (if any) shall be recovered from the dues of the contractor and action shall be taken under Clause 16 and other relevant clauses of the contract.</del></li> <li>5. The contractor shall not be eligible for any claim or compensation either arising out of any delay in the work or due to any corrective measures required to be taken on account of and as a result of testing of materials.</li> <li>6. The contractor shall, at his risk and cost, make all arrangements and shall provide all facilities as the Engineer-in-charge may require for collecting and preparing the required number of samples for such tests at such time and to such place or places as may be directed by the Engineer-in-charge and bear all charges including testing charges. The Engineer-in- charge or his authorised representative shall always have access to the works and to all workshops and places where work is being prepared or from where materials manufactured, articles or machinery are being obtained for the works and the contractor shall afford every facility and every assistance in obtaining the right to such access.</li> <li>7. The Engineer-in-charge shall have full powers to require the removal from the premises of all materials which in his opinion are not in accordance with the specifications and in case of default, the Engineer-in-charge shall be at liberty to employ at the expense of the contractor, other persons to remove the same without being answerable or accountable for any loss or damage that may happen or arise to such materials. The Engineer-in-charge shall also have full powers to require other proper materials to be substituted thereof and in case of default, the Engineer-in-charge may cause</li> </ol>
---	--

		<p>the same to be supplied and all costs which may be attracted for such removal and substitution shall be borne by the Contractor.</p> <p>8. The contractor shall at his own expense, provide a material testing lab at the site for conducting routine field tests. The lab shall be equipped at least with the testing equipment as specified in Schedule F.</p> <p>9. <del>Details in respect of all mandatory tests shall be maintained in the desired format and attached with each Running Account Bill.</del></p>
--	--	---

CLAUSE 10 B

(1)	<p><del>Secured Advance on Nonperishable materials</del></p>	<p><del>1. The Contractor, on signing an indenture in the form to be specified in Appendix XX, shall be entitled to be paid during the progress of the execution of the work upto 75% of the assessed value of any materials which are in the opinion of the Engineer in charge nonperishable, non fragile and noncombustible and are in accordance with the contract and which have been brought on the site in connection therewith and are adequately stored and / or protected against damage by weather or other causes but which have not at time of advance been incorporated in the works. When materials on account of which an advance has been made under this sub clause are incorporated in the work, the amount of such advance shall be recovered/ deducted from the next payment made under any of the clause or clauses of this contract.</del></p> <p><del>Such secured advance shall also be payable against items of perishable nature, fragile and combustible with the approval of the Engineer in charge provided the contractor provide comprehensive insurance cover for the full cost of such materials. The decision of the Engineer in charge shall be final and binding on the contractor in this matter. No secured advance, shall however, be paid on high risk materials such as ordinary glass, sand, petrol, diesel etc.</del></p> <p><del>The secured advance shall also be payable against items brought at site for use in electrical and mechanical systems. Such secured advance shall be paid on submission of Collateral Bank Guarantee submitted by the vendor against the payment in case equipment / system fails to perform on testing and commissioning. Normally secured advance is paid up to 75% of the assessed value of items but in any case it shall not exceed 80% of cost of items indicated for supply of equipment.</del></p>
-----	--	--

(H)	Mobilization Advance	<p>Mobilization advances not exceeding 10% of the tendered value may be given, if requested by the contractor in writing within six months of the order to commence the work. Such advance shall be released in two or more installments to be determined by the Engineer in Charge at his sole discretion. The first instalment of such advance shall be released by the Engineer in charge to the contractor on a request made by the contractor to the Engineer in Charge in this behalf. The second and subsequent instalments shall be released by the Engineer in Charge only after the contractor furnishes a proof of the satisfactory utilization of the earlier instalment(s) to the satisfaction of the Engineer in Charge.</p> <p>Before any instalment of advance is released, the contractor shall execute Bank Guarantee Bonds not more than 6 (six) in number from commercial Bank for the amount equal to 110% of the amount of advance and valid for the period till recovery of advance. This (Bank Guarantee from commercial Bank on prescribed format for the amount equal to 110% of the balance amount of advance) shall be kept renewed from time to time to cover the balance amount and likely period of complete recovery.</p>

	<b>Interest on Mobilization advance</b>	<p>The mobilization advance bear simple interest at the rate as mentioned in Schedule F per annum and shall be calculated from the date of payment to the date of recovery, both days inclusive, on the outstanding amount of advance.</p>
	<b>Recovery of Mobilization advance</b>	<p>4. Recovery of such sums advanced shall be made by the deduction from the contractor's bills commencing after first ten percent of the gross value of the work is executed and paid, on pro rata percentage basis to the gross value of the work billed beyond 10% in such a way that the entire advance is recovered by the time eighty percent of the gross value of the contract is executed and paid, together with interest due on the entire outstanding amount up to the date of recovery of the installment.</p> <p>If the circumstances are considered reasonable by the Engineer in Charge the period mentioned for request by the contractor in writing for grant of mobilization advance may be extended at the discretion of the Engineer-in-Charge.</p>

CLAUSE 10 C

<p>Payment on Account of Increase in Prices/ Wages due to Statutory Order(s)</p>	<p>If after submission of tender, if the price of any material incorporated in the work and/ or wages of labour increases as a direct result of the coming into force of any fresh, law or statutory rule or order (but not due to any variation of rate in GST applicable on such material(s) being considered under this clause) beyond the prices/wages prevailing at the time of the last stipulated date of receipt of tenders including extensions, if any, for the work during contract period including the justified period extended under the provisions of Clause 5 of the contract without any action under Clause 2, then the amount of the contract shall accordingly be varied.</p> <p>If after submission of the tender, the price of any material incorporated in the works and/or wages of labour as prevailing at the time of last stipulated date of receipt of tender including extensions, if any, is decreased as a direct result of the coming into force of any fresh law or statutory rules or order (but not due to any variation of rate in GST applicable on such material(s) being considered under this clause), Authority shall in respect of materials incorporated in the works and/or labour engaged on the execution of the work after the date of coming into force of such law, statutory rule or order be entitled to deduct from the dues of the contractor, such amount as shall be equivalent to the difference between the prices of the materials and/or wages as prevailed at the time of the last stipulated date for receipt of tenders including extensions if any, for the work and the prices of materials and/or wages of labour on the coming into force of such law, statutory rule or order. This will be applicable for the contract period including the justified period extended under the provisions of Clause 5 of the contract without any action under Clause 2.</p> <p>Engineer-in-charge shall call books of account and other relevant documents from the contractor to satisfy himself about reasonability of increase in prices of materials and wages. The contractor shall, within a reasonable time of his becoming aware of any alteration in the price of any such materials and/ or wages of labour, give notice thereof to the Engineer-in-charge stating that the same is given pursuant to this condition together with all information relating thereto which he may be in position to supply.</p> <p>For this purpose, the labour component of 85% of the value of the work executed during period under consideration shall not exceed the percentage as specified in Schedule F, and the increase / decrease in labour shall be considered on the minimum daily wages in rupees of any unskilled mazdoor, fixed under any law, statutory rule or order.</p> <p>The cost of work for which escalation applicable (w) is same as cost of work done as worked shall be worked out as below:-</p> <ol style="list-style-type: none"> <li>a) Gross value of work done up to this quarter: (A)</li> <li>b) Gross value of work done up to the last quarter: (B)</li> <li>c) Gross value of work done since previous quarter (C)=( A-B)</li> <li>d) Full assessed value of Secured Advance fresh paid in this quarter: (D)</li> <li>e) Full assessed value of Secured Advance recovered in this quarter: (E)</li> <li>f) Full assessed value of Secured Advance for which escalation 1 Payable in this quarter, (F)= (D-E)</li> <li>g) Advance payment made during this quarter: (G)</li> <li>h) Advance payment recovered during this quarter: (H)</li> <li>i) Advance payment for which escalation is payable in this Quarter (I)= (G- H)</li> <li>j) Amount paid based on prevailing market rates due to deviations/variations as per Clause 12 during this quarter:(J)</li> </ol> <p>Then, <math>M = C-F+I-J</math>  <math>N= 0.85 M</math></p>
--	--

	<p>k) Less cost of services rendered at fixed charges as per Clause 34 and recovered during the quarter (L)</p> <p>l) Less cost of Engineering Consultancy Services rendered at fixed charges as per BOQ and paid during the quarter (X).</p> <p>Cost of work for which escalation is applicable <math>W=N-(L+X)</math>          Provided always that:</p> <p>a) Where provisions of clause 10C are applicable, provisions of clause 10 CC will not be applicable and;</p> <p>b) Where provisions of clause 10 CC are applicable, provisions of clause 10C will not be applicable.</p>
--	--

CLAUSE 10 CA

<p>Payment due to variation in prices of materials after receipt of tender</p>	<p>If after submission of the tender, the price of materials specified in Schedule-F increases/ decreases beyond the base price(s) as indicated in schedule F for the work, then the amount of the contract shall accordingly be varied and provided further that any such variations shall be effected for stipulated period of contract including the justified period extended under the provisions of clause 5 of the contract without any action under Clause 2.</p> <p>However for work done/ during the justified period extended as above, it will be limited to indices prevailing at the time of updated stipulated date of completion considering the effect of extra work (Extra time to be calculated on pro-rata basis only as cost of extra work X stipulated period / tendered cost).</p> <p>The increase / decrease in prices of cement, steel reinforcement, structural steel, Bitumen and POL shall be determined by the Price indices issued by the Director General, CPWD. For other items provided in the Schedule 'F', this shall be determined by the All India Wholesale Price Indices of materials as published by Economic Advisor to Government of India, Ministry of Commerce and Industry. Base price for cement, steel reinforcement, structural steel and POL shall be as issued under authority of Director General, CPWD applicable for Delhi including Noida, Gurgaon, Faridabad and Ghaziabad and for other places as issued under the authority of Zonal Chief Engineer, CPWD and base price of other materials issued by concerned Zonal Chief Engineer and as indicated in Schedule 'F'. In case, price index of a particular material is not issued by Ministry of Commerce and Industry then the price index of nearest similar material as indicated in Schedule F shall be followed.</p> <p>The amount of the contract shall accordingly be varied for all such materials worked out as per the formula given below for individual material:</p> <p>Adjustment for component of individual material.</p> $V = P \times Q \times \frac{CI - CI_0}{CI_0}$ <p>where,</p> <p>V = Variation in material cost i.e. increase or decrease in the amount in rupees to be paid or recovered</p> <p>P = Base price of material as issued under authority of DG, CPWD or concerned Zonal Chief Engineer CPWD and as indicated in Schedule 'F'.</p>
--	---

	<p>For Projects and original works</p> <p>Q = Quantity of material brought at site for bonafide use in the works since previous bill excluding any such quantity consumed in the deviated quantity of items beyond deviation limit and extra/substituted item, paid/to be paid at rates derived on the basis of market rates under clause 12.2</p> <p>For maintenance works</p> <p>Q = Quantity of material brought at site for bonafide use in the works since previous bill including any such quantity consumed in the deviated quantity of items beyond deviation limit paid at agreement rates and extra/substituted item being scheduled items, but excluding nonscheduled extra/substituted item paid/to be paid at market rates under clause 12.2</p>
	<p>CI0 = Price index for cement, steel reinforcement bars, structural steel and POL as issued by the DG, CPWD and corresponding to the time of base price of respective material indicated in schedule 'F'. For other items, if any provided in Schedule 'F', All India Wholesale Price Index for the material as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce and corresponding to the time of base price of respective material indicated in Schedule 'F'.</p> <p>CI = Price index for cement, steel reinforcement bars, structural steel and POL as issued under the authority of DG, CPWD for period under consideration. For other items, if any, provided in Schedule 'F' All India Wholesale Price Index for the material for the period under consideration as published by Economic Advisor to Government of India, Ministry of Industry and Commerce.</p> <p><b>If actual purchase price of material is less than base price P and <math>CI \geq CI_0</math> then, this clause shall not be applicable.</b></p> <p><b>Note:</b></p> <p>i. In respect of justified period extended under the provisions of Clause 5 of the contract without any action under clause 2, the index prevailing at the time of updated stipulated date of completion considering the effect of extra work (extra time to be calculated on prorata basis only as cost of extra work X stipulated period/ tendered cost) shall be considered.</p> <p>Provided always that provisions of the preceding Clause 10 C shall not be applicable in respect of materials covered in this Clause.</p> <p>ii. If during progress of work or at the time of completion of work, it is noticed that any material brought at site is in excess of requirement, then amount of escalation if paid earlier on such excess quantity of material shall be recovered on the basis of cost indices as applied at time of payment of escalation or as prevailing at the time of effecting recovery, whichever is higher.</p> <p>iii. Cement mentioned wherever in this clause includes cement component used in RMC brought at site from outside approved RMC plants, if any.</p> <p>iv. The date wise record of ready mix concrete shall be kept in a register and cement consumption for the same shall be calculated accordingly. If built up steel items are brought at site from workshop, than the variation shall be paid for structural steel up to the period when the built up item/finished product is brought at site.</p>

Clause 10 CC

<p>Price adjustment for works</p>		<p>If the prices of materials and/ or wages of labour required for execution of work increase, the contractor shall be compensated for such increase as per provisions detailed below and the amount of the contract shall accordingly be varied, subject to the condition that such compensation for escalation in prices and wages shall be available only for the work done during the stipulated period of the contract including the justified period extended under the provisions of clause 5 of the contract without any action under clause 2.</p> <p>Such compensation for escalation in the prices of materials and labour, when due, shall be worked out based on the following provisions:</p> <p>The base date for working out such escalation shall be the last stipulated date of receipt of tenders including extension, if any.</p> <p>The cost of work on which escalation will be payable shall be reckoned as below:</p> <ul style="list-style-type: none"> <li>a) Gross value of work done up to this quarter: (A)</li> <li>b) Gross value of work done up to the last quarter: (B)</li> <li>c) Gross value of work done since previous quarter (C)=(A-B)</li> <li>d) Full assessed value of Secured Advance fresh paid in this quarter: (D)</li> <li>e) Full assessed value of Secured Advance recovered in this quarter: (E)</li> <li>f) Full assessed value of Secured Advance for which escalation Payable in this quarter, (F)= (D-E)</li> <li>g) Advance payment made during this quarter: (G)</li> <li>h) Advance payment recovered during this quarter: (H)</li> <li>i) Advance payment for which escalation is payable in this quarter (I)=(G-H)</li> <li>j) Amount paid based on prevailing market rates due to deviations/variations as per Clause 12 during this quarter:(J)</li> </ul> <p>Then, <math>M = C + F + I - J</math>  <math>N = 0.85 M</math></p> <ul style="list-style-type: none"> <li>k) Less cost of services rendered at fixed charges as per Clause 34 and recovered during the quarter (L)</li> <li>l) Less cost of Engineering Consultancy Services rendered at fixed charges as per BOQ and paid during the quarter (X).</li> </ul> <p>Cost of work for which escalation is applicable  <math>W = N - (L + X)</math>          *Cost of Design &amp; Detailing shall be treated as civil work for EPC contract.</p>
		<p>Components for materials, labour, etc. shall be pre-determined for every work and incorporated in the conditions of contract attached to the tender documents included in Schedule 'F'. The decision of the Engineer-in-Charge in working out such percentage shall be binding on the contractors.</p> <ul style="list-style-type: none"> <li>iii) The following principles shall be followed while working out the payment/recovery on account of variation of prices of material and/ or wages of labour.</li> </ul>

- a) The compensation for escalation shall be worked out at quarterly intervals and shall be with respect to the cost of work done as per bills paid during the three calendar months of the said quarter. The date of submission of bill finally by the contractor to the department shall be the guiding factor to decide the bills relevant to the quarterly interval. The first such payment shall be made at the end of three months after the month (excluding the month in which the work order issued) and thereafter at three months' interval. At the time of completion of the work, the last period for payment might become less than 3 months, depending on the actual date of completion.
- b) The indices as defined below (excluding LI) relevant to any quarter/period for which such compensation is to be paid shall be the arithmetical average of the indices relevant to the three calendar months. If the period up to the date of completion after the quarter covered by the last such instalment of payment, is less than three months, the indices shall be the average of the indices for the months falling within that period.
- c) The minimum wage of an unskilled Mazdoor shall be the higher of the wage notified by Government of India, Ministry of Labour and that notified by the local administration both relevant to the place of work and the period of reckoning.
- d) The escalation for labour also shall be paid at the same quarterly intervals when escalation due to increase in cost of materials is paid under this clause. If such revision of minimum wages takes place during any such quarterly intervals, the escalation compensation shall be payable at revised rates only for work done in subsequent quarters;
- e) Irrespective of variations in minimum wages of any category of labour, for the purpose of this clause, the variation in the rate for an unskilled Mazdoor alone shall form the basis for working out the escalation compensation payable on the labour component.
- iv) In the event the price of materials and/or wages of labour required for execution of the work decreases, there shall be a downward adjustment of the cost of work so that such price of materials and/or wages of labour shall be deductible from the cost of work under this contract and in this regard the formula herein stated below under this Clause 10CC shall mutatis mutandis apply.
- v) The contract price shall be adjusted for increase or decrease in rates and prices of labour, cement, steel reinforcement bar, fuel and lubricants and

		<p>other input materials as per percentage of materials/labour specified in schedule F and in accordance with the principles, procedures and formulae specified below:</p> <p>a) Price adjustment for change in cost shall be paid in accordance with the following formulae:</p> <p>i) For Construction:</p> $V_w = W * (1/100) * [C_p * (C_r - C_o)/C_o + L_p * (L_r - L_o)/L_o + C_{M_p} * (C_{M_r} - C_{M_o})/C_{M_o} + E_{M_p} * (E_{M_r} - E_{M_o})/E_{M_o} + F_p * (F_r - F_o)/F_o + S_p * (S_r - S_o)/S_o + B_p * (B_r - B_o)/B_o]$ <p>ii) For Maintenance:</p> $V_w = W * (1/100) * [L_p * (L_r - L_o)/L_o + C_{M_p} * (C_{M_r} - C_{M_o})/C_{M_o} + E_{M_p} * (E_{M_r} - E_{M_o})/E_{M_o} + B_p * (B_r - B_o)/B_o]$ <p>Where, W=cost of work done as per para (ii) above.</p> <p>V<sub>w</sub> (Variation of cost of Work) =Increase or decrease in the cost of works during the period under consideration due to change in the rates for relevant components.</p> <p>Percentage components of materials &amp; labour as specified in the schedule F are defined as under: -</p> <p>C<sub>p</sub>- Cement component,  C<sub>p</sub>- Cement component,  L<sub>p</sub> - Labour component,  C<sub>M<sub>p</sub></sub>- Civil component of other construction materials,  E<sub>M<sub>p</sub></sub>- E &amp; M i/c IT and AS component of construction materials  F<sub>p</sub>-POL (Diesel) component  S<sub>p</sub>- Reinforcement steel bars/TMT bars/structural steel (including strands and cables) component  B<sub>p</sub>- Bitumen Component</p> <p>Indices for various components of materials &amp; labour to be used for the purpose of this Clause are defined as under:</p> <p>C<sub>o</sub>= Wholesale Price Index for Pozzolana Cement published by office of the Economic Adviser, Ministry of Industry &amp; Commerce valid for the month of last date of receipt of tender including extension, if any.</p> <p>C<sub>1</sub>= Wholesale Price Index for Pozzolana Cement published by office of the Economic Adviser, Ministry of Industry &amp; Commerce for the period under consideration.</p> <p>L<sub>o</sub>= Minimum daily wage in rupees of an unskilled adult mazdoor, fixed under any law, statutory rule or order as on the last date of receipt of tender including</p>
--	--	--

		<p>extension, if any</p> <p>Lr= Minimum wage in rupees of an unskilled adult mazdoor, fixed under any law, statutory rule or order as applicable on the last date of the quarter previous to the one under consideration.</p> <p>CMo= Price Index for civil components of other construction materials valid for the month of the last date of receipt of tender including extension, if any, as published by AAI.</p> <p>CMr= Price Index for civil components of other construction materials for the period under consideration, as published by AAI.</p> <p>EMo= Price Index for E &amp; M components of construction materials valid for the month of the last date of receipt of tender including extension, if any, as published by AAI.</p> <p>EMr= Price Index for E &amp; M components of construction materials for the period under consideration, as published by AAI.</p> <p>Fo= Wholesale Price Index of HSD (High Speed Diesel) published by office of the Economic Adviser, Ministry of Industry &amp; Commerce valid for the month of the last date of receipt of tender including extension, if any.</p> <p>Fr= Wholesale Price Index of HSD (High Speed Diesel) published by office of the Economic Adviser, Ministry of Industry &amp; Commerce for the period under consideration.</p> <p>So= Wholesale Price Index of Mild Steel-long products published by office of the Economic Adviser, Ministry of Industry &amp; Commerce valid for the month of the last date of receipt of tender including extension, if any</p> <p>Sr= Wholesale Price Index of Mild Steel-long products published by office of the Economic Adviser, Ministry of Industry &amp; Commerce for the period under consideration.</p> <p>Bo= Wholesale Price Index of Bitumen published by office of the Economic Adviser, Ministry of Industry &amp; Commerce valid for the month of the last date of receipt of tender including extension, if any</p> <p>Br= Wholesale Price Index of Bitumen published by office of the Economic Adviser, Ministry of Industry &amp; Commerce for the period under consideration.</p>
--	--	--

CLAUSE 10 D

	<p>Dismantled Material AAI Property</p>	<p>The contractor shall treat all materials obtained during dismantling of a structure, excavation of the site for a work etc. as property of AAI and such materials shall be disposed <i>off</i> to the best advantage of Authority according to the instructions in writing issued by the Engineer-in-charge.</p>
--	---	---

CLAUSE 11

	<p>Work to be executed in accordance with specifications, drawings, orders etc.</p>	<p>The contractor shall execute the whole and every part of the work in the most substantial and workmanlike manner both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also conform exactly, fully and faithfully to the design, drawings and instructions in writing in respect to the work signed by the Engineer in charge and the contractor shall be furnished free of charge one copy of the contract documents together with specifications, designs, drawings and instructions as are not included in the standard specifications of Central Public Works Department specified in Schedule F or in any Bureau of Indian Standard or any other published standard or code or Schedule of Rates or any other printed publication referred to elsewhere in the contract. The contractor shall comply with the provisions of the contract and with the care and diligence execute and maintain the works and provide all labour and materials, tools and plants including for measurements and supervision of all works, structural plans and other things of temporary or permanent nature required for such execution and maintenance in so far as the necessity for providing these, is specified or is reasonably inferred from the contract. The contractor shall take full responsibility for adequacy suitability and safety of all the works and methods of construction.</p>
--	---	--

CLAUSE 12

	<p>Deviations / variations extent and pricing</p>	<p>The engineer-in-charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him in writing signed by the Engineering- charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main work except as hereafter provided.</p>
<p>12.1</p>		<p>The time for completion of the works shall, in the event of any deviations resulting in additional cost over the tendered value being ordered, be extended, if requested by the contractor, as follows:</p> <ul style="list-style-type: none"> <li>i. In the proportion which the additional cost of the altered, additional or substituted work, bears to the original tendered value plus</li> <li>ii. 25% of the time calculated in (i) above or such further additional time as may be considered reasonable by the engineer-in-charge.</li> </ul>
<p>12.2</p>	<p>Deviation, Extra Items and Pricing</p>	<p>In the case of extra item(s) (items that are completely new, and in addition to the items contained in the contract) the contractor may within fifteen days of receipt of order or occurrence of the item(s) claim rates, supported by proper analysis, for the work and the Engineer-in-charge shall within Six weeks of the receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.</p>

	Deviation, substituted items pricing	<p>In the case of substituted items (items that are taken up with partial substitution or in lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following para.</p> <p>(i) If the market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so increased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted).</p> <p>(ii) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted).</p>
	Deviation, Deviated Quantities, Pricing	<p>In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within prescribed time limit of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.</p>
12.3		<p>The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work in excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p>
12.4		<p>The contractor shall send to the Engineer-in-Charge once every three months, an upto date account giving complete details of all claims for additional payments to which the contractor may consider himself entitled and of all additional work ordered by the Engineer-in-Charge, which he has executed during the preceding quarter failing which the contractor shall be deemed to have waived his right. However, the Executive Director Engineering may authorize consideration of such claims on merits.</p>
12.5		<p>For the purpose of operation of Schedule F, the following works shall be treated as works relating to foundation unless &amp; otherwise defined in the contract:</p> <ol style="list-style-type: none"> <li>i. For Buildings: All works up to 1.2 meters above ground level or up to floor 1 level whichever is lower.</li> <li>ii. For abutments, piers and well staining: All works up to 1.2 m above the bed level.</li> <li>iii. For retaining walls, wing walls, compound walls, chimneys, overhead reservoirs/tanks and other elevated structures: All works up to 1.2 m above the ground level.</li> </ol>

		<ul style="list-style-type: none"> <li>iv. For roads, apron, runway &amp; taxi track all items of excavation, filling GSBC and including treatment of sub-base.</li> <li>v. For reservoirs/tanks (other than overhead reservoirs/tanks): All works up to 1.2 meters above the ground level.</li> <li>vi. For basement: All works up to 1.2 m above ground level or up to floor 1 level whichever is lower.</li> </ul>
12.6		Any operation incidental to or necessarily has to be in contemplation of tenderer while filing, tender, or necessary for proper execution of the item included in the Schedule of quantities or in the schedule of rates mentioned above, whether or not, specifically indicated in the description of the item and the relevant specifications, shall be deemed to be included in the rates quoted by the tenderer or the rate given in the said schedule of rates, as the case may be. Nothing extra shall be admissible for such operations.

CLAUSE 13

Foreclosure of contract due to Abandonment or Reduction in Scope of Work	<p>If at any time after acceptance of the tender or during the progress of work the purpose or object for which the work is being done changes due to any supervening cause and as a result of which the work has to be abandoned or reduced in scope the Engineer-in-Charge shall give notice in writing to that effect to the contractor and the contractor stating the decision as well as the cause for such decision and the contractor shall act accordingly in the matter. The contractor shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the works in full but which he did not derive in consequence of the foreclosure of the whole or part of the works. The contractor shall be paid at contract rates, full amount for works executed at site and, in addition, a reasonable amount as certified by the Engineer-in-Charge for the items hereunder mentioned which could not be utilized on the work to the full extent in view of the foreclosure;</p> <ul style="list-style-type: none"> <li>i. Any expenditure incurred on preliminary site work, e.g. temporary access roads, temporary labour huts, staff quarters and site office; storage accommodation and water storage tanks.</li> <li>ii. AAI shall have the option to take over contractor's materials or any part thereof either brought to site or of which the contractor is legally bound to accept delivery from suppliers (for incorporation in or incidental to the work) provided, however AAI shall be bound to take over the materials or such portions thereof as the contractor does not desire to retain. For materials taken over or to be taken over by AAI, cost of such materials as detailed by Engineer-in- Charge shall be paid. The cost shall, however, take into account purchase price, cost of transportation and deterioration or damage which may have been caused to materials whilst in the custody of the contractor.</li> <li>iii. If any materials supplied by AAI are rendered surplus, the same except normal wastage shall be returned by the contractor to AAI at rates not exceeding those at which these were originally issued, less allowance for any deterioration or damage which may have been caused whilst the materials were in the custody of the contractor. In addition, cost of transporting such materials from site to AAI stores, if so required by AAI, shall be paid.</li> </ul>
--	--

		<p>iv. Reasonable compensation for transfer of T &amp; P from site to contractor's permanent stores or to his other works, whichever is less. If T &amp; P are not transported to either of the said places, no cost of transportation shall be payable.</p> <p>v. Reasonable compensation for repatriation of contractor's site staff and imported labour to the extent necessary.</p> <p>The contractor shall, if required by the Engineer- in-Charge, furnish to him, books of account, wage books, time sheets and other relevant documents and evidence as may be necessary to enable him to certify the reasonable amount payable under this condition.</p> <p>The reasonable amount of items on (i), (iv) and (v) above shall not be in excess of 2% of the cost of the work remaining incomplete on the date of closure, i.e. total stipulated cost of the work as per accepted tender less the cost of work actually executed under the contract and less the cost of contractor's materials at site taken over by the AAI as per item (ii) above. Provided always that against any payments due to the contractor on this account or otherwise, the Engineer- in-Charge shall be entitled to recover or be credited with any outstanding balances due from the contractor for advance paid in respect of any tool, plants and materials and any other sums which at the date of termination were recoverable by the AAI from the contractor under the terms of the contract.</p> <p>In the event of action being taken under clause 13 to reduce the scope of work, the contractor may furnish fresh Performance Guarantee on the same conditions, in the same manner and at the same rate for the balance tendered amount and initially valid upto the extended date the completion or stipulated date of completion if no extension has been granted plus 180 days beyond that. Wherever, such a fresh Performance Guarantee is furnished by the contractor, the Engineer in Charge may return the previous Performance Guarantee.</p>
--	--	--

CLAUSE 14

<p>Carrying out part Work at risk &amp; cost of contractor</p>		<p>a. If contractor:</p> <p>i. At any time makes default during currency of work or does not execute any part of the work with due diligence and continues to do so even after a notice in writing of 7 days in this respect from the Engineer-in-Charge; or</p> <p>ii. Commits default in complying with any of the terms and conditions of the contract and does not remedy it or takes effective steps to remedy it within 7 days even after a notice in writing is given in that behalf by the Engineer-in-Charge; or</p> <p>iii. Fails to complete the work(s) or items of work with individual dates of completion, on or before the date(s) so determined, and does not complete them within the period specified in the notice given in writing in that behalf by the Engineer-in-Charge.</p> <p>b. The Engineer- in-Charge without invoking action under clause 3 may, without prejudice to any other right or remedy against the contractor which have either accrued or accrue thereafter to AAI, by a notice in writing to take the part work / part incomplete work of any item(s) out of his hands and shall have powers to:</p> <p>i. Take possession of the site and any materials, constructional plant, implements, stores, etc., thereon; and/or</p> <p>ii. Carry out the part work / part incomplete work of any item(s) by any means at the risk and cost of the contractor.</p>
--	--	---

	<p>c. The Engineer-in-Charge shall determine the amount, if any, is recoverable from the contractor for completion of the part work/ part incomplete work of any item(s) taken out of his hands and executed at the risk and cost of the contractor, the liability of contractor on account of loss or damage suffered by AAI because of action under this clause shall not exceed 10% of the tendered value of the work.</p> <p>d. In determining the amount, credit shall be given to the contractor with the value of work done in all respect in the same manner and at the same rate as if it had been carried out by the original contractor under the terms of his contract, the value of contractor's materials taken over and incorporated in the work and use of plant and machinery belonging to the contractor. The certificate of the Engineer-in-Charge as to the value of work done shall be final and conclusive against the contractor provided always that action under this clause shall only be taken after giving notice in writing to the contractor. Provided also that if the expenses incurred by the department are less than the amount payable to the contractor at his agreement rates, the difference shall not be payable to the contractor.</p> <p>e. Any excess expenditure incurred or to be incurred by AAI in completing the part work/ part incomplete work of any item(s) or the excess loss of damages suffered or may be suffered by AAI as aforesaid after allowing such credit shall without prejudice to any other right or remedy available to AAI in law or per as agreement be recovered from any money due to the contractor on any account, and if such money is insufficient, the contractor shall be called upon in writing and shall be liable to pay the same within 30 days.</p> <p>f. If the contractor fails to pay the required sum within the aforesaid period of 30 days, the Engineer-in-Charge shall have the right to sell any or all of the contractors' unused materials, constructional plant, implements, temporary building at site etc. and adjust the proceeds of sale thereof towards the dues recoverable from the contractor under the contract and if thereafter there remains any balance outstanding, it shall be recovered in accordance with the provisions of the contract/ provisions of law.</p> <p>In the event of above course being adopted by the Engineer-in-Charge, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagements or made any advance on any account or with a view to the execution of the work or the performance of the contract.</p>
--	--

CLAUSE 15

<p>Suspension of Work</p>	<p>i. The contractor shall, on receipt of the order in writing of the Engineer-in-Charge, (whose decision shall be final and binding on the contractor) suspend the progress of the works or any part thereof for such time and in such manner as the Engineer-in- Charge may consider necessary so as not to cause any damage or injury to the work already done or endanger the safety thereof for any of the following reasons:</p> <ul style="list-style-type: none"> <li>a. on account of any default on the part of the contractor or;</li> <li>b. for proper execution of the works or part thereof for reasons other than the default of the contractor; or</li> <li>c. For safety of the works or part thereof.</li> </ul> <p>The contractor shall, during such suspension, properly protect and secure the works to the extent necessary and carry out the instructions given in that behalf by the Engineer-in-Charge.</p>
---------------------------	---

		<p>ii. If the suspension is ordered for reasons (b) and (c) in sub-para (i) above (but not attributed to contractor):</p> <p>a. the contractor shall be entitled to an extension of time equal to the period of every such suspension PLUS 25% for completion of the item or group of items of work for which a separate period of completion is specified in the contract and of which the suspended work forms a part, and;</p> <p>b. If the total period of all such suspensions in respect of an item or group of items or work for which a separate period of completion is specified in the contract exceeds thirty days, the contractor shall, in addition, be entitled to such compensation as the Engineer-in-Charge may consider reasonable in respect of salaries and/or wages paid by the contractor to his employees and labour at site, remaining idle during the period of suspension, adding thereto 2% to cover indirect expenses of the contractor provided the contractor submits his claim supported by details to the Engineer-in- Charge within fifteen days of the expiry of the period of 30 days.</p> <p>c. If the works or part thereof is suspended on the orders of the Engineer-in-Charge for more than three months at a time, except when suspension is ordered for reasons (a) in sub-para (i) above, the contractor may after receipt of such order serve a written notice on the Engineer-in-Charge requiring permission within fifteen days from receipt by the Engineer-in- charge of the said notice, to proceed with the work or part thereof in regard to which progress has been suspended and if such permission is not granted within that time, the contractor, if he intends to treat the suspension, where it affects only a part of the works as an omission of such part by AAI or where it affects whole of the works, as an abandonment of the works by AAI, shall within ten days of expiry of such period of 15 days give notice in writing of his intention to the Engineer- in-Charge. In the event of the contractor treating the suspension as an abandonment of the contract by AAI, he shall have no claim to payment of any compensations on account of any profit or advantage which he might have derived from the execution of the work in full but which he could not derive in consequence of the abandonment. He shall, however, be entitled to such compensation, as the Engineer-in-Charge may consider reasonable, in respect of salaries and/or wages paid by him to his employees and labour at site, remaining idle in consequence adding to the total thereof 2% to cover indirect expenses of the contractor provided the contractor submits his claim supported by details to the Engineer-in-Charge within 30 days of the expiry of the period of 3 months.</p>
--	--	---

CLAUSE 15 A

<p>Compensation in case of delay due to late supply of stipulated material by AAI.</p>		<p>The contractor shall not be entitled to claim any compensation from AAI for the losses suffered by him on account of delay by AAI in the supply of materials in Schedule 'B' where such delay is covered by clauses relating to supply of wagons, force majeure or any reasonable use and the control of AAI.</p> <p>This clause 15A shall not be applicable for works where no material is stipulated for issue by AAI.</p>
--	--	---

CLAUSE 16

	<p>Action in case Work not done as per Specifications</p>	<p>All works under or in course of execution or executed in pursuance of the contract, shall at all times be open and accessible to the inspection and supervision of the Engineer-in-Charge, his authorize subordinates in charge of the work and all the superior officers, officer of the Quality Assurance Unit of the AAI or any organization engaged by the Department of Quality Assurance and of the Chief technical Examiner’s Office, and the contractor shall, at all times, during the usual working hours and at all other times at which reasonable notice of the visit of such officers has been given to the contractor, either himself be present to receive orders and instructions or have a responsible agent duly accredited in writing, present for that purpose. Orders given to the Contractor’s agent shall be considered to have the same force as if they had been given to the contractor himself.</p> <p>If it shall appear to the Engineer-in -charge or his authorized subordinates in charge of the work or to the Executive Director-In-charge of quality assurance or his subordinate officers or the officers of the organization engaged by the AAI for quality Assurance or to the Chief Technical Examiner or his subordinate officers, that any work has been executed with unsound, imperfect, or unskillful workmanship, or with materials or articles provided by him for the execution of the work which are unsound or of a quality inferior to that contracted or otherwise not in accordance with the contract, the contractor shall, on demand in writing which shall be made within twelve months (six months in the case of work costing Rs.10 lac and below except road work) of the completion of the work from the Engineer-in-Charge specifying the work, materials or articles complained of notwithstanding that the same may have been passed, certified and paid for forthwith rectify, or remove and reconstruct the work so specified in whole or in part, as the case may require or as the case may be, remove the materials or articles so specified and provide other proper and suitable materials or articles at his own charge and cost. In the event of the failing to do so within a period specified by the Engineer-in-Charge in his demand aforesaid, then the contractor shall be liable to pay compensation at the same rate as under clause 2 of the contract (for non-completion of the work in time) for this default.</p> <p>In such case the Engineer-in-Charge may not accept the item of work at the rates applicable under the contract but may accept such items at reduced rates as the authority specified in schedule ‘F’ may considered reasonable during the preparation of on account bills or final bill if the item is so acceptable without detriment to the safety and utility of the item and the structure or he may reject the work outright without any payment and/or get it and other connected and incidental items rectified, or removed and re-executed at the risk and cost of the contractor. Decision of the Engineer-in-Charge to be conveyed in writing in respect of the same will be final and binding on the contractor.</p>
--	---	---

CLAUSE 17

	<p>Contractor Liable for Damages, defects during maintenance period</p>	<p>If the contractor or his working people or servants shall break, deface, injure or destroy any part of building in which they may be working, or any building, road, road kerb fence, enclosure, water pipe, cables, drains, electric or telephone post or wires, trees, grass or grassland, or cultivated ground contiguous to the premises on which the work or any part is being executed, or if any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within twelve months (six months in the case of work costing Rs. Ten lacs and below except road work) after a certificate final or otherwise of its completion shall have been given by the</p>
--	---	--

		<p>Engineer-in-charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Engineering-charge cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The security deposit of the contractor shall not be refunded before the expiry of twelve months (six months in the case of work costing Rs. Ten lacs and below except road work) after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later. Provided that in the case of road work, if in the opinion of the Engineer-in-charge, half of the security deposit is sufficient, to meet all liabilities of the contractor under this contract, half of the security deposit will be refundable after six months and the remaining half after twelve months of the issue of the said certificate of completion or till the final bill has been prepared and passed whichever is later.</p> <p>In case of Maintenance and Operation works of E&amp;M services, the security deposit deducted from contractors shall be refunded within one month from the date of final payment or within one month from the date of completion of the maintenance contract whichever is earlier.</p>
--	--	--

#### CLAUSE 18

	<p>Contractor to Supply Tools &amp; Plants etc.</p>	<p>The contractor shall provide at his own cost all materials (except such special materials, if any, as may in accordance with the contract be supplied from the Engineer-in charge's stores) machinery, tools &amp; plants as specified in Schedule F. in addition to this, appliances, implements, other plants, ladders, cordage, tackle, scaffolding and temporary works required for the proper execution of the work, whether original, altered or substituted and whether included in the specifications or other documents forming part of the contract or referred to in these conditions or not, or which may be necessary for the purpose of satisfying or complying with the requirements of the Engineer-in charge as to any matter as to which under these conditions he is entitled to be satisfied, or which he is entitled to require together with carriage therefor to and from the work. The contractor shall also supply without charge the requisite number of persons with the means and materials, necessary for the purpose of setting out works, and counting, weighing and assisting the measurement for examination at any time and from time to time of the work or materials. Failing his so doing, the same may be provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted, from any money due to the contractor, under this contract or otherwise and / or from his security deposit or the proceeds of sale thereof, or of a sufficient portions thereof.</p>
--	---	--

#### CLAUSE 18 A

	<p>Recovery of Compensation paid to Workmen</p>	<p>In every case in which by virtue of the provisions sub-section(i) of Section 12, of the Workmen's Compensation Act, 1923, AAI is obliged to pay compensation to a workman employed by the contractor, in execution of the works, AAI will recover from the contractor, the amount of the compensation so paid, and, without prejudice to the rights of the AAI under sub-section(2) of Section 12, of the said act, AAI shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by AAI to the contractor whether under this contract or otherwise. AAI shall not be bound to</p>
--	---	--

		contest any claim made against it under subsection (1) of Section 12, of the said Act, except on the written request of the contractor and upon his giving to AAI full security for all costs for which AAI might become liable in consequence of contesting such claim.
--	--	--

CLAUSE 18 B

Ensuring Payment and Amenities to Workers if Contractor fails	In every case in which by virtue of the provisions of the Contract Labour (Regulation and Abolition) act 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971, AAI is obliged to pay any amounts of wages to a workman employed by the contractor in execution of the works, or to incur any expenditure in providing welfare and health amenities required to be provided under the above said Act and the rules under Clause 19H or under the AAI Contractor's Labour Regulations or under the Rules framed by AAI from time to time for the protection of health and sanitary arrangements for workers employed by AAI Contractors, AAI will recover from the contractor the amount of wages so paid or the amount of expenditure so incurred and without prejudice to the rights of the AAI under sub section (2) of Section 20, sub section (4) of Section 21, of the Contract Labour (Regulation and Abolition) Act, 1970, AAI shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by AAI to the contractor whether under this contract or otherwise AAI shall not be bound to contest any claim made against it under sub section (1) of Section 20, sub section (4) of Section 21, of the said Act, except on the written request of the contractor and upon his giving to the AAI full security for all costs for which AAI might become liable in contesting such claim.
---	---

CLAUSE 19

Labour laws to be complied by the Contractor	The contractor shall obtain a valid license under the contract labour (R&A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971, before the commencement of the work, and continue to have a valid license until the completion of the work. The contractor shall also abide by the provisions of the Child Labour (Prohibition and Regulation) Act, 1986. The contractor shall also comply with the provisions of the building and other construction workers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996. Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non execution of the work.
--	---

CLAUSE 19 A

	No labour below the age of fourteen years shall be employed on the work.
--	--

CLAUSE 19 B

Payment of wages	Payment of wages: i The contractor shall pay to labour employed by him either directly or through subcontractors, wages not less than fair wages as defined in the AAI Contractor's Labour Regulation or as per the provisions of the Contract Labour (Regulation and Abolition) act, 1970 and the contract labour (Regulation and Abolition) Central Rules, 1971 wherever applicable. ii The contractor shall, notwithstanding the provisions of any contract to the contrary, cause to be paid fair wage to labour indirectly engaged on the work,
------------------	--

		<p>including any labour engaged by his sub-contractors in connection with the said work, as if the labour had been immediately employed by him.</p> <p>iii In respect of all labour directly or indirectly employed in the works for performance of the contractor's part of this contract, the contractor shall comply with or cause to be complied with the Airports Authority of India contractor's Labour Regulations made by AAI from time to time in regard to payment of wages wage period, deductions from wages recovery of wages not paid and deductions unauthorisedly made, maintenance of wage books or wage slips, publication of scale of wages and other terms of employment, inspection and submission of periodical returns and all other matters of the like nature or as per the provisions of the Contract Labour (Regulation and Abolition) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971, wherever applicable.</p> <p>iv. The following deductions shall be permissible to be made by the Engineer-in-Charge.</p> <p>a. The Engineer-in-charge concerned shall have the right to deduct from the moneys due to the contractor or any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non-fulfillment of the conditions of the contract for the benefit of the workers, non-payment of wages or of deductions made from his or their wages which are not justified by their terms of the contract or non-observance of the Regulations.</p> <p>b. Under the provision of Minimum Wages (Central) Rule 1950 the contractor is bound to allow to the labours directly or indirectly employed in the works one day rest for 6 days continuous work and pay wages at the same rate as for duty. In the event of default, the Engineer-in-charge shall have the right to deduct the sum or sums not paid on account of wages for weekly holidays to any labours and pay the same to the persons entitled thereto from any money due to the contractor by the Engineer-in-charge concerned.</p> <p>In the case of Union Territory of Delhi, however, as the all-inclusive minimum daily wages fixed under Notification of the Delhi Administration No.F.12(162)MWO/DAB/43884-91, dated 31.12.1979 as amended from time to time are inclusive of wages for the weekly day of rest, the question of extra payment for weekly holiday would not arise.</p> <p>v. The contractor shall comply with the provisions of the Payment of wages Act, 1936, Minimum Wages Act, 1948, Employees Liability Act, 1938, Workmen's Compensation Act, 1923, Industrial Disputes Act, 1947, Maternity Benefits Act, 1961, and the Contractor's Labour (Regulation and Abolition) Act 1970, or the modifications thereof or any other laws relating thereto and the rule made thereunder from time to time.</p> <p>vi. The contractor shall indemnify and keep indemnified Authority against payments to be made under and for the observance of the laws aforesaid and the AAI Contractor's Labour Regulations without prejudice to his right to claim indemnity from his sub-contractors.</p> <p>vii. The laws aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a breach of this contract.</p> <p>viii. Whatever is the minimum wage for the time being, or if the wage payable is higher than such wage, such wage shall be paid by the contractor to the workmen directly without the intervention of Jamadar and that Jamadar shall not be entitled to deduct or recover any amount from the minimum wage payable to the workmen as and by way of commission or otherwise.</p>
--	--	--

		ix. The contractor shall ensure that no amount by way of commission or otherwise is deducted or recovered by the Jamadar from the wage of workmen.
--	--	--

#### CLAUSE 19 C

		In respect of all labour directly or indirectly employed in the work for the performance of the contractor's part of this contract, the contractor shall at his own expense arrange for the safety provisions as per AAI Safety Code framed from time to time and shall at his own expense provide for all facilities in connection therewith. In case the contractor fails to make arrangement and provide necessary facilities as aforesaid, he shall be liable to pay a penalty of Rs. 200/- for each default and in addition, the Engineer-in charge shall be at liberty to make arrangement and provide facilities as aforesaid and recover the costs incurred in that behalf from the contractor.
--	--	---

#### CLAUSE 19 D

		The contractor shall submit by the 4th and 19th of every month, to the Engineer-in charge a true statement showing in respect of the second half of the preceding month and the first half of the current month respectively: <ul style="list-style-type: none"> <li>i. the number of labourers employed by him on the work,</li> <li>ii. their working hours,</li> <li>iii. the wages paid to him,</li> <li>iv. the accidents that occurred during the said fortnight showing the circumstances under which they happened and the extent of damage and injury caused by them, and</li> <li>v. the number of female workers who have been allowed maternity benefit according to Clause 19F and the amount paid to them Failing which the contractor shall be liable to pay to AAI, a sum not exceeding Rs. 200/- for each default or materially incorrect statement. The decision of the Engineer-in-charge shall be final in deducting from any bill due to the contractor; the amount levied as fine and shall be binding on the contractor.</li> </ul>
--	--	--

#### CLAUSE 19 E

		In respect of all labour directly or indirectly employed in the works for the performance of the contractor's part of this contract, the contractor shall comply with or cause to be complied with all the rules framed by AAI from time to time for the protection of health and sanitary arrangements for workers employed by the AAI and its contractor.
--	--	---

#### CLAUSE 19 F

		Leave and pay during leave shall be regulated as follows: <ul style="list-style-type: none"> <li>1. Leave: <ul style="list-style-type: none"> <li>i. In the case of delivery - maternity leave not exceeding 8 weeks, 4 weeks upto and including the day of delivery and 4 weeks following that day.</li> <li>ii. In the case of miscarriage - upto 3 weeks from the date of miscarriage.</li> </ul> </li> <li>2. Pay: <ul style="list-style-type: none"> <li>i. In the case of delivery – leave pay during maternity leave will be at the rate of women's average daily earnings, calculated on total wages earned on the days when full time work was done during a period of three months immediately preceding the date on which she gives notice that she expects to be confined or at the rate of Rupee one only a day whichever is greater.</li> <li>ii. In the case of miscarriage – leave pay at the rate of average daily earning</li> </ul> </li> </ul>
--	--	--

		<p>calculated on the total wages earned on the days when full time work was done during a period of three months immediately preceding the date of such miscarriage.</p> <p>3. Conditions for the grant of Maternity Leave: No maternity leave benefit shall be admissible to a woman unless she has been employed for a total period of not less than six months immediately preceding the date on which she proceeds on leave.</p> <p>4. The contractor shall maintain a register of Maternity (Benefit) in the Prescribed Form as shown in appendix – III and IV, and the same shall be kept at the place of work.</p>
--	--	---

CLAUSE 19 G

		<p>In the event of the contractor (s) committing a default or breach of any of the provisions of the Airports Authority of India Contractor’s Labour Regulations and Model Rules for the protection of health and sanitary arrangements for the workers as amended from time to time or furnishing any information or submitting or filling any statement under the provisions of the above Regulations and Rules which is materially incorrect, he / they shall, without prejudice to any other liability, pay to the AAI a sum not exceeding Rs.200/- for every default, breach or furnishing, making, submitting, filing such materially incorrect statements and in the event of the contractor(s) defaulting continuously in this respect, the penalty may be enhanced to Rs.200/- per day for each day of default subject to a maximum of 5 per cent of the estimated cost of the work put to tender. The decision of the Engineer-in-Charge shall be final and binding on the parties.</p> <p>Should it appear to the Engineer-in-Charge that the contractor (s) is / are not properly observing and complying with the provision of the AAI Contractor’s Labour Regulations and Model Rules and the provisions of the Contract Labour (Regulation and Abolition ) Act 1970, and the Contract Labour (R&amp;A) Central Rules 1971, for the protection of health and sanitary arrangements for work – people employed by the contractor (s) (hereinafter referred as “the said Rules”) the Engineer-in-Charge shall have power to give notice in writing to the contractor (s) requiring that the said Rules be complied with and the amenities prescribed therein be provided to the work-people within a reasonable time to be specified in the notice. If the contractor (s) shall fail within the period specified in the notice to comply with and/ observe the said Rules and to provide the amenities to the work-people as aforesaid, the Engineer-in-Charge shall have the power to provide the amenities hereinbefore mentioned at the cost of the contractor (s). The contractor (s) shall erect, make and maintain at his / their own expense and to approved standards all necessary huts and sanitary arrangements required for his / their work –people on the site in connection with the execution of the works, and if the same shall not have been erected or constructed, according to approved standards, the Engineer-in-Charge shall have power to give notice in writing to the contractor (s) requiring that the said huts and sanitary arrangements be remodeled and / or reconstructed according to approved standards, and if the contractor (s) shall fail to remodel or reconstruct such huts and sanitary arrangements according to approved standards within the period specified in the notice, the Engineer-in-Charge shall have the power to remodel or reconstruct such huts and sanitary arrangements according to approved standards at the cost of the contractor (s).</p>
--	--	---

CLAUSE 19 H

		<p>The contractor (s) shall at his / their own cost provided his / their labour with a sufficient number of huts (hereinafter referred to as the camp) on the following specifications on a suitable plot of land to be approved the Engineer-in-Charge.</p> <p>i. Facility to be provided</p> <p>a. The minimum height of each hut at the eaves level shall be 2.10m (7ft.) and the floor area to be provided will be at the rate of 2.7 sq.m. (30 sq.ft.) for each member of the worker’s family staying with the labourer.</p> <p>b. The contractor shall in addition construct suitable cooking places having a minimum area of 1.80m x 1.50m (6’ x 5’) adjacent to the hut for each family.</p>
		<p>c. The contractor(s) shall also construct temporary latrines and urinals for the use of the labourers each on the scale of not less than four per each one hundred of the total strength, separate latrines and urinals being provided for women.</p> <p>d. The contractor (s) shall construct sufficient number of bathing and washing places one unit for every 25 persons residing in the camp. These bathing and washing places shall be suitably screened.</p> <p>ii. Specifications</p> <p>a. All the huts shall have walls of sun-dried or burnt-bricks laid in mud mortar or other suitable local materials as may be approved by the Engineer-in-Charge in case of sun-dried bricks, the walls should be plastered with mud gobi on both sides. The floor may be kutcha but plastered with mud gobi and shall be at least 15 cm (6”) above the surrounding ground. The roofs shall be laid with the thatch or any other materials as may be approved by the Engineer-in-Charge and the contractor shall ensure that throughout the period of their occupation, the roofs remain water – tight.</p> <p>b. The contractor (s) shall provide each hut with proper ventilation.</p> <p>c. All doors, windows and ventilators shall be provided with suitable leaves for security purposes.</p> <p>d. There shall be kept an open space of at least 7.2 m (8 yards) between the rows of huts which may be reduced to 6m (20 ft.) according to the availability of site with the approval of the Engineer-in-Charge. Back to back construction will be allowed.</p> <p>iii. Water Supply</p> <p>The contractor (s) shall provided adequate supply of water for the use of labourers. The provisions shall not be less than two gallons of pure and wholesome water per head per day for drinking purposes and three gallons of clean water per head per day for bathing and washing purposes. Where piped water supply is available supply shall be at stand posts and where the supply is from wells or river, tanks which may be of metal or masonry, shall be provided. The contractor (s) shall also at his / their own cost make arrangements for laying pipe lines for water supply to his / their labour camp from the existing mains wherever available and shall pay all fees and charges therefor.</p> <p>iv. The site selected for the camp shall be high ground, removed from jungle.</p> <p>v. Disposal of Excreta:</p> <p>The contractor (s) shall make necessary arrangement for the disposal of excreta from the latrines by trenching or incineration which shall be according to the requirements laid down by the Local Health Authorities. If trenching or incineration is not allowed, the contractor (s) shall make arrangements for the removal of the excreta through the Municipal Committee / authority and inform it about the number of labourers employed so that arrangements may be made by such Committee / authority for the removal of excreta. All charges on this account shall be borne by the contractor and paid direct by him to the</p>

		<p>Municipality / authority. The contractor shall provide one sweeper for every eight seats in case of dry system.</p> <p>vi. Drainage The contractor (s) shall provide efficient arrangements for draining away sullage water so as to keep the camp neat and tidy.</p> <p>vii. The contractor (s) shall make necessary arrangements for keeping the camp area sufficiently lighted to avoid accidents to the workers.</p> <p>viii. Sanitation The contractor(s) shall make arrangements for conservancy and sanitation in the labour camps according to the rules of the Local Public Health and Medical Authorities.</p>
--	--	---

CLAUSE 19 I

		<p>The Engineer-in-Charge may require the contractor to dismiss or remove from the site of the work any person or persons in the contractors' employ upon the work who may be incompetent or misconduct himself and the contractor shall forthwith comply with such requirements. In respect of maintenance/repair or renovation works etc. where the labour have an easy access to the individual work premises, the contractor shall issue identity cards to the labourers, whether temporary or permanent and he shall be responsible for any untoward action on the part of such labour. Assistant Manager/Junior Executive will display a list of contractors working in the colony/Blocks on the notice board in the colony and also at the service center, to apprise the residents about the same.</p>
--	--	--

CLAUSE 19 J

		<p>It shall be the responsibility of the contractor to see that the building under construction is not occupied by anybody unauthorized during construction, and is handed over to the Engineer-in-Charge with vacant possession of complete building. If such building though completed is occupied illegally, then the Engineer-in-Charge shall have the option to refuse to accept the said building/buildings in that position. Any delay in acceptance on this account will be treated as the delay in completion and for such delay, a levy upto 5% of tendered value of work may be imposed by the General Manager Engg. Whose decision shall be final both with regard to the justification and quantum and be binding on the contractor. However, the Executive Director Engg., through a notice may require the contractor to remove the illegal occupation any time on or before construction and delivery.</p>
--	--	--

CLAUSE 19 K

Employment of skilled / semiskilled workers	<p>The contractor shall at all stages of work deploy skilled / semi-skilled tradesmen who are qualified and possess certificate in particular trade from CPWD Training Institute / Industrial Training Institute/National Institution of Construction Management and research (NICMAR) National Academy of Construction, CIDC or any similar reputed and recognized Institute managed / certified by State / Central Government. The number of such qualified tradesmen shall not be less than 20% of total skilled / semi-skilled workers required in each trade at any stage of work. The contractor shall submit number of man days required in respect of each trade, its scheduling and the list of qualified tradesmen along with requisite certificate from recognized Institute to Engineer in charge for approval. Notwithstanding such approval, if the tradesmen are found to have inadequate skill to execute the work of</p>
---	---

		<p>respective trade, the contractor shall substitute such tradesmen within two days of written notice from Engineer –in- Charge. Failure on the part of contractor to obtain approval of Engineer-in-Charge or failure to deploy qualified tradesmen will attract a compensation to be paid by contractor at the rate of Rs.100 per such tradesman per day. Decision of Engineer in Charge as to whether particular tradesman possesses requisite skill and amount of compensation in case of default shall be final and binding.</p> <p>Provided always, that the provision of this clause shall not be applicable for works with estimated cost put to tender being less than Rs.5 crores.</p>
--	--	--

CLAUSE 19 L

	Contribution of EPF and ESI	<p>The ESI and EPF contributions on the part of employer in respect of this contract shall be paid by the contractor. These contributions on the part of the employer paid by the contractor shall be reimbursed by the Engineer-in-charge to the contractor on actual basis. The verification of deployment of labour will be done through biometric attendance system or any other suitable method by the Engineer in Charge. The applicable and eligible amount of EPF &amp; ESI shall be reimbursed preferably within 7 days but not later than 30 days of submission of documentary proof of payment provided same are in order.</p>
--	-----------------------------	---

CLAUSE 19 M

	Compliance of NGT guidelines	<p>The contractor is required to follow latest NGT guidelines at the construction site and any violation of such guidelines will be in his account.</p>
--	------------------------------	---

CLAUSE 20

	Minimum Wages Act to be Complied with	<p>The contractor shall comply with all the provision of the Minimum Wages Act, 1948, and Contract Labour (Regulation and Abolition) Act, 1970 amended from time to time and rules framed thereunder and other labour laws affecting contract labour that may be brought into force from time to time.</p>
--	---------------------------------------	--

CLAUSE 20(A)

<p>Employees Provident Fund &amp; Miscellaneous Provision Act 1952/Jammu &amp; Kashmir Employees Provident Funds (and Miscellaneous Provisions) Act, 1961 and State Insurance (ESI) Act, 1948.</p>	<p>The Contractor shall comply with all the provisions of the Employees Provident Fund &amp; Misc. Provisions Act, 1952/ Jammu &amp; Kashmir Employees Provident Funds (and Miscellaneous Provisions) Act, 1961 and ESI Act, 1948, amended from time to time and rules framed thereunder. Some of the provisions are given below:-</p> <ul style="list-style-type: none"> <li>a. The contractor shall intimate his PF Account Code No. allotted by Regional PF Commissioner and ESI Registration No. allotted by ESI Corporation after award of work and shall continue to have valid PF Account Code No. and ESI Registration No. till actual completion of the contract.</li> <li>b. The contractor shall provide a list of contract Workers engaged for contract work along with their PF Account No. &amp; ESI Registration No.</li> <li>c. The contractor by 20th of every month shall provide a monthly statement showing recoveries of contribution and proof of remittance of provident fund contribution to RPEC and ESI contributions to ESI Corporation in respect of Workers engaged in contract work.</li> <li>d. The contractor shall provide copies of PF &amp; ESI challans of monthly contributions in respect of contract workers engaged for contract work on month to month basis.</li> </ul> <p>AAI reserves the right to withhold minimum amount as detailed under, from the</p>
--	--

		<del>running account payments, if PF / ESI contributions are not paid by the contractor and proof to that effect have not been produced regularly on due dates. To withhold 3% for building work &amp; 1.5% for road/pavement work of the total amount of work done during the period considered.</del>
		<del>ESI &amp; EPF amount paid to the statutory authorities by the contractor shall be reimbursed on actual basis on submission of documentary evidence.</del>

CLUASE 21

	Work not to be sublet. Action in case of insolvency	The contract shall not be assigned or sublet without the written approval of Engineer-in-Charge. And if the contractor shall assign or sublet his contract, or attempt to do so, or become insolvent or commence any insolvency proceedings or make any composition with his creditors or attempt to do so, or if any bribe, gratuity, gift, loan, perquisite, reward or advantage pecuniary or otherwise, shall either directly or indirectly, be given, promised or offered by the contractor, or any of his servants or agent to any public officer or person in the employ of AAI in any way relating to his office or employment, or if any such officer or person shall become in any way directly or indirectly interested in the contract, the Engineers in Charge on behalf of the AAI shall have power to adopt the course specified in Clause 3 hereof in the interest of AAI and in the event of such course being adopted, the consequences specified in the said Clause 3 shall ensue.
--	---	--

CLUASE 22

		All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of AAI without reference to the actual loss or damage sustained and whether or not any damage shall have been sustained.
--	--	--

CLAUSE 23

	Changes in firm's Constitution to be intimated	Where the contractor is a partnership firm, the previous approval in writing of the Engineer-in-Charge shall be obtained before any change is made in the constitution of the firm. Where the contractor is an individual or a Hindu undivided family business concern such approval as aforesaid shall likewise be obtained before the contractor enters into any partnership agreement where under the partnership firm would have the right to carry out the works hereby undertaken by the contractor. If previous approval as aforesaid is not obtained, the contract shall be deemed to have been assigned in contravention of Clause 21 hereof and the same action may be taken and the same consequences shall ensue as provided in the said Clause 21.
--	--	---

CLAUSE 24

		All works to be executed under the contract shall be executed under the direction and subject to the approval in all respects of the Engineer-in-Charge who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.
--	--	--

CLAUSE 25

	<p>Dispute Resolution Mechanism and Arbitration</p>	<p>Dispute Resolution Clause</p> <p>All disputes or differences which may arise out of or in connection with or incidental to the Agreement(s) including any dispute or difference regarding the interpretation of terms and conditions of any clause(s) thereof shall be dealt with as provided hereinafter:</p> <p>(i) Through Mediation: All dispute(s), at the first instance, shall be referred to the Mediation Committee of Independent Experts (MCIE) or individual mediator for mediation as per AAI Mediation Policy and applicable laws. All cost of mediation, shall be borne equally by the parties.</p> <p>In case either party withdraws from the Mediation or the dispute(s) is not resolved within 120 days of reference to the Mediation, then the aggrieved party may invoke arbitration through sub para (ii) within 30 days from the date of receipt of Partial Settlement Agreement or Failure Report.</p> <p>(ii) Adjudication through Arbitration: In case no final settlement has been arrived at between the parties after mediation or partially settled as per sub Para (i) above, the unresolved dispute(s), on invocation by the aggrieved party shall be referred for adjudication by arbitration.</p> <p>a. When the amount involved is above 25 crores, adjudication shall be made by Arbitral Tribunal comprising of 03 arbitrators. Each party to appoint one arbitrator and the two appointed arbitrators shall appoint the Presiding Arbitrator.</p> <p>b. When the amount involved is Rs. 25 Crores and below shall be referred to a Sole Arbitrator to be appointed by Chairman/Member, AAI, after obtaining consent of the other party, as per format annexed at Annexure 'A' below.</p> <p>Unless the contract has already been repudiated or terminated, the parties shall, in every case, continue to proceed to perform their respective obligations under the agreement.</p> <p>Arbitration proceedings shall be conducted in accordance with the provisions of the Arbitration and Conciliation Act, 1996, as amended from time to time.</p> <p>Fee payable to the Arbitrator(s) shall be as per Schedule-JV of the Arbitration &amp; Conciliation Act, 1996 and shall be borne by both the parties equally.</p> <p>No dispute shall be referred for resolution under this clause through arbitration in matters for which eviction &amp; recovery procedure is provided under Chapter -VA of the Airports Authority of India Act, 1994.</p> <p>For the purpose of the above 'Initial Statement of Claim' should be taken into consideration for deciding individual arbitrator or Tribunal under Clause ii (a) &amp; (b) of the Dispute Resolution Clause.</p>
--	---	---

		<p style="text-align: right;">Annexure – ‘A’</p> <p style="text-align: center;">Format Consent Letter Dispute Resolution Clause-- Para ii (b)</p> <p>To,</p> <p>The Chairman/Member/Regional Executive Director, Airports Authority of India, _____</p> <p>SUB: Request for appointment of arbitrator under Clause _____ of the _____ agreement dated for _____ for _____</p> <p>Sir/Madam,</p> <p>1. We state that _ _ _ _ _ (contractor/agency) was awarded work/concession of at-----'Airport/_____ (other location) of Airports Authority of India through Award Letter dated _____</p> <p>2. Dispute related to _ _ _ _ _ arose between us (contractor/agency) and AAI.</p> <p>3. On _____ (date), dispute was referred to Mediation as per AAI Mediation Policy and any settlement on the following claims/disputes was not reached between the parties:</p> <p>(i) (ii) (iii)</p> <p>4. A concise statement along with claim in respect of each of such disputes is attached herewith.</p> <p>5. In view of the above, we invoke arbitration under clause _____ of the _ _ _ _ _ agreement between us and AAI and as per proviso to Section-12(5) of the Arbitration &amp; Conciliation Act, 1996, we hereby agree and request the Chairman/Member/Regional Executive Director AAI to appoint arbitrator from AAI 's panel of arbitrators.</p> <p>6. I/ We also give my/ our consent for appointing any of an arbitrator from AAI's approved panel of arbitrators, as per paragraph-5 above.</p> <p>Thanking you,</p> <p>( _____ ) Authorized signatory of</p> <p>Encl: As above</p>
--	--	---

**CLAUSE 26**

	<p>Contractor to indemnify AAI against Patent Rights</p>	<p>The contractor shall fully indemnify and keep indemnified the Chairman AAI against any action, claim or proceeding relating to infringement or use of any patent or design or any alleged patent or design rights and shall pay and royalties which may be payable in respect of any article or part thereof included in the contract. In the event of any claims made under or action brought against AAI in respect of any such matters as aforesaid, the contractor shall be immediately notified thereof and the contractor shall be at liberty, at his own expense, to settle any dispute or to conduct any litigation that may arise there from, provided that the contractor shall not be liable to indemnify the AAI if the infringement of the patent or design or any alleged patent or design right is the direct result of an order passed by the Engineer-in-Charge in this behalf.</p>
--	--	---

CLAUSE 27

	Lump sum Provisions in Tender	When the estimate on which a tender is made, includes lump sum in respect of parts of the work, the contractor shall be entitled to payment in respect of the items of work involved or the part of the work in question at the same rates as are payable under this contract for such items ,or if the part of work in question is not, in the opinion of the Engineer-in-Charge payable of measurement, the Engineer-in-Charge may at his discretion pay the lump- sum amount entered in the estimate, and the certificate in writing of the Engineer-in-Charge shall be final and conclusive against the contractor with regard to any sum or sums payable to him under the provision of the clause.
--	-------------------------------	---

CLAUSE 28

	Action where no specifications are specified	<p>In the case of any class of work for which there is no such specifications as referred to in Clause 11, such work shall be carried out in accordance with the Bureau of Indian Standards Specifications. In case there are no such specifications in Bureau of Indian Standards, the work shall be carried out as per manufacturers’ specifications.</p> <p>In case there are no such specifications as required above, the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-Charge.</p>
--	--	--

CLAUSE 29

	With-holding and lien in respect of sums due from contractor	<p>i. Whenever any claims for payment of a sum of money arises out of or under the contract or against the contractor, the Engineer-in-Charge or the AAI shall be entitled to withhold and also have a lien to retain such sum or sums in whole or in part from the security, if any deposited by the contractor and for the purpose aforesaid, the Engineer-in-Charge or the AAI shall be entitled to withhold the security deposit if any, furnished as the case may be and also have a lien over the same pending finalization or adjudication of any such claim. In the event of the security being insufficient to cover the claimed amount or amounts or if no security has been taken from the contractor, the Engineer-in-Charge or the AAI shall be entitled to withhold and have lien to retain to the extent of such claimed amount or amounts referred to above from any sum or sums found payable or which may at any time thereafter become payable to the contractor under the same contract or any other contract with the Engineer-in Charge of the AAI or any contracting person through the Engineer-in-Charge pending finalization of adjudication of any such claim.</p> <p>It is an agreed term of the contract that the sum of money or moneys so withheld or retained under the lien referred to above by the Engineer-in- Charge or AAI will be kept withheld or retained as such by the Engineer-in- Charge or AAI till the claim arising out of or under the contract is determined by the arbitrator. (if the contract is governed by the arbitration clause) or by the competent court, as the case may be and that the contractor will have no claim for interest or damages whatsoever on any account in respect of such withholding or retention under the lien referred to above and duly notified as such to the contractor. For the purpose of this clause, where the contractor is a partnership firm or a limited company, the Engineer-in-Charge or the AAI shall be entitled to withhold and also have a lien to retain towards such claimed amount or amounts in whole or in part from any sum found payable to any partner/limited company as the case may be, whether in his individual capacity or otherwise.</p>
--	--	--

		<p>ii. AAI shall have the right to cause an audit and technical examination of the works and the final bills of the contractor including all supporting vouchers, abstract, etc., to be made after payment of the final bill and if as a result of such audit and technical examination any sum is found to have been overpaid in respect of any work done by contractor under the contract or any work claimed to have been done by the him under the contract and found not to have been executed, the contractor shall be liable to refund the amount of over payment and it shall be lawful for AAI to recover the same from him in the manner prescribed in sub-clause (i) of this clause or in any other manner legally permissible; and if it is found that the contractor was paid less than what was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be duly paid by AAI to the contractor, without any interest thereon whatsoever.</p> <p>Provided that the AAI shall not be entitled to recover any sum overpaid, nor the contractor shall be entitled to payment of any sum paid short where such payment has been agreed upon between the Executive Director Engineering / General Manager Engineering on the one hand and the contractor on the other under any term of the contract permitting payment for work after assessment by the Executive Director Engineering / General Manager Engineering.</p>
--	--	---

CLAUSE 29 A

	Lien in respect of claims in other Contracts	<p>i. Any sum of money due and payable to the contractor (including the security deposit refundable to him) under the contract may be withheld or retained by way of lien by the Engineer-in-Charge or the AAI or any other contracting person or persons through Engineer-in-Charge against any claim of the Engineer-in-Charge or AAI or such other person or persons in respect of payment of a sum of money arising out of or under any other contract made by the contractor with the Engineer-in-Charge or the AAI or with such other person or persons.</p> <p>ii. It is an agreed term of the contract that the sum of money so withheld or retained under this clause by the Engineer-in-Charge or the AAI will be kept withheld or retained as such by the Engineer-in-Charge or the AAI or till his claim arising out of the same contract or any other contract is either mutually settled or determined by the arbitration clause or by the competent court, as the case may be and that the contractor shall have no claim for interest or damages whatsoever on this account or on any other ground in respect of any sum of money withheld or retained under this clause and duly notified as such to the contractor.</p>
--	--	---

CLAUSE 30

	Employment of coal mining or controlled area labour not permissible	<p>i. The contractor shall not employ coal mining or controlled area labour falling under any category whatsoever or in connection with the work or recruit labour from area within a radius of 32 km (20 miles) of the controlled area. Subject as above the contractor shall employ imported labour only i.e., deposit imported labour or labour imported by contractors from area, from which import is permitted.</p> <p>ii. Where ceiling price for imported labour has been fixed by State or Regional Labour Committees not more than that ceiling price shall be paid to the labour by the contractor.</p> <p>iii. The contractor shall immediately remove any labourer who may be pointed</p>
--	---	--

		<p>out by the Engineer-in-Charge as being a coal mining or controlled area labourer. Failure to do so shall render the contractor liable to pay to AAI a sum calculated at the rate of Rs.10/- per day per labourer. The certificate of the Engineer-in –Charge about the number of coal mining or controlled area labourer and the number of days for which they worked shall be final and binding upon all parties to this contract.</p> <p>iv. It is declared and agreed between the parties that the aforesaid stipulation in this clause is one in which the public are interested within the meaning of the exception in Section 74 of Indian Contract Act, 1872.</p> <p>Explanation :- Controlled area mean the following areas: Districts of Dhanbad, Hazaribagh, Jamtara- Sub-Division under Santhal Pargana Commissionery, District of Bankuara, Birbhum, Burdwan, District of Bilaspur. Any other area which may be declared a Controlled Area by or with the approval of the Central Government.</p>
--	--	--

#### CLAUSE 31

	Unfiltered water supply	<p>The contractor(s) shall make his/their own arrangements for water required for the work and nothing extra will be paid for the same. This will be subject to the following conditions.</p> <p>i. That the water used by the contractor (s) shall be fit for construction purposes to the satisfaction of the Engineer-in-Charge.</p> <p>ii. The Engineer-in-Charge shall make alternative arrangements for supply of water at the risk and cost of contractor (s) if the arrangements made by the contractor (s) for procurement of water are in the opinion of the Engineer-in-Charge, unsatisfactory.</p>
--	-------------------------	--

#### CLAUSE 31A

	Departmental water supply, if available	<p>Water if available may be supplied to the contractor by the department subject to the following conditions:-</p> <p><del>i. The water charges @1% shall be recovered on gross amount of the work done.</del></p> <p>ii. The contractor(s) shall make his/their own arrangement of water connection and laying of pipelines from existing main of source of supply.</p> <p>iii. The Department do not guarantee to maintain uninterrupted supply of water and it will be incumbent on the contractor (s) to make alternative arrangements for water at his/their own cost in the event of any temporary break down in the AAI's water main so that the progress of his/their work is not held up for want of water. No claim of damage or refund of water charges will be entertained on account of such break down.</p>
--	---	--

#### CLAUSE 32

	Alternate water arrangements	<p>i. Where there is no piped water supply arrangement and the water is taken by the contractor from the wells or hand pump constructed by the AAI, no charge shall be recovered from the contractor or that account. The contractor shall, however, draw water at such hours of the day that it does not interfere with the normal use for which the hand pumps and well are intended. He will also be responsible for all damage and abnormal repairs arising out of his use, the cost of which shall be recoverable from him. The Engineer-in-Charge shall be the final authority to determine the cost recoverable from the</p>
--	------------------------------	---

		<p>contractor on this account and his decision shall be binding on the contractor.</p> <p>ii. The contractor shall be allowed to construct temporary wells in AAI land for taking water for construction purposes only after he has got permission of the Engineer-in-Charge in writing. No charges shall be recovered from the contractor on this account but the contractor shall be required to provide necessary safety arrangements to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused due to construction and subsequent maintenance of the wells and shall restore the ground to its original condition after the wells are dismantled on completion of the work.</p>
--	--	---

CLAUSE 33

	Return of Surplus materials	<p>Notwithstanding anything contained to the contrary in this contract, where any materials for the execution of the contract are procured with the assistance of AAI either by issue from AAI stocks or purchase made under orders or permits or licenses issued by AAI, the contractor shall hold the said materials economically and solely for the purpose of the contract and not dispose of them without the written permission of the AAI and return, if required by the engineer-in-Charge, all surplus or unserviceable materials that may be left with him after the completion of the contract or at its termination for any reason whatsoever on being paid or credited such prices as the Engineer-in-Charge shall determine having due regard to the condition of the materials. The price allowed to the contractor however shall not exceed the amount charged to him excluding the element of storage charges. The decision of the Engineer-in-Charge shall be final and conclusive. In the event of breach of the aforesaid condition, the contractor shall in addition to throwing himself open to action for contravention of the terms of the license or permit and / or for criminal breach of trust, be liable to AAI for all moneys, advantages or profits resulting or which in the usual course would have resulted to him by reason of such breach.</p>
--	-----------------------------	--

CLAUSE 34

	Hire of plant & Machinery	<p>i. The Contractor shall arrange at his own expense all tools, plant, machinery and equipment (hereinafter referred to as T&amp;P) required for execution of the work except for the Plant &amp; Machinery listed in Schedule 'C' and stipulated for issue to the contractor. If the contractor requires any item of T&amp;P on hire from the T&amp;P available with the AAI over and above the T&amp;P stipulated for issue, the AAI will, if such item is available, hire it to the contractor at rates to be agreed upon between him and the Engineer-in-charge. In such a case, all the conditions hereunder for issue of T &amp; P shall also be applicable to such T&amp;P as is agreed to be issued.</p> <p>ii. Plant &amp; Machinery when supplied on hire charges shown in Schedule 'C' shall be made over and taken back at the departmental equipment yard / shed shown in Schedule 'C' and the contractor shall bear the cost of carriage from the place of issue to the site of work and back. The contractor shall be responsible to return the plant and machinery with condition in which it was handed over to him, and he shall be responsible for all damage caused to the said plant and machinery at the site of work or elsewhere in operation and otherwise during transit including damage to or loss of plant and for all losses due to his failure to return the same soon after the completion of the work for which it was issued. The Engineer-in-charge shall be the sole judge to determine the liability of the contractor and its extent in this regard and his decision shall be final and binding on the contractor.</p>
--	---------------------------	---

		<p>iii. The plant and machinery as stipulated above will be issued as and when available and if required by the contractor. The contractor shall arrange his programme of work according to the availability of the plant and machinery and no claim, whatsoever, will be entertained from him for any delay in supply by the department.</p> <p>iv. The hire charges shall be recovered at the prescribed rates from and inclusive of the date the plant and machinery made over upto and inclusive of the date of the return in good order even though the same may not have been working for any cause except major breakdown due to no fault of the contractor or faulty use requiring more than three working days continuously (excluding intervening holidays and Sundays) for bringing the plant in order. The contractor shall immediately intimate in writing to the Engineer-in-charge when any plant or machinery gets out of order requiring major repairs as aforesaid. The Engineer-in-charge shall record the date and time of receipt of such intimation in the log sheet of the plant or machinery. Based on this if the breakdown before lunch period or major breakdown will be computed considering half a day's breakdown on the day of complaint. If the breakdown occurs in the post lunch period of major breakdown will be computed starting from the next working day. In case of any dispute under this clause, the decision of the Executive Director (Engg) /General Manager (Engg) shall be final and binding on the contractor.</p> <p>v. The hire charges shown above are for each day of 8 hours (inclusive of the one hour lunch break) or part thereof.</p> <p>vi. Hire charges will include service of operating staff as required and also supply of lubricating oil and stores for cleaning purposes. Power fuel of approved type, firewood, kerosene oil etc. for running the plant and machinery and also the full time chowkidar for guarding the plant and machinery against any loss or damage shall be arranged by the contractor who shall be fully responsible for the safeguard and security of plant and machinery. The contractor shall on or before the supply of plant and machinery sign an agreement indemnifying the Department against any loss or damage caused to the plant and machinery either during transit or at site of work.</p> <p>vii. Ordinarily, no plant and machinery shall work for more than 8 hours a day inclusive of one hour lunch break. In case of an urgent work however, the Engineer-incharge may, at his discretion, allow the plant and machinery to be worked for more than normal period of 8 hours a day. In that case, the hourly hire charges for overtime to be borne by the contractor shall be 50% more than the normal proportionate hourly charges (1/8th of the daily charges) subject to a minimum of half day's normal charges on any particular day. For working out hire charges for over time, a period of half an hour and above will be charged as one hour and a period of less than half an hour will be ignored.</p> <p>viii. The contractor shall release the plant and machinery every seventh day for periodical servicing and / or wash out which may take about three to four hours or more. Hire charges for full day shall be recovered from the contractor for the day of servicing / wash out irrespective of the period employed in servicing.</p> <p>ix. The plant and machinery once issued to the contractor shall not be returned by him on account of lack of arrangements of labour and materials, etc. on his part, the same will be returned only when they are required for major repairs or when in the opinion of the Engineer-in-charge, the work or a portion of work for which the same was issued is completed.</p> <p>x. Log Book for recording the hours of daily work for each of the plant and machinery supplied to the contractor will be maintained by the Department and will be countersigned by the contractor or his authorised agent daily. In</p>
--	--	--

		<p>case the contractor contests the correctness of the entries and / or fails to sign the Log Book, the decision of the Engineer-in-charge shall be final and binding on him. Hire charges will be calculated according to the entries in the Log Book and will be binding on the contractor. Recovery on account of hire charges for road rollers shall be made for the minimum number of days worked out on the assumption that a roller can consolidate per day and maximum quantity of materials or area surfacing as noted against each in the annexed statement (see attached annexure).</p> <p>xi. In the case of concrete mixers, the contractors shall arrange to get the hopper cleaned and the drum washed at the close of the work each day or each occasion. (a) In case rollers for consolidation are employed by the contractor himself, log book for such rollers shall be maintained in the same manner as is done in case of departmental rollers, maximum quantity of any items to be consolidated for each roller-day shall also be same as in Annexure to Clause 34(x). For less use of rollers, recovery for the less roller days shall be made at the stipulated issue rate.</p> <p>xii. The contractor shall be responsible to return the plant and machinery in the condition in which it was handed over to him and he shall be responsible for all damage caused to the said plant and machinery at the site of work or elsewhere in operation or otherwise or during transit including damage to or loss of parts, and for all losses due to his failure to return the same soon after the completion of the work for which it was issued. The Engineer-in-charge shall be the sole judge to determine the liability of the contractor and its extent in this regard and his decision shall be final and binding on the contractor.</p> <p>xiii. The contractor will be exempted from levy of any hire charges for the number of days he is called upon in writing by the Engineer-in-charge to suspend execution of the work, provided AAI's plant and machinery in question have, in fact, remained idle with the contractor because of the suspension.</p> <p>xiv. In the event of the contractor not requiring any item of plant and machinery issued by AAI though not stipulated for issue in Schedule 'C' any time after taking delivery at the place of issue, he may return it after two days written notice or at any time without notice if he agrees to pay hire charges for two additional days without, in any way, affecting the right of the Engineer-in-charge to use the said plant and machinery during the said period of two days as he likes including hiring out to a third party.</p>
--	--	---

CLAUSE 35

	<p>Condition relating to use of asphaltic materials</p>	<p>i. The contractor undertakes to make arrangement for the supervision of the work by the firm supplying the tar or bitumen used.</p> <p>ii. The contractor shall collect the total quantity of tar or bitumen required for the work as per standard formula, before the process of painting is started and shall hypothecate it to the Engineer-in-Charge. If any bitumen or tar remains unused on completion of the work on account of lesser use of materials in actual execution of for reasons other than authorised changes of specifications and abandonment of portion of work, a corresponding deduction equivalent to the cost of unused materials as determined by the Engineer-in-Charge shall be made and the material return to the contractors. Although the materials are hypothecated to AAI, the contractor undertakes the responsibility for their proper watch, safe custody and protection against all risks. The materials shall not be removed from site of work without the consent of the Engineer-in-Charge in writing.</p>
--	---	--

		<p>iii. The contractor shall be responsible for rectifying defects noticed within a year from the date of completion of the work and the portion of the security deposit relating asphaltic work shall be refunded after the expiry of this period.</p>
--	--	---

CLAUSE 36

	<p>Employment of Technical Staff and employees</p>	<p>Contractors Superintendence, Supervision, Technical staff &amp; Employees</p> <p>i. The contractor shall provide all necessary superintendence during execution of the work and all along thereafter as may be necessary for proper fulfilling of the obligations under the contract.</p> <p>The Contractor shall immediately after receiving letter of acceptance of the tender and before commencement of the work, intimate in writing to the Engineer-in-Charge, the name (s), qualifications experience, age, address (s) and other particulars along with certificates, of the principal technical representative to be charge of the work and other technical representative (s) who will be supervising the work. Minimum requirement of such technical representative (s) and their qualifications and experience shall not be lower than specified in schedule ‘F’. The Engineer-in-Charge shall within 3 days of receipt of such communication intimate in writing his approval or otherwise of such a representative (s) to the contractor. Any such approval may at any time be withdrawn and in case of such withdrawal, the contractor shall appoint another such representative (s) according to the provisions of this clause. Decision of the tender accepting authority shall be final and binding on the contractor in this respect. Such a principal technical representative and other technical representative (s) shall be appointed by the contractor soon after receipt of the approval from Engineer-in-charge and shall be available at site before start of work.</p> <p>All the provisions applicable to the principal technical representative under the clause will also be applicable to other technical representative(s). The principal technical representative and other technical representative (s) shall be present at the site of work for supervision at all times when any construction activity is in progress and also present himself/themselves, as required to the Engineer-in-Charge and / or his designated representative to take instructions. Instructions given to the principal technical representative or other technical representative (s) shall be deemed to have the same force as if these have been given to the contractor. The Principal Technical Representative and other technical representatives shall be actually available at site fully during all stages of execution work, during recording / checking / test checking of measurements of works whenever so required by the Engineer-in-Charge and shall also note down instructions conveyed by the Engineer-in-Charge or his designated representative (s) in the site order book and shall affix his/their signature in token of noting down the instructions and in token of acceptance of measurements / checked measurements / test checked measurements. The representative (s) shall not look after any other work. Substitutes, duly approved by engineer – in-Charge of the work in similar manner as aforesaid shall be provided in event of absence of any of the representative (s) by more than two days. If the Engineer–in–Charge, whose decision in this respect is final and binding on the contractor, is convinced that no such technical representative (s) is/are effectively appointed or is/are effectively attending or fulfilling the provision of this clause, a recovery (non-refundable) shall be effected from the contractor as</p>
--	--	--

		<p>specified in Schedule 'F' and the decision of the Engineer-in-Charge as recorded in the site order book and measurement recorded checked/test checked in Measurement Books shall be final and binding on the contractor. Further if the contractor fails to appoint suitable technical Principal technical representative and / or other technical representative (s) and if such appointed persons are not effectively present or are absent by more than two days without duly approved substitute or do not discharge their responsibility satisfactorily, the Engineer-in-Charge shall have full powers to suspend the execution of the work until such date as suitable other technical representative (s) is / are appointed and the contractor shall be held responsible for the delay so caused to the work. The contractor shall submit a certificate of employment of the technical representative (s) (in the form of copy of Form- 16 or CPF deduction issued to the Engineer employed by him) along with every running account bill / final bill and shall produce evidence if at any times so required by the Engineer-in-Charge.</p> <p>ii. The contractor shall provide and employ on the site only such technical assistants as are skilled, and experienced in their respective fields and such foremen and supervisory staff as are competent to give proper supervision to the work. The contractor shall provide and employ skilled, semi-skilled and unskilled labour as is necessary for proper and timely execution of the work. The Engineer-in-Charge shall be at liberty to object to and require the contractor to remove from the works any person who in his opinion misconducts himself, or is incompetent or negligent in the performance of his duties or whose employment is otherwise considered by the Engineer-in-Charge to be undesirable. Such person shall not be employed again at works site without the written permission of the Engineer-in-Charge and the persons so removed shall be replaced as soon as possible by competent substitutes.</p> <p>iii. The contractor shall not change his engineer/supervisory staff after approval of the Engineer-In-Charge. If Contractor wants to replace any of his staff due to unavoidable circumstances, he will seek permission of Engineer-In-Charge indicating reasons for such change, qualification and experience of the alternative employee suggested by him. The qualification and experience of the alternative staff shall not be inferior to the person employed earlier.</p>
--	--	---

CLAUSE 37

	<p>Levy/Taxes/ Royalty/ Land License fee payable by Contractor</p>	<p>1. Taxes:</p> <p>a. Rates to be quoted by the parties should be inclusive of all taxes, duties, CESS, fee, royalty charges etc. levied under any statute but exclusive of GST for all the items</p> <p>b. However GST, as applicable, shall be paid to the contractor, for any taxable supply / services / construction rendered by the agency to AAI, against a valid GST invoice as per terms and conditions of the contract.</p> <p>e. <del>In case supplies / services / works involve imports; the same should be identified separately. Basic Custom Duty &amp; IGST will be paid directly by AAI by utilizing EPCG license / Duty Credit Scrip under Service Export from India Scheme (SEIS) of Govt. of India.</del></p>
--	--	---

		<p>2. Royalty:</p> <p>a. <del>The contractor shall at his own expense, provide all materials required for the works other than those which are to be supplied by AAI. The contractor shall deposit royalty and obtain necessary permit for collection of stone, sand, red bajri, kankar etc. from the local authority in the matter and will abide by the notification issued by Central Govt. / State Government / Local State Authorities as applicable from time to time in this regard. The contractor is also bound to allow deduction from his bills any difference in statutory taxes/royalty and penalty proposed by Local State Authorities to AAI till finalization of settlement of all demands in this regard by Central / State Govt.</del></p> <p>b. This will also be applicable to forest produce.</p> <p>c. If pursuant to or under any law, notification or order any royalty, cess or the like becomes payable by the AAI and does not any time become payable by the contractor to the State Government. Local authorities in respect of any material used by the contractor in the works then in such a case, it shall be lawful to the AAI and it will have the right and be entitled to recover the amount paid in the circumstances as aforesaid from dues of the contractor.</p> <p>3. License fee for land</p> <p>a. Land/space (Paved/Unpaved/Covered-AC or Non-AC), to the extent allotted to contractors during execution of work for the purpose of installation of plants, labour camp, cement godown, site office, stacking of materials shall be provided at free of cost upto defect liability period/maintenance period.</p> <p>b. A security deposit at the rate of Rs 500/- per sqm in the form of DD/BG shall also be deposited by the contractor. In case contractor do not deposit security deposit same shall be deducted from Ist Running Account Bill.</p> <p>c. Such security deposit shall be released only after allotted land has been fully vacated by the contractor to entire satisfaction of Engineer-in-Charge. If contractor fails to vacate the allotted land/space (Paved/Unpaved/Covered-AC or Non-AC) after Defect Liability Period/Maintenance Period of the work shall be charged as per prevailing licence fee of the airport plus 25% penalty over that.</p>
--	--	---

CLAUSE 38

	<p>Conditions for reimbursement of levy/taxes if levied after receipt of tenders</p>	<p>1. Rates to be quoted by the parties should be inclusive of all taxes, duties, CESS, fee, royalty charges etc. levied under any statute applicable on last stipulated date of receipt of tender including extension if any but exclusive of GST. No adjustment i.e. increase or decrease shall be made for any variation in the rate of GSI Building and Other Construction Workers Welfare Cess or any tax, levy or Cess applicable on inputs.</p> <p>However, effect of variation, as per Govt. order after the last date of receipt of tender including extension if any, in rates of GST or Building and Other Construction Workers Welfare Cess or imposition or repeal of any other tax, levy or Cess applicable on output of the works contract shall be adjusted on either side, increase or decrease.</p> <p>Provided further that for Building and Other Construction Workers Welfare Cess or any tax (other than GST), levy or Cess varied or imposed after the last date of receipt of tender including extension if any, any increase shall be reimbursed to the contractor only if the contractor necessarily and properly pays such increased amount of taxes / levies / Cess.</p>
--	--	--

		<p>Provided further that such increase in tax / levy / Cess including GST shall not be reimbursed if made in the extended period of contract for which the contractor alone is responsible for delay as determined by authority for extension of time under Clause 5 in Schedule F.</p> <p>2. The contractor shall keep necessary books of accounts and other documents for the purpose of this condition as may be necessary and shall allow inspection of the same by a duly authorised representative of AAI or the Engineer-in-Charge and further shall furnish such other information /document as the Engineer-in-Charge may require from time to time.</p> <p>3. The contractor shall, within a period of 30 days of the imposition of any such further tax or levy or Cess, give a written notice thereof to the Engineer-in-charge that the same is given pursuant to the condition, together with all necessary information / documents relating thereto.</p>
--	--	---

CLAUSE 39

	Termination of contract on death of contractor	Without prejudice to any of the rights or remedies under this contract, if the contractor dies, the Engineer-in-charge on behalf of the AAI shall have the option of terminating the contract without compensation to the contractor.
--	--	---

CLAUSE 40

	If relative working in AAI then the contractor not allowed to tender.	<p>The contractor shall not be permitted to tender for works in AAI wherein his near relative is posted as an Officer responsible for award and execution of work. He shall also intimate the names of persons who are working with him in any capacity or / are subsequently employed by him and who are near relatives to any officer of AAI. Any breach of this condition by the Contractor would render him, the contract liable to be rejected at any stage.</p> <p>NOTE: By the term “near relatives” is meant wife, husband, parents and grand parents, children and grandchildren, brothers and sisters, uncles, aunts and cousins and their corresponding in-laws.</p>
--	---	---

CLAUSE 41

	No any officer in Department of Engineering to work as contractor within one year of retirement	Engineer or any officer employed in engineering or administrative duties in an engineering department of AAI shall not work as a contractor or employee of contractor for a period of one year after his retirement from AAI service without the prior permission of AAI in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of AAI as aforesaid, before submission of the tender or engagement in the contractor’s service, as the case may be.
--	---	--

CLAUSE 41 (a)

	<p>Integrity Pact and Independent External Monitor.</p>	<p>Signing of Integrity Pact (As per Appendix XVIII) is mandatory for every bidder/contractor if provided so in Schedule F.</p> <p>All tenderers shall have to submit an undertaking as per Appendix XVIII along with tender documents. AAI shall appoint Independent External Monitor(s) to oversee effective implementation of Integrity Pact for such works / supplies. For this purpose, a panel of Independent External Monitors shall be constituted by the Authority in concurrence with Central Vigilance Commission (CVC).</p> <p>i. The Contractor / Supplier shall have to act in accordance with the conditions laid down in the integrity pact.</p> <ol style="list-style-type: none"> <li>a. Signing of Integrity Pact is mandatory for every Bidder / Contractor in this procurement / bid process the signed original pact to be send to the office of Bid Manager and should reach before the due date mentioned in NIT.</li> <li>b. The Bidder / contractor shall commit itself to ensure taking all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage as specified in section 3 of the integrity pact.</li> <li>c. Any breach of the aforesaid provisions by the Bidder or any one employed by it or acting on its behalf (whether with or without the knowledge of the Bidder) shall entitle the authority to take all or any one of the action as specified in section 6 of the integrity pact.</li> </ol> <p>ii. In case any violation of above conduct is established, AAI reserves right to take following actions.</p> <ol style="list-style-type: none"> <li>a. If contractor commits a violation of its commitments and obligations under the Integrity Pact Program during bidding process, he shall be liable for disqualification from tender process and forfeiture of his Earnest Money Deposit / Bid Security.</li> <li>b. In case of violation of the Integrity Pact after award of the contract, Authority is entitled to terminate the contract and shall be entitled to demand and recover from the contractor damages equivalent to 5% of the contract value or the amount equivalent to Security Deposit or Performance Bank Guarantee, whichever is higher.</li> <li>c. Authority may initiate appropriate proceedings against the contractor.</li> <li>d. Contractor will be liable to pay damages as determined by the Authority.</li> <li>e. Contractor against whom an action for violation of its commitments and obligations has been taken earlier again commits a violation, the Authority is entitled to debar such contractor for future tender / contract processes for a period as deemed fit.</li> <li>f. A violation is considered to have occurred if the Authority is fully satisfied with the available documents and evidence submitted along-with Independent External Monitor's recommendations / suggestions that no reasonable doubt exist in the matter.</li> </ol> <p>iii. Person signing IP shall not approach the Courts while representing the matters to IEMs and he / she will await their decision in the matter.</p>
--	---	--

CLAUSE 41 (b)

	<p>Code of Integrity.</p>	<p>Code of Integrity</p> <p>No official of AAI or a bidder shall act in contravention of the codes which includes</p> <p>(i) prohibition of</p> <ul style="list-style-type: none"><li>(a) making offer, solicitation or acceptance of bribe, reward or gift or any material benefit, either directly or indirectly, in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process.</li><li>(b) any omission, or misrepresentation that may mislead or attempt to mislead so that financial or other benefit may be obtained or an obligation avoided.</li><li>(c) any collusion, bid rigging or anticompetitive behaviour that may impair the transparency, fairness and the progress of the procurement process.</li><li>(d) improper use of information provided by the procuring entity to the bidder with an intent to gain unfair advantage in the procurement process or for personal gain.</li><li>(e) any financial or business transactions between the bidder and any official of the procuring entity related to tender or execution process of contract; which can affect the decision of the procuring entity directly or indirectly.</li><li>(f) any coercion or any threat to impair or harm, directly or indirectly, any party or its property to influence the procurement process.</li><li>(g) obstruction of any investigation or auditing of a procurement process.</li><li>(h) making false declaration or providing false information for participation in a tender process or to secure a contract;</li></ul> <p>(ii) disclosure of conflict of interest.</p> <p>(iii) Disclosure by the bidder of any previous transgressions made in respect of the provisions of sub-clause (i) with any entity in any country during the last three years or of being debarred by any other procuring entity.</p>
--	---------------------------	---

CLAUSE 42

	<p>Return of material and recovery for excess material issued.</p>	<ul style="list-style-type: none"> <li>i. After completion of the work and also at any intermediate stage in the event of non-reconciliation of materials issued, consumed and in balance – (see Clause 10), Theoretical quantity of materials issued by the AAI for use in the work shall be calculated on the basis and method given hereunder; <ul style="list-style-type: none"> <li>a. Quantity of cement &amp; bitumen shall be calculated on the basis of quantity of cement &amp; bitumen required for different items of work as shown in the Schedule of Rates mentioned in Schedule ‘F’. In case any item is executed for which standard co-efficient for the consumption of cement or bitumen are not available in the above mentioned schedule / statement or cannot be derived from the same shall be calculated on the basis of standard formula to be laid down by the Engineer-in-Charge.</li> <li>b. Theoretical quantity of steel reinforcement or structural steel sections shall be taken as the quantity required as per design or as authorised by Engineer-in- Charge, including authorised lappages, chairs etc. plus 3% wastage due to cutting into pieces, such theoretical quantity being determined and compared with the actual issues each diameter-wise, section wise and category wise separately.</li> <li>c. Theoretical quantity of G.I. &amp; C.I. or other pipes, conduits, wires and cables pig lead and G.I. / M.S. sheets shall be taken as quantity actually required and measures plus 5% for wastage due to cutting into pieces (except in the case of G.I./M.S. sheets it shall be 10%), such determination &amp; comparison being made diameter-wise &amp; category-wise.</li> <li>d. For any other material as per actual requirements.</li> </ul> </li> <li>ii. Over the theoretical quantities of materials so computed a variation shall be allowed as specified in Schedule ‘F’. The difference in the net quantities of material actually issued to the contractor and the theoretical quantities including such authorised variation, if not returned by the contractor or if not fully reconciled to the satisfaction of the Engineer-in-Charge within fifteen days of the issue of written notice by the Engineer-in-Charge to this effect shall be recovered at the rates specified in Schedule ‘F’, without prejudice to the provision of the relevant conditions regarding return of materials governing the contract. Decision of Engineer-in-Charge in regard to theoretical quantities of materials, which should have been actually used as per the Annexure of the standard schedule of rates and recovery at rates specified in Schedule ‘F’ shall be final and binding on the contractor. For non scheduled items, the decision of the Engineer – in - charge regarding theoretical quantities of materials which should have been actually used, shall be final and binding on the contractor.</li> <li>g. The said action under this clause is without prejudice to the right of the AAI to take action against the contractor under any other conditions of contract for not doing the work according to the prescribed specifications.</li> <li>h. For materials brought by the contractor for use in item of work at site, similar theoretical consumption shall be prepared and submitted to the Engineer-in-Charge for verification. If it is found that material consumed in the work is less than the theoretical consumption after taking into account permissible minus variation, the recovery for corresponding material shall be effected as per rates specified in schedule ‘F’ under Clause 42.</li> </ul>
--	--	---

CLAUSE 43

	<p>Compensation during warlike situations / act of terrorism</p>	<p>The work (whether fully constructed or not) and all materials, machines, tools and plants scaffolding, temporary buildings and other things connected therewith shall be at the risk of the contractor until the work has been delivered to the Engineer-in-Charge and a certificate from him to that effect obtained. In the event of the work or any materials properly brought to the site for incorporation in the work being damaged or destroyed in consequence of hostilities or warlike operation or act of terrorism, the contractor shall when ordered (in writing) by the Engineer-in-Charge to remove any debris from the site, collect and properly stack or remove in store all serviceable materials salvaged from the damaged work and shall be paid at the contract rates in accordance with the provision of this agreement for the work of clearing the site of debris, stacking or removal of serviceable material and for reconstruction of all works ordered by the Engineer- in-Charge, such payments being in addition to compensation upto the value of the work original executed before being damaged or destroyed and not paid for.</p> <p>In case of works damaged or destroyed but not already measured and paid for, the compensation shall be assessed by the Engineer-in charge upto Rs.5,000/- and by the Executive Director Engg. concerned for a higher amount. The contractor shall be paid for the damages / destruction suffered and for restoring the material at the rate based on analysis of rates tendered for in accordance with the provision of the contract. The certificate of the Engineer-in- Charge regarding the quality and quantity of materials and the purpose for which they were collected shall be final and binding on all parties to this contract.</p> <p>Provided always that no compensation shall be payable for any loss in consequence of hostilities or warlike operation (a) unless the contractor had taken all such precautions against air raid as are deemed necessary by the A.R.P. Officers or the Engineer-in- Charge (b) for any material etc. not on the site of the work or for any tools plant, machinery, scaffolding, temporary building and other things not intended for the work.</p> <p>In the event of the contractor having to carry out reconstruction as aforesaid, he shall be allowed such extension of time for its completion as is considered reasonable by the Engineer – in - charge.</p>
--	--	--

CLAUSE 44

	<p>Apprentices Act provisions to be complied with</p>	<p>The contractor shall comply with the provisions of the Apprentices Act, 1961 and the rules and orders issued thereunder from time to time. If he fails to do so, his failure will be a breach of the contract and the Executive Director Engg. / General Manager (Engg.) may, in his discretion, cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions of the said Act.</p>
--	---	--

CLAUSE 45

	Release of security deposit	The Security Deposit of the work shall be refunded if no labour complaint has been received from the labour officer till the due date of its payment. If a labour complaint is received during this period, the Engineer-in-Charge shall, after issue of notice in this regard to the contractor, withheld the amount required to settle the complaint from his security deposit and refund the balance amount.
--	-----------------------------	---

CLAUSE 46

	<p>Contractor's Liability and Insurance of Works</p>	<ul style="list-style-type: none"> <li>i. From commencement to completion of the Works, the Contractor shall take full responsibility for the case thereof and for taking precautions to prevent loss or damage and to minimize loss or damage to the greatest extent possible and shall be liable for any damage or loss that may happen to the Works or any part thereof and all AA l's T &amp; P from any cause whatsoever (save and except the Excepted Risks) and shall at his own cost repair and make good the same so that at completion, the Works and all AAI's T &amp; P shall be in good order and condition and in conformity in every respect with the requirements of the Contract and instructions of the Engineer-in-Charge.</li> <li>ii. In the event of any loss or damage to the Works or any Part thereof or to any T &amp; P, to any material or articles at the Site from any of the Excepted Risks the following provisions shall have effect:             <ul style="list-style-type: none"> <li>a. The Contractor shall, as may be directed in writing by the Engineer-in-Charge, remove from the Site any debris and so much of the works as shall have been damaged, taking to AAI's store such AAI's T &amp; P, articles and/or materials as may be directed;</li> <li>b. The contractor shall, as may be directed in writing by the Engineer-in-Charge, proceed with the erection and completion of the Works under and in accordance with the provisions and Conditions of the Contract; and</li> </ul> </li> <li>iii. Provided always that the Contractor shall not be entitled to payment under the above provisions in respect of so much loss or damage as has been occasioned by any failure on his part to perform his obligation under the Contract or not taking precautions to prevent loss or damage or minimize the amount of such loss or damage.</li> <li>iv. Without limiting its obligations and responsibilities under other clauses of General Conditions of Contracts ,the contractor at his own cost shall insure ,in the joint name of AAI and the contractor, against all losses or damages from whatever cause, arising (other than the accepted risks )for which he is responsible under the terms of the contract and in such manner that the AAI and the contractor are covered during the period of construction of works and any loss or damage occasioned by the contractor in the course of any operation carried out by them for the purpose of complying with its obligations of defects liability clause hereof;             <ul style="list-style-type: none"> <li>a. All works including temporary works to their full value executed from time to time.</li> <li>b. The construction materials and equipments to their full value brought on to the site by the contractor.</li> </ul> </li> <li>v. The Contractor shall indemnify and keep indemnified AAI against all losses and claims for injuries or damage to any persons or any property whatsoever which may arise out of or in consequence of the construction and maintenance of Works and against all claims, demands proceedings, damage costs, charges and expenses whatsoever in respect of or in relation thereto.</li> <li>vi. Before commencing execution of the work, the Contractor shall, without in any way limiting his obligations and responsibilities under this condition, insure at his own cost against any damage, loss or injury which may occur to any AAI property, or to any person for at least the minimum amount of Rs. 1.00 lakh with unlimited number of occurrences (including any employee of AAI) by or arising out of carrying out of the Contract.</li> <li>vii. The contractor shall at all times indemnify AAI against all claims, damages or compensation under the provisions of Payment or Wages Act, 1936,</li> </ul>
--	--	--

		<p>Minimum Wages Act, 1948, Employer's Liability Act, 1938, the Workmen's Compensation Act, 1923, Industrial Disputes Act, 1947 and the Maternity Benefit Act, 1961 or any modifications thereof or any other law relating thereto and rules made there under from time to time or as a consequence of any accident or injury to any workman or other persons in or about the Works, whether in the employment of the Contractor or not, his agents or servants, and also against all costs, charges and expenses of any suit, action or proceedings arising out of such accident or injury and against all sum or sums which may with the consent of the Contractor be paid to compromise or compound any claim. Without limiting his obligations and liabilities as above provided, the Contractor shall insure against all claims, damages or compensation payable under the Workmen's Compensation Act, 1923 or any modification thereof or any other law relating thereto.</p> <p>viii. All insurance mentioned above shall be effected with any subsidiary of the General Insurance Company of India or by a company approved by the Insurance Regulatory Authority of India.</p> <p>ix. The aforesaid insurance policy / policies shall provide that they shall not be cancelled till the Engineer-in-Charge has agreed to their cancellation in writing.</p> <p>x. The Contractor shall prove to the Engineer-in-Charge from time to time that he has taken out all the insurance policies referred to above and has paid the necessary premiums for keeping the policies alive till expiry of the Defects Liability Period. A self-certified copy of such policies is required to be submitted to the Engineer-in-charge.</p> <p>xi. The Contractor shall ensure that similar insurance policies are taken out by his subcontractors (if any) and shall be responsible for any claims or losses to AAI resulting from their failure to obtain adequate insurance protection in connection thereof. The contractor shall produce or cause to be produced by his subcontractor (if any) as the case may be, the relevant policy or policies and premiums receipts as and when required by the Engineer-in-Charge. A self-certified copy of such policies is required to be submitted to the Engineer-in-charge.</p> <p>xii. If the Contractor and/or his subcontractor (if any) shall fail to effect and keep in force the insurance referred to above or any other insurance which he/they may be required to effect under the terms of the Contract then and in any such case AAI may, without being bound to, effect and keep in force any such insurance and pay such premium or premiums as may be necessary for that purpose and from time to time deduct the amount so paid by AAI from any moneys due or which may become due to the Contractor or recover the same as a debt due from the Contractor.</p> <p>xiii. In case contractor takes Contractor All Risk (CAR) Policy in joint name of AAI and Contractor for full tendered value along with third party liability (max of 10% of tendered value or as applicable as per Insurance Regulatory Authority of India) then there is no requirement for taking separate insurance by sub-contractors.</p> <p>However, workmen compensation policy is required to be taken separately by main contractor and sub-contractor for workers employed by them.</p>
--	--	--

CLAUSE 47

	<p>Composite Contract and responsibilities of main agency</p>	<p>i. The tenders have been called for composite work consisting of civil construction and other associated specialized works. The qualification criteria shall be applicable for each sub-part of work independently. The agency meeting PQ criteria for the civil work shall be considered for execution of composite work. However the agency shall be allowed to</p>
--	---	--

		<p>execute only those specialized subheads of works for which bidder meet PQ criteria individually.</p> <p>ii. The main contractor shall be permitted to execute only those works (covered under one or more subhead) for which he meets all requirements of pre-qualification including financial, technical and technological requirement specified in the PQ criteria.</p> <p>iii. Main contractor will associate expert agencies for the execution of specialized works under various subheads for which he himself has failed to meet PQ criteria. In such case he will appoint his associate for the execution of each specialized work with the approval of the NIT approving authority. The main contractor shall intimate the names of only those agencies who fully meet the PQ criteria for each specialized work for the acceptance of the department.</p> <p>iv. Main contractor shall not be permitted to change their associate agencies in the course of execution of work. If change of agency is inevitable then a request shall be submitted to the engineer-in-charge in writing giving full justification for change of agency. The proposal should include name of the alternate agency along with his financial, technical capabilities and work experience in the appropriate field. Such change shall be allowed only after receiving approval from the competent authority.</p>
--	--	---

	<p>Composite contract-Tripartite agreement</p>	<p>This clause is applicable for the works for which the estimated cost put to tender is more than Rs.500.00 crores.</p> <p>i. The main contractor shall finalise his rates, terms and conditions and mode of execution of work with specialised agencies for all works covered in various subhead of works on receipt of work order but specifications, preferred makes of materials and performance of system shall remain as specified in tender document.</p> <p>ii. The main contractor shall arrange an agreement between department, main contractor and associated agencies for all subheads on receipt of work order from the engineer-in-charge. Main contractor and expert agency shall be jointly responsible for quality of work and performance of the system.</p> <p>iii. Main contractor shall submit list of associated agency for each specialized work within 1/12<sup>th</sup> of stipulated completion period or within one month from issue of work order whichever is later along with documentary evidence for financial soundness, technical capabilities and their experience for executing similar specialized works along with his application seeking acceptance for the name of associated agency. Approval / rejection for the name of associated agency shall be accorded thereafter by NIT approving authority within a period of 15 days each subhead wise.</p> <p>iv. The main contractor shall submit duly signed tripartite agreement on the format provided by AAI within 2/12<sup>th</sup> of stipulated completion period or 60 days whichever is later for acceptance and signature of department. The extension of time for signing of this agreement shall not be generally permitted. The signing time shall only be extended if handing over of site is delayed due to reasons beyond control of the contractor.</p>
--	--	---

	<p>Conditions of composite contract</p>	<p>i. Main contractor shall be responsible for submission of earnest money.</p> <p>ii. The mobilization advance shall be paid to main contractor as per terms and conditions of contract and indicated in Clause 10 B. The first installment of mobilization advance shall be corresponding to the value of work which shall be executed by the main contractor. The subsequent mobilization advances corresponding to value of work covered in each subhead shall be released on signing of each Tripartite Agreement with expert agency for the same.</p> <p>iii. The security deposit shall be deducted from the running bills of main</p>
--	---	---

		<p>contractor after adjustment of full earnest money.</p> <p>iv. Main contractor shall be responsible for completion of work as per time schedule indicated in the NIT. The compensation for the delay shall be levied on the main contractor only.</p> <p>v. The coordination meetings called by AAI or its representative shall be attended by associated expert agencies and when required. Expert agency shall be responsible for technical soundness, quality of work and adherence to tender specifications. The main contractor as well as associated agency shall be responsible for rectification of deficiencies noticed in specialized work.</p>
	Payment Conditions for Composite Contract	<p>i. It will be the responsibility of main contractor to finalize expert agencies for the execution of works covered under all subheads of NIT and get the tripartite agreements signed as per NIT requirement at an early date. The main contractor shall not be paid for value of work covered under second running bill &amp; subsequent bills till all Tripartite Agreements are signed by all agencies concerned.</p> <p>ii. The main contractor must fill the ratio of work which shall govern the ratio of direct payment to the expert agency and to the main contractor for each subhead of work in schedule F. The ratio may also be indicated in tripartite agreement. Thus direct payment to each expert agency shall be released in the same ratio from the net payment (after all deductions).</p> <p>iii. The running bill for specialized work shall be processed as per terms and conditions of the contract. All deductions like security deposit, income tax and part rate for incomplete work or due to any other reason shall be made as per contract conditions from each running bill. In case the ratio as desired under (ii) is not filled by the main contractor AAI will make payment of 75% of the net payable amount to the expert agency directly and balance 25% shall be paid to the main contractor.</p>

Clause 48

	Escrow Account	<p>i. All payments for the works estimated cost more than Rs.500 Cr shall be made only through Escrow Account opened by the contractor. However for works costing less than Rs.500 Cr., it shall be at the discretion of Technical Sanctioning authority to opt for Escrow account or not. The bank charges for Escrow Account shall be borne by contractor. The detailed conditions of Escrow Account shall be drawn in consultation with associated bank.</p> <p>ii. Mobilization advance for mobilization of resources and purchase of plant &amp; machinery shall be credited directly to the escrow account opened for this contract through bank transfer as per terms and condition of contract. The agency shall be able to utilize 25% (as decided by TS authority) of each installment of mobilization advance to meet minor expenses like construction of site office, purchase of office equipment and other minor works, while release of balance 75% shall be regulated by the department. The contractor shall seek concurrence of Engineer-in Charge for release of payment to the supplier etc. through Escrow Account by the Bank. Funds against cheque issued by contractor shall be released by Bank on receipt of written consent from Engineer-in Charge.</p> <p>iii. Payment received and credited against each RA Bill, can be utilized 25% directly by the contractor for minor expenses like salary, stationary, office expenses etc. AAI shall exercise control for release of payment by contractor for balance 75%.</p> <p>iv. The Contractor shall submit his proposal to the Engineer-in-Charge/Authority for utilization of funds made available by AAI (75% against each RA bill)</p>
--	----------------	--

		<ul style="list-style-type: none"><li>a. Name of agency for whom payment is proposed to be released.</li><li>b. Details of work executed/material supplied by agency to whom he intends to release payment.</li><li>c. Nature of advance payment if any, has to be released to the supplier for supply of material for the project only.</li><li>d. Documentary evidence in support of claim.</li><li>v. Engineer –in-charge will examine and approve full / part of such payments as per agency's request within maximum of three working days. The terms and condition of Escrow Account shall be finalized with bank according to terms and conditions of contract. Bank shall release payment against such cheques only after written consent of authorised officer of AAI is received.</li><li>vi. Contractor shall be permitted to close Escrow Account on receipt of final payment for the work/project or on receipt of letter for foreclosure of work by the AAI. All balances and liabilities against this Escrow Account shall be left at the disposal of the contractor.</li></ul>
--	--	--

Note : In case of difference or ambiguity in Hindi and English version anywhere, the English version will prevail.

# AIRPORTS AUTHORITY OF INDIA

## SAFETY CODE

1. Suitable Scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When a ladder is used, an extra mazdoor shall be engaged for holding the ladder and if the ladder is used for carrying materials as well suitable footholds and hand-hold shall be provided on the ladder and the ladder shall be given an inclination not steeper than  $\frac{1}{4}$  to 1 ( $\frac{1}{4}$  horizontal and 1 vertical).
2. Scaffolding of staging more than 3.6m (12ft.) above the ground or floor, swung or suspended from an overhead support or erected with stationary support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm. (3ft.) high above the floor or platform of such scaffolding on staging and extending along the entire length of the outside and ends thereof with only such opening as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.
3. Working platforms, gangways and stairways should be so constructed that they should not sag unduly or unequally, and if the height of the platform or the gangway or the stairway is more than 3.6 m (12ft.) above ground level or floor level, they should be closely boarded, should have adequate width and should be suitably fastened as described in (2) above.
4. Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of person or materials by providing suitable fencing or railing whose minimum height shall be 90 cm.(3ft.)
5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9m. (30ft.) in length while the width between side rails in rung ladder shall in no case be less than 29 cm. (11  $\frac{1}{2}$  “) for ladder upto and including 3m. (10ft.) in length. For long ladders, this width should be increased at least  $\frac{1}{4}$ ” for each additional 30cm. (1 foot) of length. Uniform step spacing of not more than 30cm shall be kept. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the site or work shall be so stacked or placed as to cause danger or inconvenience to any person or the public. The contractor shall provide all necessary fencing and lights to protect the public from accident and shall be bound to bear the expenses of defence of every suit, action or other proceedings at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to pay any damages and cost which may be awarded in any such suit, action or proceedings to any such person on which may, with the consent of the contractor, be paid to compensate any claim by any such person.
6. a. Excavation and Trenching – All trenches 1.2 m. (4ft.) or more in depth, shall at all times be supplied with at least one ladder for each 30m. (100ft.) in length or fraction thereof, Ladder shall extend from bottom of the Trench to at least 90cm (3fts) above the surface of the ground. The side of the trenches which are 1.5 m. (5 ft.) or more in depth shall be stepped back to give suitable slope or securely held by timber bracing, so as to avoid the danger of sides collapsing. The excavated material shall not be placed within 1.5 m. (5 ft.) of the edges of the trench or half of the depth of the trench whichever is more. Cutting shall be done from top to bottom. Under no circumstances, undermining or undercutting shall be done.

b. Safety Measures for digging bore holes: -

- i. If the bore well is successful, it should be safely capped to avoid caving and collapse of the bore well. The failed and the abandoned ones should be completely refilled to avoid caving and collapse;
  - ii. During drilling, Sign boards should be erected near the site with the address of the drilling contractor and the Engineer-in-charge of the work;
  - iii. Suitable fencing should be erected around the well during the drilling and after the installation of the rig on the point of drilling, flags shall be put 50 Mtr all around the point of drilling to avoid entry of people/animals;
  - iv. After drilling the bore well, a cement platform (0.50 Mtr x 0.50 Mtr x 1.20 Mtr) 0.60 Mtr above ground level and 0.60 Mtr below ground level should be constructed around the well casing;
  - v. After the completion of the bore well, the contractor should cap the bore well properly by welding steel plate, cover the bore well with the drilled wet soil and fix thorny shrubs over the soil. This should be done even while repairing the pump;
  - vi. After the bore well is drilled the entire site should be brought to the ground level;
7. Demolition – Before any demolition work is commenced and also during the progress of the work,
- i) All roads and open areas adjacent to the work site shall either be closed or suitably protected.
  - ii) No electric cable or apparatus which is liable to be a source of danger or a cable or apparatus used by the operator shall remain electrically charged.
  - iii) All practical steps shall be taken to prevent danger to persons employed from risk of fire or explosion or flooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as to render it unsafe.
8. All necessary personal safety equipment as considered adequate by the Engineer-in-Charge should be kept available for the use of the person employed on the site and maintained in a condition suitable for immediate use, and the contractor should take adequate steps to ensure proper use of equipment by those concerned. The following safety equipment shall invariably be provided.
- i) Workers employed on mixing asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective goggles.
  - ii) Those engaged in white washing and mixing or stacking of cement bags or any material which is injurious to the eyes shall be provided with protective goggles.
  - iii) Those engaged in welding works shall be provided with welder's protective eye-shields.
  - iv) Stone breaker shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.
  - v) When workers are employed in sewers and manholes, which are in active use, the contractors shall ensure that the manhole covers are opened and ventilated at least for an hour before the workers are allowed to get into the manholes, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or boards to prevent accident to the public. In addition, the contractor shall ensure that the following safety measures are adhered to:-
    - a) Entry for workers into the line shall not be allowed except under supervision of the Sr. Superintendent (Engg.) or any other higher officer.
    - b) At least 5 to 6 manholes upstream and downstream should be kept open for at least 2 to 3 hours before any man is allowed to enter into the manhole for working inside.
    - c) Before entry, presence of toxic gases should be tested by inserting wet lead acetate paper which changes colour in the presence of such gases and gives indication of their presence.

- d) Presence of Oxygen should be verified by lowering a detector lamp into the manhole. In case, no Oxygen is found inside the sewer line, workers should be sent only with oxygen kit.
  - e) Safety belt with rope should be provided to the workers. While working inside the manholes, such rope should be handled by two men standing outside to enable him to be pulled out during emergency.
  - f) The area should be barricaded or cordoned off by suitable means to avoid mishaps of any kind. Proper warning signs should be displayed for the safety of the public whenever cleaning works are undertaken during night or day.
  - g) No smoking or open flames shall be allowed near the blocked manhole being cleaned.
  - h) The malba obtained on account of cleaning of blocked manholes and sewer lines should be immediately removed to avoid accidents on account of slippery nature of the malba.
  - i) Workers should not be allowed to work inside the manhole continuously. He should be given rest intermittently. The Engineer-in-Charge may decide the time upto which a worker may be allowed to work continuously inside the manhole.
  - j) Gas masks with Oxygen Cylinder should be kept at site for use in emergency.
  - k) Air-blowers should be used for flow of fresh air through the manholes. Whenever called for, portable air blowers are recommended for ventilating the manholes. The Motors for these shall be vapour proof and of totally enclosed type. Non sparking gas engines also could be used but they should be placed at least 2 meters away from the opening and on the leeward side protected from wind so that they will not be a source of friction on any inflammable gas that might be present.
  - l) The workers engaged for cleaning the manholes / sewers should be properly trained before allowing to work in the manhole.
  - m) The workers shall be provided with Gumboots or non-sparking shoes bump helmets and gloves non sparking tools safety lights and gas masks and portable air blowers (when necessary). They must be supplied with barrier cream for anointing the limbs before working inside the sewer lines.
  - n) Workmen descending a manhole shall try each ladder stop or rung carefully before putting his full weight on it to guard against insecure fastening due to corrosion of the rung fixed to manhole well.
  - o) If a man has received a physical injury, he should be brought out of the sewer immediately and adequate medical aid should be provided to him.
  - p) The extent to which these precautions are to be taken depend on individual situation but the decision of the Engineer-in-Charge regarding the steps to be taken in this regard in an individual case will be final.
  - (vi) The Contractor shall not employ men and women below the age of 18 years on the work of painting with products containing lead in any form. Wherever men above the age of 18 are employed on the work of lead painting, the following precaution should be taken:-
    - a) No paint containing lead or lead products shall be used except in the form of paste or readymade paint.
    - b) Suitable face masks should be supplied for use by the workers when paint is applied in the form of spray or a surface having lead paint is dry rubbed and scrapped.
    - c) Overall shall be supplied by the contractors to the workmen and adequate facilities shall be provided to enable the working painters to wash during and on the cessation of work.
9. An additional clause (viii)(i) of AAI Safety Code (iv) the Contractor shall not employ women and men below the age of 18 on the work of painting with product containing lead in any form, wherever men above the age of 18 are employed on the work of lead painting, the following principles must be observed for such use:
- i) White lead, sulphate of lead or product containing these pigment, shall not be used in painting operation except in the form of pastes or paint ready for use.
  - ii) Measures shall be taken, wherever required in order to prevent danger arising from the application of a paint in the form of spray.

- iii) Measures shall be taken, wherever practicable, to prevent danger arising out of from dust caused by dry rubbing down and scraping.
  - iv) Adequate facilities shall be provided to enable working painters to wash during and on cessation of work.
  - v) Overall shall be worn by working painters during the whole of working period.
  - vi) Suitable arrangement shall be made to prevent clothing put off during working hours being spoiled by painting materials.
  - vii) Cases of lead poisoning and suspected lead poisoning shall be notified and shall be subsequently verified by medical man appointed by competent authority of AAI.
  - viii) AAI may require, when necessary medical examination of workers.
  - ix) Instructions with regard to special hygienic precautions to be taken in the painting trade shall be distributed to working painters.
10. When the work is done near any place where there is risk of drowning, all necessary equipments should be provided and kept ready for use and all necessary steps taken for prompt rescue of any person in danger and adequate provision, should be made for prompt first aid treatment of all injuries likely to be obtained during the course of the work.
11. Use of hoisting machines and tackle including their attachments, anchorage and supports shall conform to the following standards or conditions:
- i) (a) These shall be of good mechanical construction, sound materials and adequate strength and free from patent defects and shall be kept repaired and in good working order.  
(b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of durable quality and adequate strength, and free from patent defects.
  - ii) Every crane driver or hoisting appliance operator shall be properly qualified and no person under the age of 21 years should be in charge of any hoisting machine including any scaffolding winch or give signals to operator.
  - iii) In case of every hoisting machine and of every chain ring hook, shackle swivel and pulley block used in hoisting or as means of suspension, the safe working load shall be ascertained by adequate means. Every hoisting machine and all gear referred to above shall be plainly marked with the safe working load. In case of a hoisting machine having a variable safe working load each safe working load and the condition under which it is applicable shall be clearly indicated. No part of any machine or any gear referred to above in this paragraph shall be loaded beyond the safe working load except for the purpose of testing.
  - iv) In case of departmental machines, the safe working load shall be notified by the Electrical Engineer-in-Charge. As regards contractor's machines the contractors shall notify the safe working load of the machine to the Engineer-in-Charge whenever he brings any machinery to site of work and get it verified by the electrical Engineer concerned.
12. Motors, gearing, transmission, electric wiring and other dangerous parts of hoisting appliances should be provided with efficient safeguards. Hoisting appliances should be provided with such means as will reduce to the minimum the risk of accidental descent of the load. Adequate precautions should be taken to reduce to the minimum the risk of any part of a suspended load becoming accidentally displaced. When workers are employed on electrical installations which are already energized, insulating mats, wearing apparel, such as gloves, sleeves and boots as may be necessary should be provided. The worker should not wear any rings, watches and carry keys or other materials which are good conductors of electricity.
13. All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in safe condition and no scaffold, ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities should be provided at or near places of work.

14. These safety provisions should be brought to the notice of all concerned by display on a notice board at a prominent place at work spot. The person responsible for compliance of the safety code shall be named therein by the contractor.
15. To ensure effective enforcement of the rules and regulations relating to safety precautions the arrangements made by the contractor shall be open to inspection by the Labour Officer or Engineer-in- Charge of the department or their representatives.
16. Notwithstanding the above clauses from (1) to (15), there is nothing in these to exempt the contractor from the operations of any other Act or Rules in force in the Republic of India.

**MODEL RULES FOR THE PROTECTION OF  
HEALTH AND SANITARY ARRANGEMENTS FOR  
WORKERS  
EMPLOYED BY AAI OR ITS CONTRACTORS**

1. **APPLICATION**

These rules shall apply to all buildings and construction works in charge of AAI in which twenty or more workers are ordinarily employed or are proposed to be employed in any day during the period during which the contract work is in progress.

2. **DEFINITION**

Work place means a place where twenty or more workers are ordinarily employed in connection with construction work on any day during the period during which the contract work is in progress.

3. **FIRST-AID FACILITIES**

(i) At every work place, there shall be provided and maintained, so as to be easily accessible during working hours, first-aid boxes at the rate of not less than one box for 150 contract labour or part thereof ordinarily employed.

(ii) The first-aid box shall be distinctly marked with a red cross on white back ground and shall contain the following equipment.

(a) For work places in which the number of contract labour employed does not exceed 50 Each first –aid box shall contain the following equipments:

1. 6 small sterilized dressings
2. 3 medium size sterilized dressings
3. 3 large size sterilized dressings
4. 3 large sterilized burn dressings
5. 1 (30 ml) bottle containing a two per cent alcoholic solution of iodine.
6. 1 (30 ml) bottle containing salvolatile having the dose and mode of administration indicated on the label.
7. 1 snakebite lancet.
8. 1 (30 gms) bottle of potassium permanganate crystals.
9. 1 pair scissors.
10. 1 copy of the first-aid leaflet issued by the Director General, Factory Advice Service and Labour Institute, Government of India.
11. 1 bottle containing 100 tablets (each of 5 gms) of aspirin.
12. Ointment for burns.
13. A bottle of suitable surgical antiseptic solution.

(b) For work places in which the number of contract labour exceed 50. Each first-aid box shall contain the following equipments.

1. 12 small sterilized dressings.
2. 6 medium size sterilized dressings.
3. 6 large size sterilized dressings
4. 6 large size sterilized burn dressings.
5. 6 (15 gms) packets sterilized cotton wool.
6. 1 (60 ml). Bottle containing two per cent alcoholic solution iodine.
7. 1 (60 ml) bottle containing salvolatile having the dose and mode of administration indicated on the label.
8. 1 roll of adhesive plaster.
9. 1 snake bite lancet.
10. 1 (30 gms) bottle of potassium permanganate crystals.
11. 1 pair scissors.
12. 1 copy of the first-aid leaflet issued by the Director General Factory Advice Service and Labour Institute / Government of India.
13. A bottle containing 100 tablets (each of 5 gms) of aspirin.

14. Ointment for burns.
15. A bottle of suitable surgical antiseptic solution.

- (iii) Adequate arrangements shall be made for immediate recoupment of the equipment when necessary.
- (iv) Nothing except the prescribed contents shall be kept in the First-aid box.
- (v) The first-aid box shall be kept in charge of a responsible person who shall always be readily available during the working hours of the work place.
- (vi) a person in charge of the First-aid box shall be a person trained in First-aid treatment in the work places where the number of contract labour employed is 150 or more.
- (vii) In work places where the number of contract labour employed is 500 or more and hospital facilities are not available within easy distance from the works. First-aid posts shall be established and run by a trained compounder. The compounder shall be on duty and shall be available at all hours when the workers are at work.
- (viii) Where work places are situated in places which are not towns or cities, a suitable motor transport shall be kept readily available to carry injured person or person suddenly taken ill to the nearest hospital.

#### 4. DRINKING WATER

- i) In every work place, there shall be provided and maintained at suitable places, easily accessible to labour, a sufficient supply of cold water fit for drinking.
- ii) Where drinking water is obtained from an intermittent public water supply, each work place shall be provided with storage where such drinking water shall be stored.
- iii) Every water supply or storage shall be at a distance of not less than 50 feet from any latrine drain or other source of pollution. Where water has to be drawn from an existing well which is within such proximity of latrine, drain or any other source of pollution, the well shall be properly chlorinated before water is drawn from it for drinking. All such wells shall be entirely closed in and be provided with a trap door which shall be dust and waterproof.
- iv) A reliable pump shall be fitted to each covered well, the trap door shall be kept locked and opened only for cleaning or inspection which shall be done at least once a month.

#### 5. WASHING FACILITIES

- i) In every work place adequate and suitable facilities for washing shall be provided and maintained for the use of contract labour employed therein.
- ii) Separate and adequate cleaning facilities shall be provided for the use of male and female workers.
- iii) Such facilities shall be conveniently accessible and shall be kept in clean and hygienic condition.

#### 6. LATRINES AND URINALS

- i) Latrines shall be provided in every work place on the following scale namely:
  - a) Where female are employed, there shall be at least one latrine for every 25 females.
  - b) Where males are employed, there shall be at least one latrine for every 25 males.
- ii) Provided that, where the number of males or females exceeds 100, it shall be sufficient if there is one latrine for 25 males or females as the case may be upto the first 100, and one for every 50 thereafter.
- iii) Every latrine shall be under cover and so partitioned off as to secure privacy, and shall have a proper door and fastenings.
- iv) Construction of latrines: The inside walls shall be constructed of masonry or some suitable heat-resisting nonabsorbent materials and shall be cement washed inside and outside at least once a year, Latrines shall not be of a standard lower than borehole system.

- v) (a) Where workers of both sexes are employed, there shall be displayed outside each block of latrine and urinal, a notice in the language understood by the majority of the workers "For Men only" or "For Women Only" as the case may be.  
(b) The notice shall also bear the figure of a man or of a woman, as the case may be.
- vi) There shall be at least one urinal for male workers upto 50 and one for female workers upto fifty employed at a time, provided that where the number of male or female workmen, as the case may be exceeds 500, it shall be sufficient if there is one urinal for every 50 males or females upto the first 500 and one for every 100 or part thereafter.
- vii) (a) The latrines and urinals shall be adequately lighted and shall be maintained in a clean and sanitary condition at all times.  
(b) Latrines and urinals other than those connected with a flush sewage system shall comply with the requirements of the Public Health Authorities.
- viii) Water shall be provided by means of tap or otherwise so as to be conveniently accessible in or near the latrines and urinals.
- ix) Disposal of excreta: Unless otherwise arranged for by the local sanitary authority, arrangements for proper disposal of excreta by incineration at the work place shall be made by means of a suitable incinerator. Alternately excreta may be disposed of by putting a layer of night soil at the bottom of a pucca tank prepared for the purpose and covering it with a 15 cm. Layer of waste or refuse and then covering it with a layer of earth for a fortnight (when it will turn to manure).
- x) The contractor shall at his own expense, carry out all instructions issued to him by the Engineer-in-Charge to effect proper disposal of night soil and other conservancy work in respect of the contractor's workmen or employees on the site. The contractor shall be responsible for payment of any charges which may be levied by Municipal or Cantonment Authority for execution of such on his behalf.

## 7. PROVISION OF SHELTER DURING REST

At every place there shall be provided, free of cost, four suitable sheds, two for meals and the other two for rest separately for the use of men and women labour. The height of each shelter shall not be less than 3 meters (10 ft.) from the floor level to the lowest part of the roof. These shall be kept clean and the space provided shall be on the basis of 0.6 sq.m. (6 sft) per head. Provided that the Engineer-in-Charge may permit subject to his satisfaction, a portion of the building under construction or other alternative accommodation to be used for the purpose.

## 8. CRECHES

- i) At every work place, at which 20 or more women workers are ordinarily employed, there shall be provided two rooms of reasonable dimensions for the use of their children under the age of six years. One room shall be used as a play room for the children and the other as their bedroom. The rooms shall be constructed with specifications as per clause 19 H (ii) a, b & c.
- ii) The rooms shall be provided with suitable and sufficient openings for light and ventilation. There shall be adequate provision of sweepers to keep the places clean.
- iii) The contractor shall supply adequate number of toys and games in the play room and sufficient number of cots and beddings in the bed room.
- iv) The contractor shall provide one ayaa to look after the children in the crèche when the number of women workers does not exceed 50 and two when the number of women workers exceed 50.
- v) The use of the rooms earmarked as crèches shall be restricted to children, their attendants and mothers of the children.

## 9. CANTEENS

- i) In every work place where the work regarding the employment of contractor labour is likely to continue for six months and where in contract labour numbering one hundred or more are ordinarily employed, an adequate canteen shall be provided by the contractor for the use of such contract labour.
- ii) The canteen shall be maintained by the contractor in an efficient manner.
- iii) The canteen shall consist of at least a dining hall, kitchen, storeroom, pantry and washing places separately for workers and utensils.
- iv) The canteen shall be sufficiently lighted at all times when any person has access to it.
- v) The floor shall be made of smooth and impervious materials and inside walls shall be lime washed or colour washed at least once in each year. Provided that the inside walls of the kitchen shall be lime washed every four months.
- vi) The premises of the canteen shall be maintained in a clean and sanitary condition.
- vii) Waste water shall be carried away in suitable covered drains and shall not be allowed to accumulate so as to cause a nuisance.
- viii) Suitable arrangements shall be made for the collection and disposal of garbage.
- ix) The dining hall shall accommodate at a time 30 per cent of the contract labour working at a time.
- x) The floor area of the dining hall, excluding the area occupied by the service counter and any furniture except tables and chairs shall not be less than one square metre (10 sft) per diner to be accommodated as prescribed in sub-Rule (ix).
- xi) (a) A portion of the dining hall and service counter shall be partitioned off and reserved for women workers in proportion to their number. (b) Washing places for women shall be separate and screened to secure privacy.
- xii) Sufficient tables stools, chairs or benches shall be available for the number of diners to be accommodated as prescribed in sub-Rule (ix).
- xiii) (a) 1. There shall be provided and maintained sufficient utensils crockery, furniture and any other equipment necessary for the efficient running of the canteen.  
2. The furniture utensils and other equipment shall be maintained in a clean and hygienic condition.  
(b) 1. Suitable clean clothes for the employees serving in the canteen shall be provided and maintained.  
2. A service counter, if provided, shall have top of smooth and impervious material.  
3. Suitable facilities including an adequate supply of hot water shall be provided for the cleaning of utensils and equipments.
- xiv) The food stuffs and other items to be served in the canteen shall be in conformity with the normal habits of the contract labour.
- xv) The charges for food stuffs, beverages and any other items served in the canteen shall be based on 'No Profit, No loss' and shall be conspicuously displayed in the canteen.
- xvi) In arriving at the price of foodstuffs, and other article served in the canteen, the following items shall not be taken into consideration as expenditure namely :-
  - a) The rent of land and building.
  - b) The depreciation and maintenance charges for the building and equipments provided for the canteen.
  - c) The cost of purchase, repairs and replacement of equipments including furniture, crockery, cutlery and utensils.
  - d) The water charges and other charges incurred for lighting and ventilation.
  - e) The interest and amounts spent on the provision and maintenance of equipments provided for the canteen.
- xvii) The accounts pertaining to the canteen shall be audited once every 12 months by registered accountants and auditors.

#### 10. ANTI-MALARIAL PRECAUTIONS

The contractor shall at his own expense, conform to all anti-malarial instructions given to him by the Engineer-in-Charge including the filling up of any borrow pits which may have been dug by him.

11. The above rules shall be incorporated in the contracts and in notices inviting tenders and shall form an integral part of the contracts.

#### 12. AMENDMENTS

AAI may, from time to time, add to or amend these rules and issue directions - it may consider necessary for the purpose of removing any difficulty which may arise in the administration thereof.

# AIRPORTS AUTHORITY OF INDIA

## 1. SHORT TITLE Contractor's Labour Regulations

These regulations may be called the AAI Contractors Labour Regulations.

## 2. DEFINITIONS

(i) Workman means any person employed by AAI or its contractor directly or indirectly through a subcontractor with or without the knowledge of the AAI to do any skilled, semiskilled or unskilled manual, supervisory, technical or clerical work for hire or reward, whether the terms of employment are expressed or implied but does not include any person:-

- a) Who is employed mainly in a managerial or administrative capacity: or
- b) Who, being employed in a supervisory capacity draws wages exceeding five hundred rupees per mensem or exercises either by the nature of the duties attached to the office or by reason of powers vested in him, functions mainly of managerial nature : or
- c) Who is an out worker, that is to say, person to whom any article or materials are given out by or on behalf of the principal employers to be made up cleaned, washed, altered, ornamental finished, repaired adopted or otherwise processed for sale for the purpose of the trade or business of the principal employers and the process is to be carried out either in the home of the out worker or in some other premises, not being premises under the control and management of the principal employer. No person below the age of 14 years shall be employed to act as a workman.

(ii) Fair Wages means wages whether for time or piece work fixed and notified under the provisions of the Minimum Wages Act from time to time.

(iii) Contractors shall include every person who undertakes to produce a given result other than a mere supply of goods or articles of manufacture through contract labour or who supplies contract labour for any work and includes a subcontractor.

(iv) Wages shall have the same meaning as defined in the Payment of Wages Act.

3. i) Normally working hours of an adult employee should not exceed 9 hours a day. The working day shall be so arranged that inclusive of interval for rest, if any, it shall not spread over more than 12 hours on any day.
- ii) When an adult worker is made to work for more than 9 hours on any day or for more than 48 hours in any week, he shall be paid over time for the extra hours put in by him at double the ordinary rate of wages.
- iii) a) Every worker shall be given a weekly holiday normally on a Sunday, in accordance with the provisions of the Minimum Wages (Central) Rules 1960 as amended from time to time irrespective of whether such worker is governed by the Minimum Wages Act or not.
- b) Where the minimum wages prescribed by the Central/State Government under the Minimum Wages Act are not inclusive of the wages for the weekly day of rest, the worker shall be entitled to rest day wages at the rate applicable to the next preceding day, provided he has worked under the same contractor for a continuous period of not less than 6 days.
- c) Where a contractor is permitted by the Engineer-in-Charge to allow a worker to work on a normal weekly holiday, he shall grant a substituted holiday to him for the whole day on one of the five days immediately before or after the normal weekly holiday and pay wages to such worker for the work performed on the normal weekly holiday at overtime rate.

## 4. DISPLAY OF NOTICE REGARDING WAGES ETC.

The contractor shall before he commences his work on contract, display and correctly maintain and continue to display and correctly maintain in a clear and legible condition in conspicuous places on the work, notices in English and in the local Indian languages spoken by the majority of the workers giving the minimum rates of wages fixed under Minimum Wages Act, the actual wages being paid, the hours of work for which such wage are earned, wages periods, dates of payments of wages and other relevant information as per Appendix' VIII'.

## 5. PAYMENT OF WAGES

- (i) The contractor shall fix wage periods in respect of which wages shall be payable.
- (ii) No wage period shall exceed one month.
- (iii) The wages of every person employed as contract labour in an establishment or by a contractor where less than one thousand such persons are employed shall be paid before the expiry of seventh day and in other cases before the expiry of tenth day after the last day of the wage period in respect of which the wages are payable.
- (iv) Where the employment of any worker is terminated by or on behalf of the contractor the wages earned by him shall be paid before the expiry of the second working day from the date on which his employment is terminated.
- (v) All payment of wages shall be made on a working day at the work premises and during the working time and on a date notified in advance and in case the work is completed before the expiry of the wage period, final payment shall be made within 48 hours of the last working day.
- (vi) Wages due to every worker shall be paid to him direct or to other person authorised by him in this behalf.
- (vii) All wages shall be paid in current coin or currency or in both.
- (viii) Wages shall be paid without any deductions of any kind except those specified by the Central Government by general or special order in this behalf or permissible under the Payment of Wages Act 1956.
- (ix) A notice showing the wages period and the place and time of disbursement of wages shall be displayed at the place of work and a copy sent by the contractor to the Engineer-in-Charge under acknowledgement.
- (x) It shall be the duty of the contractor to ensure the disbursement of wages in the presence of the Senior Superintendent Engg or authorised representative of the Engineer-in-Charge who will be required to be present at the place and time of disbursement of wages by the contractor to workmen.
- (xi) The contractor shall obtain from Engineer in charge or the authorised representative of the Engineer-in-Charge a certificate under his signature at the end of the entries in the "Register of Wages" or the "Wage-cum-Muster Roll" as the case may be in the following form:  
"Certified that the amount shown in column No. .... has been paid to the workman concerned in my presence on ..... at TTTTTTTTTT"

Note: In case of payment of wages paid through bank, the contractor shall submit a copy of bank statement for relevant period duly signed by him.

## 6. FINES AND DEDUCTIONS WHICH MAY BE MADE FROM WAGES

- (i) The wages of a worker shall be paid to him without any deduction of any kind except the following:
  - a) Fines
  - b) Deductions for absence from duty i.e. from the place or the places where by the terms of his employment he is required to work. The amount of deduction shall be in proportion to the period for which he was absent.
  - c) Deduction for damage to or loss of goods expressly entrusted to the employed person for custody, or for loss of money or any other deduction which he is required to account, where such damage or loss is directly attributable to his neglect or default.
  - d) Deduction for recovery of advances or for adjustment of overpayment of wages, advances granted shall be entered in a register.
  - e) Any other deduction which the Central Government may from time to time allow.
- (ii) No fines should be imposed on any worker save in respect of such acts and omissions on his part as have been approved of by the Chief Labour Commissioner.

Note: An approved list of Acts and Omissions for which fines can be imposed is enclosed at Appendix-XII.

- (iii) No fine shall be imposed on a worker and no deduction for damage or loss shall be made from his wages until the worker has been given an opportunity of showing cause against such fines or deductions.
- (iv) The total amount of fine which may be imposed in any one wage period on a worker shall not exceed an amount equal to three paise in a rupee of the total wages, payable to him in respect of that wage period.
- (v) No fine imposed on any worker shall be recovered from him by installment, or after the expiry of sixty days from the date on which it was imposed.
- (vi) Every fine shall be deemed to have been imposed on the day of the act or omission in respect of which it was imposed.

## 7. LABOUR RECORDS

- (i) The contractor shall maintain a Register of persons employed on work on contract in Form XIII of the CL(R&A) Central Rules 1971 (Appendix VI)
- (ii) The contractor shall maintain a Muster Roll register in respect of all workmen employed by him on the work under Contract in Form XVI of the CL (R&A) Rules 1971 (Appendix VII).
- (iii) The contractor shall maintain a Wage Register in respect of all workmen employed by him on the work under contract in Form XVII of the CL (R&A) Rules 1971 (Appendix VIII)
- (iv) Register of accident - The contractor shall maintain a register of accidents in such form as may be convenient at the work place but the same shall include the following particulars :
  - (a) Full particulars of the labourers who met with accident.
  - (b) Rate of Wages
  - (c) Sex
  - (d) Age
  - (e) Nature of accident and cause of accident
  - (f) Time and date of accident
  - (g) Date and time when admitted in Hospital
  - (h) Date of discharge from the Hospital
  - (i) Period of treatment and result of treatment
  - (j) Percentage of loss of earning capacity and disability as assessed by Medical officer
  - (k) Claim required to be paid under Workmen's Compensation Act.
  - (l) Date of payment of compensation
  - (m) Amount paid with details of the person to whom the same was paid
  - (n) Authority by whom the compensation was assessed.
  - (o) Remarks
- (v) The contractor shall maintain a Register of Fines in the Form XII of the CL(R&A) Rules 1971 (Appendix-XIII).  
The contractor shall display in a good condition and in a conspicuous place of work the approved list of acts and omissions for which fines can be imposed (Appendix-XII)
- (vi) The contractor shall maintain a Register of deductions for damage or loss in Form XX of the CL (R&A) Rules 1971 (Appendix-XIV)
- (vii) The contractor shall maintain a Register of Advances in Form XXIII of the CL (R&A) Rules 1971 (Appendix-XV)
- (viii) The contractor shall maintain a Register of Overtime in Form XXIII of the CL (R&A) Rules 1971 (Appendix-XVI).

## 8. ATTENDANCE CARD-CUM-WAGE SLIP

- (i) The contractor shall issue an Attendance card-cum-wage slip to each workman employed by him in the specimen form at (Appendix-IX)
- (ii) The card shall be valid for each wage period.
- (iii) The contractor shall mark the attendance of each workman on the card twice each day, once at the commencement of the day and again after the rest interval, before he actually starts work.
- (iv) The card shall remain in possession of the worker during the wage period under reference.

- (v) The contractor shall complete the wage slip portion on the reverse of the card at least a day prior to the disbursement of wages in respect of the wage period under reference.
- (vi) The contractor shall obtain the signature or thumb impression of the worker on the wage slip at the time of disbursement of wages and retain the card with himself.

9. EMPLOYMENT CARD

The contractor shall issue an Employment Card in Form XIV of the CL (R&A) Central Rules 1971 to each worker within three days of the employment of the worker (Appendix-X).

10. SERVICE CERTIFICATE

On termination of employment for any reason whatsoever the contractor shall issue to the workman whose services have been terminated, a Service certificate in Form XV of the CL(R&A) Central Rules 1971.

11. PRESERVATION OF LABOUR RECORDS

All records required to be maintained under Regulations Nos. 6 & 7 shall be preserved in original for a period of three years from the date of last entries made in them and shall be made available for inspection by the Engineer-in-Charge or Labour Officer or any other officers authorised by the Ministry of Urban Development in this behalf.

12. POWER OF LABOUR OFFICER TO MAKE INVESTIGATIONS OR ENQUIRY

The Labour Officer or any person authorised by Central Government on their behalf shall have power to make enquiries with a view to ascertaining and enforcing due and proper observance of Fair Wage Clauses and the Provisions of these Regulations. He shall investigate into any complaint regarding the default made by the contractor or subcontractor in regard to such provision.

13. REPORT OF LABOUR OFFICER

The Labour Officer or other persons authorised as aforesaid shall submit a report of result of his investigation or enquiry to the Engineer-in-Charge concerned indicating the extent, if any, to which the default has been committed with a note that necessary deductions from the contractor's bill be made and the wages and other dues be paid to the labourers concerned. In case an appeal is made by the contractor under Clause 13 of these regulations, actual payment to labourers will be made by the Engineer-in-Charge after G.M. Engg. has given his decision on such appeal.

(i) Engineer-in-Charge shall arrange payments to the labour concerned within 45 days from the receipt of the report from the Labour Officer or the G.M. Engineer as the case may be.

14. APPEAL AGAINST THE DECISION OF LABOUR OFFICER

Any person aggrieved by the decision and recommendations of the Labour Officer or other person so authorised may appeal against such decision to the Engineer-in-Charge concerned within 30 days from the date of decision, but subject to such appeal, the decision of the officer shall be final and binding upon the contractor.

15. PROHIBITION REGARDING REPRESENTATION THROUGH LAWYER

- (i) A workman shall be entitled to be represented in any investigation or enquiry under these regulations by :

- a) An officer of a registered trade union of which he is a member.
- b) An officer of a federation of trade unions to which the trade union referred to in Clause (a) is affiliated.

- c) Where the employer is not a member of any registered trade union, by an officer of a registered trade union, connected with the industry in which the worker is employed or by any other workman employed in the industry in which the worker is employed.
- (ii) An employer shall be entitled to be represented in any investigation or enquiry under these regulations by :
  - a) An officer of an association of employers of which he is a member.
  - b) An officer of a federation of associations of employers to which association referred to in Clause (a) is affiliated.
  - c) Where the employers is not a member of any association of employers, by an officer of association of employer connected with the industry in which the employer is engaged or by any other employer, engaged in the industry in which the employer is engaged.
- (iii) No party shall be entitled to be represented by a legal practitioner in any investigation or enquiry under these regulations.

16. **INSPECTION OF BOOKS AND SLIPS**

The contractor shall allow inspection of all the prescribed labour records to any of his workers or to his agent at a convenient time and place after due notice is received or to the Labour Officer or any other person, authorised by the Central Government on his behalf .

17. **SUBMISSION OF RETURNS**

The contractor shall submit periodical returns as may be specified from time to time.

18. **AMENDMENTS**

The Central Government/AAI may from time to time add to or amend the regulations and on any question as to the application/interpretation or effect of those regulations the decision of the General Manager (Engg.) concerned shall be final.

FORM OF BANK GUARANTEE IN LIEU OF SECURITY DEPOSIT & AMOUNT  
WITHHELD AGAINST COMPENSATION FOR  
DELAY IN INDIVIDUAL CONTRACT  
(on Non-Judicial Stamp Paper of Rs.100/-)

[Refer Clause 1A and 2B]

To  
The Airports Authority of India

- .....
1. In consideration of the Airport Authority of India having its head office at New Delhi [hereinafter called the “AAI” which expression shall unless repugnant to the subject or context include its administrator, successors and assigns) having agreed under the terms and condition of Contract Agreement No. ....dated..... made between.....and AAI in connection with the work of .....(hereinafter called the said contract) to accept Deed of Guarantee as herein provided for Rs.....(Rupees.....only) from a Nationalized Bank in lieu of the Security deposit to be made by the contractor or lieu of the amount withheld towards compensation for delay pending final extension of time to be made from the contractors contained in the said Contractor. We, the.....bank (hereinafter referred to as “the said Bank” and having our registered office at ..... do hereby undertake and agree to identify and keep indemnified AAI from time to time to the extent of Rs..... (Rupees... .. only) against any loss or damage, cost,, charges and expenses caused to or suffered by or that may be caused to or suffered by AAI by reason of any breach or breaches by the said Contractor of any of the terms and condition contained in the said contract and to unconditionally pay the amount claimed by AAI on demand and without demur to the extent aforesaid.
  2. We ..... Bank, further agree that AAI shall be the sole judge of and as to whether the said Contractor has committed any breach or breaches of any of the terms and conditions of the said contract and the extent of loss, damage, costs, charges and expenses caused to or suffered by or that may be caused to or suffered by AAI on account thereof and the decision of AAI that the said Contractor has committed such breach and breaches and as to the amount or amounts of loss, damage, costs, charges and expenses caused to or suffered of that may be caused to or suffered by AAI from time to time shall be final and binding on
  3. We, the said Bank, further agree that the Guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said contracts and till all the dues of AAI under the said contract or by virtue of any of the terms and conditions governing the said contract including compensation for delay if any as decided by AAI, have been fully paid and its claims satisfied or discharged and till the Accepting Authority of the contract certifies that the terms and condition and accordingly Contract have been fully and properly carried out by the said contractor and accordingly discharges this guarantee subject, however that AAI shall have no claim under this Guarantee after 90(Ninety) days from the date of expiry of the defects Liabilities periods or Final /Extension of Time grated by AAI as provided available in agreements clause no.....as provided in the said Contract, i.e .....(date) or from the date of cancellation of the said contract, as the case may be, unless a notice of the claim under this Guarantee has been served on the Bank before the expiry of the period in which case the same shall be enforceable against the Bank notwithstanding the fact, that the same is enforced after the expiry of the said period.

4. AAI shall have the fullest liberty without affecting in any way the liability of the bank under this Guarantee or Indemnity from time to time to vary any of the terms and conditions of the said contract or to extend time of performance by the said Contractor or to postpone for any time and from time to time any of the powers exercisable by it against the said Contractor and either to enforce or forbear from enforcing any of terms and conditions governing the said contract or securities available to AAI and the said Bank shall not be released from its liability under these present by any exercise by AAI of any liberty with reference to the matters aforesaid or by reason of time being given to the said contractor or any other forbearance, act or omission on the part by AAI or any indulgence by AAI to the said Contractor or any other matter or thing whatsoever which under the law relating to sureties would but for this provision have the effect of so releasing the Bank from its such liability.
5. It shall not be necessary for AAI to proceed against the contractor before proceeding against the Bank and the Guarantee herein contained shall be enforceable against the Bank, notwithstanding any security which AAI may have obtained or obtain from the Contractor at the time when proceedings are taken against the Bank hereunder be outstanding or unrealized.
6. We, the said Bank, lastly undertake not to revoke this Guarantee during its currency except with the previous consent of AAI in writing and agree that any charge in the Constitution of the said Contract or the said Bank shall not discharge our liability hereunder.

In presence of

Dated this \_\_\_\_\_ Day of \_\_\_\_\_

WITNESS

1.

2.

For and on behalf of (The Bank)  
 Signature \_\_\_\_\_  
 Name & Designation \_\_\_\_\_  
 Authorization No. \_\_\_\_\_  
 Name & Place \_\_\_\_\_  
 Bank's Seal \_\_\_\_\_

The above Guarantee is accepted by Airports Authority of India.

For and on behalf of Airports Authority of India

Signature \_\_\_\_\_

Name \_\_\_\_\_

Designation \_\_\_\_\_

Dated \_\_\_\_\_

FORM OF BANK GUARANTEE AGAINST EARNEST MONEY DEPOSIT

WHEREAS, contractor \_\_\_\_\_(Name of contractor) (hereinafter called “the contractor”) has submitted his tender dated \_\_\_\_\_(date) for the construction of “ \_\_\_\_\_” (name of work) (hereinafter called “the TENDER”).

KNOW ALL PEOPLE by these presents that we \_\_\_\_\_(name of bank) having our registered office at \_\_\_\_\_ (hereinafter called “the bank”) are bound unto \_\_\_\_\_(Name of Senior Manager) (hereinafter called “the Engineer-in-charge”) in the sum of Rs. \_\_\_\_\_(Rs. In words \_\_\_\_\_) for which payment well truly to be made to the said Engineer-in-charge the bank binds itself, his successors and assigns by these presents.

SEALED with the Common Seal of the Bank this \_\_\_\_\_ day of \_\_\_\_\_ 20\_.

THE CONDITIONS of this obligation are:

- (1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender.
- (2) If the contractor having been notified of the acceptance of his tender by the engineer-in-charge.
  - a) Fails or refuses to execute the form of Agreement in accordance with the instructions to contractor, if required –  
OR
  - b) Fails or refuses to furnish the performance guarantee, in accordance with the provisions of tender document and instructions to contractor,  
OR
  - c) Fails or refuses to start the work, in accordance with the provisions of the contract and instructions to contractor,  
OR
  - d) Fails or refuses to submit fresh bank guarantee of an equal amount of this bank guarantee against security deposit after award of contract.

We undertake to pay to the engineer-in-charge either up to the above amount or part thereof upon receipt of his first return demand, without the engineer-in-charge having to substantiates his demand, provided that in his demand the engineer-in-charge will note that the amount claimed by him is due to him owing to the concurrence of one or any of the above conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including the date\* \_\_\_\_\_after the deadline for submission of tender as such deadline is stated in the instructions to contractor or as it may be extended by the engineer-n-charge , notice of which extension (s) to the bank is hear by waived. Any demand in respect of this guarantee should reach the bank not later than the above date.

DATE .....

SIGNATURE OF THE BANK

WITNESS .....  
(SIGNATURE NAME AND ADDRESS)

SEAL

\* Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

APPENDIX-II

PROFORMA FOR MANDATORY TESTS TO BE ATTACHED WITH RUNNING ACCOUNT BILLS

Name of work: .....

Name of Contractor.....

Contract Agreement No. and Date.....

R/A Bill No.....

Sl. No.	Item	Quantities as per Agreement	Frequency as per Specification	No. of Tests Required	Upto date Quantity	No. of Tests Required	No. of Tests actually done	Remarks
1	2	3	4	5	6	7	8	9

Note: If the number of tests done are less than required, then reasons shall be recorded.

Signature of Sudt. (Engg)

Signature of Engineer-in-Charge.

Signature of Manager / AM (Engg.)

REGISTER OF MATERNITY BENEFITS (Clause 19 F)

Name and address of the contractor.....

Name and location of the work.....

Name of the employee	Father's/husband's name	Nature of employment	Period of actual employment	Date on which notice of confinement given
1	2	3	4	5

Date on which maternity leave commenced and ended

Date of delivery/miscarriage	<u>In case of delivery</u>		<u>In case of delivery</u>	
	Commenced	Ended	Commenced	Ended
6	7	8	9	10

Leave Pay paid to the employee

<u>In case of delivery</u>	<u>In case of miscarriage</u>		Remark	
Rate of leave pay	Amount paid	Rate of leave pay		Amount paid
11	12	13	14	15

SPECIMEN FORM OF THE REGISTER, REGARDING MATERNITY BENEFIT  
ADMISSION TO THE CONTRACTOR'S LABOUR IN  
AIRPORTS AUTHORITY OF INDIA WORKS(CLAUSE 19F)

Name and address of the contractor -----

Name and location of the work-----

- 
- 1) Name of the woman and her husband's name
  - 2) Designation
  - 3) Date of appointment
  - 4) Date with months and years in which she is employed.
  - 5) Date of discharge/dismissal, if any
  - 6) Date of production of certificates in respect of pregnancy.
  - 7) Date on which the woman informs about the expected delivery.
  - 8) Date of delivery/miscarriage/death.
  - 9) Date of production of certificate in respect of delivery/miscarriage.
  - 10) Date with the amount of maternity/death benefit paid in advance of expected delivery
  - 11) Date with amount of subsequent payment of maternity benefit
  - 12) Name of the person nominated by the woman to receive the payment of the maternity benefit after the death.
  - 13) If the woman dies, the date of her death, the name of the person to whom maternity benefit amount was paid, the month thereof and the date in the register.
  - 14) Signature of the contractor authenticating entries in the register.
  - 15) Remarks column for the use of Inspection Officer.

Labour Board

Name of work

Name of Contractor-----

-----Address of Contractor -----

-----

Name and address of A. A. I. Division -----

-----

Name of A. A. I. Labour Officer -----

-----

Address of A. A. I. Labour Officer -----

-----

Name of A.A.I Labour Officer-----

Sl. No.	Category	Minimum wage fixed	Actual wage paid	Number present	Remark
---------	----------	--------------------	------------------	----------------	--------

Weekly holiday -----

Wage period -----

Date of payment of wages -----

Working hours -----

Rest interval-----

Form-XIII  
[See rule 2(1)]  
[Part-A: For all Establishments]  
Register of Workmen Employed by Contractor

APPENDIX-VI

Name and address of contractor.....

Name and address of establishment which contractor is carried on.....

Name and location of work.....

Name and address of Principal Employer.....

Name of the Establishment-----Name of Owner-----LIN-----

Sl. No.	Employee Code	Name	Surname	Gender	Father's/Spouse Name	Date of Birth#	Nationality	Education Level	Date of Joining	Designation
1	2	3	4	5	6	7	8	9	10	11

Category Address *(HS/S/SS/US)	Type of Employment	Mobile	UAN	PAN	ESIC IP	LWF	AADHAAR	Bank A/c Number	Bank	Branch (IFSC)	Present Address	Permanent
12	13	14	15	16	17	18	19	20	21	22	23	24

Servie Book No.	Date of Exit	Reason for Exit	Mark of Identification	Photo	Specimen Signature/Thumb Impression	Remarks
25	26	27	28	29	30	31

\*(Highly Skilled/Skilled/Semi Skilled/Un Skilled)

#Note: In case the age is between 14 to 18 years, mention the nature of work, daily hours of work and Intervals of rest in the remarks Column.



**FORM B**  
[See Rule 78(1) (a) (i)]

APPENDIX-VIII

FORMAT FOR WAGE REGISTER

Name and address of contractor.....

Name and address of establishment which contractor is carried on.....

Name and location of work.....

Name and address of Principal Employer.....For the month of fortnight.....

Rate of Minimum Wages and since the date.....				
	Highly Skilled	Skilled	Semi-Skilled	Un Skilled
Minimum Basic				
DA				
Overtime				

Name of the Establishment \_\_\_\_\_ Name of Owner \_\_\_\_\_ LIN \_\_\_\_\_ Wage period

From \_\_\_\_\_ To \_\_\_\_\_ (Monthly/Fortnightly/Weekly/Daily/Piece Rated)

Sl. No. in Employee register	Name	Rate of Wage	No. of Days worked	Overtime hours worked	Basic	Special Basic	DA	Payments Overtime	HRA	Others	Total
1	2	3	4	5	6	7	8	9	10	11	12

Deduction							Net Payment	Employer Share PF Welfare Found	
PF	ESIC	Society	Income Tax	Insurance	Others	Recoveries			Total
13	14	15	16	17	18	19	20	21	22

Receipt by Employee/Bank Transaction ID	Date of Payment	Remarks
23	24	25

## FORM C

### FORMAT OF REGISTER OF LOAN/ RECOVERIES

Name of Establishment \_\_\_\_\_ LIN \_\_\_\_\_

Sl. Number In Employee register	Name	Recovery Type (Damage/loss/fine/advance/loans)	Particulars	Date of damage/Loss*	Amount
1	2	3	4	5	6

Whether show cause issued*	Explanation heard in presence of*	Number of Installments	First Month/Year	Last Month/Year	Date of Complete Recovery	Remarks
7	8	9	10	11	12	13

\*Applicable only in case of damage/loss/fine



WAGE CARD

Wages Card No.....

Name and Address of Contractor.....Date of issue.....

Name and location of work.....Designation.....

Name of workman.....Month/Fortnight.....

Rate of Wages.....

	1	2	3	4	5	6	7	8	9	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	3	31
										<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>8</u>	<u>0</u>			

Morning Rate

Evening Amount

Initial

Received from.....the sum of Rs.....on account of my wages  
Signature

The Wage Card is valid for one month from the date of issue

Wages Slip

Name and address of contractor.....

Name and Father's/Husband name of workman.....

Name and location of work.....

For the week/Fortnight/Month ending.....

1. No. of days worked.....

2. No. of units worked in case of piece rate workers.....

3. Rate of daily wages/piece rate.....

4. Amount of overtime wages.....

5. Gross wages payable.....

6. Deduction, if any.....

7. Net amount of wages paid.....

Initials of the contractor or his representative

14/Form-XIV  
[See rule 76]  
Employment Card

- Name and address of contractor.....
- Name and address of establishment under which is carried.....
- Name of work and location of work.....
- Name and address of Principal Employee.....
1. Name of the workman.....
  2. SI. No. in the register of workman employed.....
  3. Nature of employment/designation.....
  4. Wage rate (with particulars of unit in case of piece work).....
  5. Wageperiod.....
  6. Tenure of employment.....
  7. Remark.....

Signature of Contractor

**FORM OF PERFORMANCE SECURITY (GUARANTEE)**  
**Bank Guarantee Bond**  
 (On Non-Judicial Stamp Paper of Rs100/-)

1. In consideration of the Chairman, AAI (hereinafter called "AAI") having offered to accept the terms and conditions of the proposed agreement between .....  
 [hereinafter called the said contractor(s)] for the work ..... (hereinafter "the said agreement") having agreed to production of a irrevocable Bank Guarantee for Rs. .... (Rupees .....only) as a security / guarantee from the contractor(s) for compliance of his obligations in accordance with the terms and conditions in the said agreement.  
 We..... (Indicate the name of the Bank) (hereinafter referred to as "the Bank") hereby undertake to pay to the Chairman, AAI an amount not exceeding Rs. .... (Rupees.....only) on demand by AAI.
  
2. We..... (Indicate the name of the Bank) do hereby undertake to pay the amounts due to payable under this Guarantee without any demure, merely on a demand from AAI stating that the amount claimed is required to meet the recoveries due or likely to be due from the said contractor(s). Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs. .... (Rupees .....only).
  
3. We, the said Bank, further undertake to pay the Chairman, AAI any money so demanded notwithstanding any dispute or disputes raised by the contractor(s) In any suit or proceeding pending before any court or tribunal relating thereto, our liability under this present being absolute and unequivocal.  
  
 The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the contractor(s) shall have no claim against us for making such payment.
  
4. We..... (Indicate the name of bank) further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of AAI under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till Engineer-In-Charge on behalf of AAI certified that the terms and conditions of the said agreement have been fully and properly carried out by the said contractor(s) and accordingly discharges this guarantee.
  
5. We.....(indicate the name of the bank) further agree with AAI that AAI shall have the fullest liberty without our consent and without effecting in any manner our obligations hereunder to vary any of terms and conditions of the said agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by AAI against in the said contractor(s) and to forbear and enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extensions being granted to the said contractor(s) or for any forbearance, act of omission on the part of AAI or any indulgence by the AAI to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to securities would, but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).
7. We..... (Indicate the name of the bank) lastly undertake not to revoke this guarantee except with the previous consent of AAI in writing.
8. This guarantee shall be valid upto.....unless extended on demand by AAI. Notwithstanding anything mentioned above, our liability against this guarantee is restricted to Rs .....(Rupees..... only) and unless a claim in writing is lodged within six months of the date of expiry or the extended date of expiry of this guarantee all our liabilities under this guarantee shall stand discharged.

In presence of

Dated this \_\_\_\_\_ Day of \_\_\_\_\_

Witness

- 1.
- 2.

For and on behalf of (The Bank)  
 Signature \_\_\_\_\_  
 Name & Designation \_\_\_\_\_  
 Authorization No. \_\_\_\_\_  
 Name & Place \_\_\_\_\_  
 Bank's Seal \_\_\_\_\_

The above Guarantee is accepted by Airports Authority of India. For and on behalf of Airports Authority of India

Signature \_\_\_\_\_  
 Name \_\_\_\_\_  
 Designation \_\_\_\_\_  
 Dated \_\_\_\_\_

Note: \* Date of validity should be schedule date of completion + Six months.

Format for Letter of undertaking from the Depositor to Bank  
(To be submitted along with Security Deposit / Earnest Money / Performance Guarantee to  
Airports Authority of India)  
(To be submitted in the Letter head of the firm)

The Branch Manager,  
.....Bank,  
.....

Sub: - My / Our Bank Guarantee bearing No.....dated ..... for amount ..... Issued in  
favour of Airport Authority of India A/c.....

Sir,

The subject Bank Guarantee is obtained from your bank for the purpose of Security  
Deposit / Earnest Money / Performance Guarantee on account of contract awarded / to be  
awarded by M/s Airports Authority of India to me / us.

I hereby authorized the Airport Authority of India in whose favour the deposit is made  
to close the subject Bank Guarantee before maturity/ on maturity toward adjustment of dues  
without any reference /consent /notice from me / our side and the bank is fully discharged by  
making the payment to Airport Authority of India.

Signature of the Depositor

Place:

Date:

LIST OF ACTS AND OMISSIONS FOR WHICH FINES CAN BE IMPOSED

In accordance with rule 7(v) of the AAI Contractor's Labour Regulations to be displayed prominently at the site of work both in English and local Language.

1. Willful insubordination or disobedience, whether alone or in combination with other.
2. Theft fraud or dishonesty in connection with the contractors beside a business or property of AAI.
3. Taking or giving bribes or any illegal gratifications
4. Habitual late attendance.
5. Drunkenness lighting, riotous or disorderly or indifferent behavior
6. Habitual negligence.
7. Smoking near or around the area where combustible or other materials are locked
8. Habitual Indiscipline
9. Causing damage to work in the progress or to property of the AAI or of the contractor.
10. Sleeping on duty.
11. Malingering or slowing down work.
12. Giving of false information regarding name, age, father's name, etc.
13. Habitual loss of wage cards supplied by the employer's
14. Unauthorized use of employer's property of manufacturing or making of unauthorized particles at the work place
15. Bad workmanship in construction and maintenance by skilled workers which is not approved by the Department and for which the contractors are compelled to undertake rectifications.
16. Making false complaints and/or misleading statements.
17. Engaging on trade within the premises of the establishments.
18. Any unauthorized divulgence of business affairs of the employees.

19. Collection or canvassing for the collection of any money within the premises of an establishment unless authorised by the employer.
20. Holding meeting inside the premises without previous sanction of the employers.
21. Threatening or intimidating any workman or employer during the working hours within the premises.









NOTICE FOR APPOINTMENT OF ARBITRATOR  
[Refer Clause 25]

To

.....  
.....  
.....

Dear Sir,

In terms of clause 25 of the agreement, particular of which are given below, I/we hereby give notice to you to appoint an arbitrator for settlement of disputes mentioned below:

1. Name of applicant
2. Whether applicant is Individual/Prop. Firm /Partnership Firm/Ltd. Co.
3. Full address of the applicant.
4. Name of the work and contract number in which arbitrator sought.
5. Name of the office which entered into contract.
6. Contract amount in the work.
7. Date of contract.
8. Date of initiation of work.
9. Stipulated date of completion of work.
10. Actual date of completion of work (if completed).
11. Total number of claim made.
12. Total amount claimed.
13. Date of intimation of final bill (if work is completed).
14. Date of payment of final bill (if work is completed).
15. Amount of final bill (if work is completed).
16. Date of request made to ED for decision.
17. Date of receipt of ED's decision.
18. Date of appeal.
19. Date of receipt of decision on our appeal.

Specimen signature of the applicant  
(Only the person/authority who  
Signed the contract should sign)

I/We certify that the information given above is true to the best of my/our knowledge. I/We enclose following documents.

1. Statement of claims with amount of claims.
- 2.
- 3.
- 4.

Yours faithfully

(Signature)

Copy to:

1. The Engineer-in-charge .....,  
.....

INTEGRITY PACT

The integrity pact shall be signed by both the parties in the following format

“This Pact made this day of ..... between Airports Authority of India, a body corporate constituted by the Central Government under the Airports Authority of India Act,1994 and having its Corporate Office at Rajiv Gandhi Bhawan, New Delhi, and offices at.....in India, hereinafter called the Authority (which term shall unless excluded by or is repugnant to the context, be deemed to include its Chairman, or Member, Executive Directors, Airport Directors, officers or any of them specified by the Chairman in this behalf, and shall also include its successors and assigns) of the one part

AND

.....represented by ..... of the other part, hereinafter called the “Bidder/Contractor “(which term shall unless excluded by or is repugnant to the context be deemed to include its heirs, representatives, successors and assigns of the Bidder/ Contractor)

WHEREAS the Authority intends to award, under laid down organizational procedures, tender/ contract for

The Authority, while discharging its functions on business principles, values proper compliance with all relevant laws and regulations, and the principles of natural justice, ethics, equity, fairness and transparency in its relations with the Bidders/ Contractors.

WHEREAS the Authority is desirous to make its business mechanism more transparent, thus to ensure strict adherence of the aforesaid objectives/goals, the Authority hereby adopts the instrument developed by the renowned international non-governmental organization “Transparency International” (T I ) headquartered in Berlin ( Germany ). The Authority will appoint an Independent External Monitor (IEM) who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

AND WHEREAS the Bidder is submitting a tender to the Authority for ..... In response to the NIT (Notice Inviting Tender) dated ..... Contractor is signing the contract for execution of .....NOW, therefore, To avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to Enabling the Authority to obtain the desired said stores/equipment/execution of works at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement, and Enabling Authority to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and the Authority will commit to prevent corruption, in any form, by its officials by following transparent procedures. The parties hereto hereby agree to enter into this Integrity Pact and agree

1. Commitments of the Authority;

- 1.1 The Authority undertakes that no official of the Authority, connected directly or indirectly with the contract, will demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting or implementation process related to the contract.
- 1.2 The Authority will, during the pre-contact stage, treat all BIDDERS alike, and will provide to all BIDDERS the same information and will not provide any such information to any particular BIDDER which could afford an advantage to that particular BIDDER in comparison to other BIDDERS.
- 1.3 All the officials of the Authority will report to the appropriate authority office any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach.
- 1.4 In case any such preceding misconduct on the part of such official(s) is reported by the BIDDER to the Authority with full and verifiable facts and the same is prima facie found to be correct by the Authority, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by the Authority and such a person shall be debarred from further dealings related to the contract process. In such a case while an enquiry is being conducted by the Authority the proceedings under the contract would not be stalled.

1. Commitments of Bidders/Contractor.

- The Bidder/Contractor commits itself to take all measures necessary to prevent corrupt practice, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following.
- 2.1 The Bidder/Contractor will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the Authority, connected directly or indirectly with the bidding process, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
- 2.2 The Bidder/Contractor further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the Authority or otherwise in procuring the Contract or forbearing to do or having done any act in relation to the obtaining or execution of the contract or any other contract with the Authority for showing or

forbearing to show favour or dis favour to any person in relation to the contract or any other contract with the Authority.

- 23 The Bidder / Contactor has not entered and will not enter with other bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specification, certifications, subsidiary contracts, submission or non-submission of bids or any actions to restrict competitiveness or to introduce cartelization in the bidding process.
- 24 The Bidder/Contractor shall, when presenting his bid, disclose the name and address of agents and representatives and Indian BIDDERS shall disclose their foreign principals or associates.
- 25 The Bidder/Contractor shall when presenting his bid disclose any and all the payments he has made or, is committed to or intends to make to agents/brokers or any other intermediary, in connection with this bid/contract.
- 26 The Bidder/Contractor further confirms and declares to the Authority that the BIDDER is the original manufacturer/integrator/ authorized government sponsored export entity of the stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to the Authority or any of its functionaries, whether officially or unofficially to the award of the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.
- 27 The Bidder/Contractor, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made or has committed to or intends to make to officials of the Authority or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.
- 28 The Bidder/Contractor will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- 29 The Bidder/Contractor will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 210 The Bidder / Contactor shall not use improperly, for purposes of competition or personal gain ,or pass on to others, any information provided by the Authority as part of the business relationship, regarding plans, technical proposals and business details, including information contained in any electronic data carrier. The Bidder / Contactor also under takes to exercise due and adequate care lest any such information is divulged.
- 211 The Bidder/Contractor will inform to the Independent External Monitor.
  - i) If he receives demand for an illegal/undue payment / benefit.

- ii) If he comes to know of any unethical or illegal payment/benefit.
  - iii) If he makes any payment to any Authority's associate(s)
- 2.12 The Bidder/Contractor commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.
- 2.13 The Bidder/Contractor shall not instigate or cause to instigate any third person to commit any of the actions mentioned above.
- 2.14 If the Bidder/Contractor or any employee of the Bidder/Contractor or any person acting on behalf of the Bidder/ Contractor, either directly or indirectly, is a relative of any of the officers of the Authority, or alternatively, if any relative of an officer of the Authority has financial interest/stake in the Bidder's/Contractor's firm, the same shall be disclosed by the Bidder/Contractor at the time filing of tender. The term 'relative' for this purpose would be as defined in Section 6 of the Companies Act 1956.
- 2.15 The Bidder/Contractor shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of the Authority.
- 2.16 That if the Bidder/ Contractor, during tender process or before the award of the contract or during execution of the contract/work has committed a transgression in violation of section 2 or in any other form such as to put his reliability or credibility as Bidder/Contractor into question, the Authority is entitled to disqualify him from the tender process or to terminate the contract for such reason and to debar the BIDDER from participating in future bidding processes.
2. Previous Transgression
- 3.1 The Bidder/Contractor declares that no previous transgression occurred in the last three years immediately before signing of this Integrity Pact, with any other company in any country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India that could justify Bidders's exclusion from the tender process.
- 3.2 The Bidder/Contractor agrees that if it makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason and he may be considered for debarment for future tender/contract processes.
- 3.3 That the Bidder/Contractor undertakes to get this Pact signed by the subcontractor (s) and associate(s) whose value of the work contribution exceeds Rs 0.5 Cr. (Rupees zero point five Cr.) and to submit the same to the Authority along-with the tender document/ contract before contract signing.
- 3.4. That sub-contractor(s)/ associate(s) engaged by the Contractor, with the approval of the Authority after signing of the contract, and whose value of the work contribution exceeds Rs 0.5 Cr. (Rupees Zero point five Cr.) will be required to

sign this Pact by the Contractor, and the same will be submitted to the Authority before doing/ performing any act/ function by such subcontractor(s) / associate(s) in relation to the contract/ work.

- 3.5 That the Authority will disqualify from the tender process all Bidder(s) who don't sign this Pact or violate its provisions or fails to get this Pact signed in terms of policy of authority
- 3.6 That if the Contractor(s) does/ do not sign this Pact or violate its provisions or fails to get this Pact signed in terms of policy of authority. Authority will terminate the contract and initiate appropriate action against such Contractor(s).
4. Earnest Money, Security Deposit, Bank Guarantee, Draft, Pay order or any other mode and its validity i/c Warranty Period, Performance Guarantee/Bond.

While submitting bid, the BIDDER shall deposit an EMD / SD / BG / DRAFT / PAY ORDER ETC I/C WARRANTY PERIOD, PG/BOND, VALIDITY etc., which is as per terms and conditions and details given in NIT / tender documents sold to the Bidders.

5. Sanctions for Violations/Disqualification from tender process and exclusion from future Contacts.
- 5.1 Any breach of the aforesaid provisions by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle the Authority to take all or any one of the following actions, wherever required:
- i) To immediately call off the pre contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceedings with the other BIDDER(s) would continue.
  - ii) To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.
  - iii) If the Authority has disqualified / debarred the Bidder from the tender process prior to the award under section 2 or 3 or 4, the Authority is entitled to forfeit the earnest money deposited/bid security.
  - iv) To recover all sums already paid by the Authority, and in case of an Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate of State Bank of India, while in case of a BIDDER from a country other than India with interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the BIDDER from the Authority in connection with any other contract or any other stores, such outstanding payment could also be utilized to recover the aforesaid sum and interest.

- v) To en-cash the advance bank guarantee and performance bond/warranty bond, if furnished by the BIDDER, in order to recover the payments, already made by the BUYER, along with interest.
- vi) To cancel all or any other Contracts with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to the Authority resulting from such cancellation/rescission and the Authority shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.
- vii) To debar the BIDDER from participating in future bidding processes for a minimum period up to two years.
- viii) To recover all sums paid in violation of this Pact by BIDDER(s) to any middleman or agent or broker with a view to securing the contract.
- ix) In case where irrevocable Letters of Credit have been received in respect of any contract signed by the Authority with the BIDDER, the same shall not be opened.
- x) Forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.
- xi) That if the Authority have terminated the contract under section 2 or 3 or 4 or if the Authority is entitled to terminate the contract under section 2 or 3 or 4, the Authority shall be entitled to demand and recover from the contractor damages equivalent to 5% of the contract value or the amount equivalent to security deposit or performance bank guarantee, whichever is higher.
- xii) That the Bidder / Contractor agrees and undertakes to pay the said amount without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish to the satisfaction of the Authority that the disqualification / debarment of the bidder from the tender process or the termination of the contract after award of the contract has caused no damage to the Authority.

5.2 The Authority will be entitled to take all or any of the actions mentioned at para 5.1 above.

5.3 (i) to (xii) of this Pact also on the Commission by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER), of an offence as defined in Chapter IX of the Indian Penal code, 1860 or Prevention of Corruption Act, 1988 or any other statute enacted for prevention of corruption.

- 5.4 That if the Bidder/Contractor applies to the Authority for premature revocation of the debarment and proves to the satisfaction of the Authority that he has installed a suitable and effective corruption prevention system and also restored/recouped the damage, if any, caused by him, the Authority may, if thinks fit, revoke the debarment prematurely considering the facts and circumstances of the case, and the documents/evidence adduced by the Bidder/Contractor for first time default.
- 5.5 That a transgression is considered to have occurred if the Authority is fully satisfied with the available documents and evidence submitted along with Independent External Monitor's recommendations/suggestions that no reasonable doubt is possible in the matter.
- 5.6 The decision of the Authority to the effect that a breach of the provisions of this Pact has been committed by the BIDDER shall be final and conclusive on the BIDDER. However, the BIDDER can approach the Independent External Monitor(s) appointed for the purpose of this Pact.
6. Allegations against Bidders/Contractors/ Sub-Contractors/ Associates:
- That if the Authority receives any information of conduct of a Bidder/ Contractor or Sub- Contractor or of an employee or a representative or an associate of the Bidder, Contractor or Sub- Contractor which constitute corruption, or if the Authority has substantive suspicion in this regard, the Authority will inform the Vigilance Department for appropriate action.
7. Independent External Monitor(s),
- 7.1. That the Authority has appointed competent and credible Independent External Monitor(s) for this Pact.
- 7.2 The task of the Monitor(s) is to review independently and objectively, whether and to what extent the parties comply with the obligations under this Pact. He will also enquire into any complaint alleging transgression of any provision of this Pact made by the Bidder, Contractor or Authority.
- 7.3. That the Monitor(s) is not subject to any instructions by the representatives of the parties and would perform his functions neutrally and independently. He will report to the Chairperson of the Board of the Authority.
- 7.4 That the Bidder / Contractor accepts that the Monitor(s) has the right to access without restriction to all project documentation of the Authority including that provided by the Bidder/Contractor. The Bidder/Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation including minutes of meeting. The same is applicable to Sub - Contractors and Associates. The Monitor is under obligation to treat the information and documents of the Authority and Bidder/ Contractor / Sub- Contractors/ Associates with confidentiality.
- 7.5. That as soon as the Monitor notices, or believes to notice, a violation of this Pact, he will so inform the management of the Authority and request the management

to discontinue or heal the violation, or to take other relevant action. The Monitor(s) can in this regard submit his recommendations/ suggestions. Beyond this, the Monitor(s) has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.

- 7.6 That the Authority will provide to the Monitor(s) sufficient information about all meetings among the parties related to the project provided such meetings could have an impact on the contractual relations between the Authority and the Contractor / Bidder. The parties offer to the Monitor(s) the option to participate in such meetings.
- 7.7 That the Monitor(s) will submit a written report to the Chairperson of the Board of the Authority within 2 weeks from the date of reference or intimation to him by the Authority and, should the occasion arise, submit proposals for correcting problematic situations.
- 7.8 That if the Monitor(s) has reported to the Chairperson of the Board a substantiated suspicion of an offence under relevant Anti- Corruption Laws of India and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Department, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.
- 7.9 The word 'Monitor' would include singular and plural.

#### 8. Facilitation of Investigation.

In case of any allegation of violation of any provisions of this Pact or payment of commission, the Authority or its agencies shall be entitled to examine all the documents including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information and documents in English and shall extend all possible help for the purpose of such Examination.

#### 9. Law and Place of Jurisdiction.

That this Pact is subject to provisions under Indian Law. The place of performance and jurisdiction is the Corporate Headquarter /the Regional Headquarter / office of the Authority, as applicable.

#### 10. Other Legal Actions

- 10.1 That the changes and supplements as well as termination notice need to be made in writing.
- 10.2 That if the Bidder / Contractor are a partnership or a consortium, this Pact must be signed by all the partners and consortium members or their authorized representatives.

11. Pact duration (Validity)

11.1 That this Pact comes into force when both the parties have signed it. It expires for the Contractor 12 months after the final payment under the respective contract, and for all other Bidders 3 months after the contract is awarded.

11.2. That if any claim is made / lodged during this period, the same shall be binding and continue to be valid despite the lapse of this Pact as specified herein before, unless it is discharged/determined by Chairman of the Authority.

11.3 That should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact shall remain valid. In this case, the parties will strive to come to an agreement to their original intentions.

12. Company Code of Conduct

Bidders are also advised to have a company code of conduct (clearly rejecting the use of bribes and other unethical behavior) and a compliance program for the implementation of the code of conduct throughout the company.

13. The parties hereby sign this Integrity Pact at \_\_\_\_\_ on \_\_\_\_\_

Buyer  
Name of the Officer  
Designation  
Deptt./Ministry/PSU  
Witness

1. \_\_\_\_\_

2. \_\_\_\_\_

**Bidder**

**CHIEF EXECUTIVE OFFICER**  
Witness

1. \_\_\_\_\_

2. \_\_\_\_\_

(To be filled by Contractor)  
(CLAUSE-47)

Ratio of direct payment to the specialized : ... % of the net payment to be made to  
Specialized agency in case of composite contract agency

Sl.	Sub-head	Nature of work	% of the net payment to be made to Specialized agency
1	Sub-head I		

Note:

1. NIT approving authority must ensure that all sub-heads of works are covered in above table. The bidder must indicate percentage payable to specialized agency in case of all sub-heads.
2. If % is not filled in by the contractor against one or more subhead in this schedule, then 75% of the net payment admissible as per AAI for the subhead under consideration shall be paid directly to specialized agency in case of composite contract.

**INDENTURE FOR SECURED ADVANCES**  
(Reference Clause 10 B)

(For use in cases in which the contract is for finished work and the contractor has entered into an agreement for the execution of a certain specified quantity of work in a given time)

THIS INDENTURE made the.... .. day of .. .. 20 BETWEEN (hereinafter called the Contractor which expression shall where the context so admits or implies be deemed to include his executors administrators and assigns) of the one part and the CHAIRMAN, AAI (hereinafter called the AAI which expression shall where the context so admits or implies be deemed to include his successors in office and assigns) of the other part.

WHEREAS by an agreement dated..... (hereinafter called the said agreement) the Contractor has agreed AND WHEREAS the Contractor has applied to the AAI that he may be allowed advances on the security of materials absolutely belonging to him and brought by him to the site of the works the subject of the said agreement for use in the construction of such of the works as he has undertaken to execute at rates fixed for the finished work (inclusive of the cost of materials and labour and other charges) AND WHEREAS the AAI has agreed to advance to the Contractor the sum of Rupees..... on the security of materials the quantities and other particulars of which are detailed in Accounts of Secured Advances attached to the Running Account Bill for the said works signed by the Contractor on ..... and the AAI has reserved to himself the option of making any further advance or advances on the security of other materials brought by the Contractor to the site of the said works. Now THIS INDENTURE WITNESSETH that in pursuance of the said agreement and in consideration of the sum of Rupees ..... on or before the execution of these presents paid to the Contractor by the AAI (the receipt whereof the Contractor doth hereby acknowledge) and of such further advances (if any) as may be made to him as aforesaid the Contractor doth hereby covenant and agree with the AAI and declare as follows: -

- (1) That the said sum of Rupees .....so advanced by the AAI to the Contractor as aforesaid and all or any further sum or sums advanced as aforesaid shall be employed by the Contractor in or towards expediting the execution of the said works and for no other purpose whatsoever.
- (2) That the materials detailed in the said Account of Secured Advances which have been offered to and accepted by the AAI as security are absolutely the Contractor's own property and free from encumbrances of any kind and the contractor will not make any application for or receive a further advance on the security of materials which are not absolutely his own property and free from encumbrances of any kind and the Contractor indemnifies the AAI against all claims to any materials in respect of which an advance has been made to him as aforesaid.
- (3) That the materials detailed in the said Account of Secured Advances and all other materials on the security of which any further advance or advances may hereafter be made as aforesaid (hereinafter called the said materials) shall be used by the Contractor solely in the execution of the said works in accordance with the directions of the Engineer-in-Charge of the project (hereinafter called the Engineer-in-Charge) and in the term of the said agreement.

- (4) That the Contractor shall make at his own cost all necessary and adequate arrangements for the proper watch, safe custody and protection against all risks of the said materials and that until used in construction as aforesaid the said materials shall remain at the site of the said works in the Contractor's custody and on his own responsibility and shall at all times be open to inspection by the Engineer-in-Charge or any officer authorised by him. In the event of the said materials or any part thereof being stolen, destroyed or damaged or becoming deteriorated in a greater degree than is due to reasonable use and wear thereof the Contractor will forthwith replace the same with other materials of like quality or repair and make good the same as required by the Engineer-in-Charge.
- (5) That the said materials shall not on any account be removed from the site of the said works except with the written permission of the Engineer-in-Charge or an officer authorised by him on that behalf.
- (6) That the advances shall be repayable in full when or before the Contractor receives payment from the AAI of the price payable to him for the said works under the terms and provisions of the said agreement. Provided that if any intermediate payments are made to the Contractor on account of work done than on the occasion of each such payment the AAI will be at liberty to make a recovery from the Contractor's bill for such payment by deducting there from the value of the said materials then actually used in the construction and in respect of which recovery has not been made previously, the value for this purpose being determined in respect of each description of materials at the rates at which the amounts of the advances made under these presents were calculated.
- (7) That if the Contractor shall at any time make any default in the performance or observance in any respect of any of the terms and provisions of the said agreement or of these presents the total amount of the advance or advances that may still be owing to the AAI shall immediately on the happening of such default be repayable by the Contractor to the President together with interest thereon at twelve per cent per annum from the date or respective dates of such advance or advances to the date of repayment and with all costs charges, damages and expenses incurred by the President in or for the recovery thereof or the enforcement of this security or otherwise by reason of the default of the Contractor and the Contractor hereby covenants and agrees with the President to repay and pay the same respectively to him accordingly.
- (8) That the Contractor hereby charges all the said materials with the repayment to the President of the said sum of Rupees..... and any further sum or sums advanced as aforesaid and all costs charges, damages and expenses payable under these presents PROVIDED ALWAYS and it is hereby agreed and declared that notwithstanding anything in the said agreement and without prejudice to the powers contained therein if and whenever the covenant for payment and repayment herein before contained shall become enforceable and the money owing shall not be paid in accordance therewith the AAI may at any time thereafter adopt all or any of the following courses as he may deem best :-

- (a) Size and utilize the said materials or any part thereof in the completion of the said works on behalf of the Contractor in accordance with the provisions in that behalf contained in the said agreement debiting the Contractor with the actual cost of effecting such completion and the amount due in respect of advances under these presents and crediting the Contractor with the value of work done as if he had carried it out in accordance with the said agreement and at the rates thereby provided. If the balance is against the Contractor, he is to pay same to the MI on demand.
- (b) Remove and sell by public auction the seized materials or any part thereof and out of the moneys arising from the sale retain all the sums aforesaid repayable or payable to the MI under these presents and pay over the surplus (if any) to the Contractor. Deduct all or any part of the moneys owing out of the security deposit or any sum due to the Contractor under the said agreement.
- (9) That except in the event of such default on the part of the Contractor as aforesaid interest on the said advance shall not be payable.
- (10) That in the event of any conflict between the provisions of these presents and the said agreement the provisions of these presents shall prevail and in the event of any dispute or difference arising over the construction or effect of these presents the settlement of which has not been herein before expressly provided for the same shall be finally resolved as per provisions of clause 25 of the contract.

In witness whereof the said ..... .. and ..... by the order and under the direction of the MI have hereunto set their respective hands the day and year first above written.

Signed, sealed and delivered by ... .. the said contractor in the presence of.....

Signature .....

Witness Name .....

Address .....

Signed by .....


by the order and direction of the MI in the presence of

Signature .....


Witness Name .....

Address .....

सीमेन्ट गोदाम का रेखाचित्र / SKETCH OF CEMENT GODOWN



**SECTION AB**



SKETCH OF CEMENT GODOWN

## SCHEDULES

### SCHEDULE `A`

All rates shall be quoted in the format provided and no other format is acceptable. The price bid has been given as a standard BOQ format in the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete the blue colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the File name. if the BOQ file is found to be modified by the bidder, the bid will be rejected and EMD shall be forfeited.

### SCHEDULE `B`

~~Schedule of materials to be issued to the contractor.~~

Sl. No.	Description of Item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of Issue
1	2	3	4	5

DELETED

SCHEDULE `C`

Tools and plants to be hired to the contractor.

Sl.No.	Description	Hire charges per day	Place of Issue
1	2	3	4
		NOT APPLICABLE	

SCHEDULE `D`

~~Extra schedule for specific requirements/ documents for the work, if any.~~

SCHEDULE `E`

Reference to General Condition of contract

Name of work: Operation and Maintenance of Aeronautical Ground Lighting System with ILCMS (CAT-I/II/III) at NSCBI Airport, Kolkata (2026-2028).

Estimated cost of work Rs. 15,07,48,634/- incl GST

- i. Earnest Money Rs. 45,22,459/- incl GST
- ii Performance Guarantee: Not applicable
- iii Security deposit: 10 % of contract value

SCHEDULE 'F'

GENERAL RULES & DIRECTION

Officer inviting tender : Asstt. Gen. Mgr. (E-E)

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3	See below
--	-----------

Definitions:

Office inviting tender : O/o AGM (E-E)  
AAI, Operational Offices,  
NSCBI Airport, Kolkata – 700 052.

2(v) Engineer-in-Charge As per AAI's DOP.  
2(viii) Accepting Authority As per AAI's DOP.  
2(x) Percentage on cost materials & Labour to cover all overheads & Profits 15%  
2 (xi) Standard schedule of rates DSR 2022 (E&M), with up to date correction slips as on last date of submission of tenders & market rates.  
2 (xii) Department AAI, Engineering

Clause 1

(i) Time allowed for submission of

	Performance Guarantee from the date of issue of letter of acceptance	within 30 Days
(ii)	Maximum allowable period of extension	As per Clause 1

Clause 2

	Authority for fixing compensation under Clause 2	As per DoP of AAI
--	--	-------------------

Clause 2A

	Whether Clause 2A shall be applicable	Yes/ No
--	---------------------------------------	---------

Clause 5

	Number of days from the date of issue of letter of acceptance for reckoning date of Start	<u>10</u> days or as decided by Engineer-In-Charge
--	---	--

Mile Stone(s) as per table given below: As per Special Condition of Contract

Sl.No.	Description of Milestones (Physical)	Time allowed in days (from date of start)	Amount to be withheld in case of non achievement of milestone

Time allowed for execution of work.: 24 (Twenty-Four) Months

Authority to decide: i. Extension of time...

As per DoP of AAI

ii. Rescheduling of milestone Engineer-In-Charge

iii. Shifting of date of start in case of

Clause 6, 6A

Clause applicable – (6 or 6A)

: Clause 6A (Computerized Measurement Book).

Clause 7

Gross work to be done together with net payment/adjustment of advances for material collected, if any since the last such payment for being eligible to interim payment.	Rs. <u>          </u> NOT APPLICABLE
--	--------------------------------------

Clause 10A

Testing equipment to be provided by the contractor at site lab

All the Testing equipments required for conducting test for building/pavement works as per CPWD, Morth, IRC and AAI specifications and for electrical works as per CPWD, ICAO, FAA, OEM standard and AAI specifications as applicable.

Clause 10 B(II)

	Whether Clause 10B(II) shall be applicable	Yes/No
	Interest on mobilization advance	.....N/A..... per annum

Clause 10C:

Applicable / Not Applicable

Component of labour expressed as percent of value of work: 35%

Clause 10 CA

Materials covered under this clause	Nearest Material (other than cement*, reinforcement bars, structural steel & Bitumen) for which All India Wholesale Price index is to be followed	Base price and its corresponding period of all the materials covered under clause 10CA
1. Cement (OPC/ PPC)	<b>NOT APPLICABLE</b>	Base price for cement and reinforcement steel to be determined as issued under authority of DG (Works), CPWD or concerned Zonal Chief Engineer, CPWD as on last date of receipt of tender. In case base price for cement, reinforcement steel and Bitumen as to be issued by CPWD is not available concerned ED (Engg) empowered to determine the same.
2. Reinforcement steel bars (TMT)		
3. Structural Steel		
4. Bitumen		

\*Note:

1. Includes cement component used in RMC brought at site from outside approved RMC plants, if any.
2. Base price and its corresponding period of all the materials covered under clause 10CA is to be mentioned at the time of approval of NIT. In case of recall of tenders, the base price may be modified by adopting latest base price and its corresponding period.

Clause 10 CC (applicable or not applicable) NOT APPLICABLE

Clause 10CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column	18 Months
--	-----------

A. For Construction period

S. No.	Relevant component of Material/ Labour for price escalation	*Percentage against total value of work
1)	Cement component	
2)	Labour component	
3)	Civil Component of other Construction Materials	
4)	E&M (Electrical and Mechanical i/c IT & Airport system) component of Construction Materials	
5)	POL (Diesel) component	

6)	Reinforcement steel bars/ TMT bars/ structural steels (including strands and cables) component	
7)	Bitumen component	
	Total	100%

\*% of components to be decided by NIT approving authority for particular tender.

**B. For operation&. maintenance period**

S. No.	Relevant component of Material/ Labour for price escalation	*Percentage against total value of work
1)	Labour component	
2)	Civil Component of other Construction Materials	
3)	E&M (Electrical and Mechanical i/c IT & AS) component of Construction Materials	
4)	Bitumen component	
	Total	100%

\*% of components to be decided by NIT approving authority for particular tender.

Clause 11

Specification to be followed for execution of work	<ul style="list-style-type: none"> <li>a) "CPWD Latest Specification with upto date correction slips, MORTH or other specification as applicable.</li> <li>b) Technical specification.</li> <li>c) Manufacturer's Specification and SOP.</li> <li>d) BCAS Safety guideline.</li> <li>e) DGCA CAR/ICAO/FAA</li> </ul>
--	--

Clause 12

12.2 & 12.3	Deviation limit beyond which clauses 12.2 & 12.3 shall apply for buildings, pavements and all other works above foundation level.	As per GeM
12.5	Deviation limit beyond which clauses 12.2 & 12.3 shall apply for foundation work	100% (Hundred Percent)

	Overall deviation i/c extra items, if any.	30% (Thirty Percent)
--	--	----------------------

Clause 16

	Competent Authority for deciding reduced rates	Engineer-In-Charge
--	--	--------------------

Clause 18

Mandatory machinery tools & plants to be deployed by the contractor at site:

To be provided as per NIT and other Machinery required for timely completion of work.

Clause 25

Place of Arbitration: Kolkata.

Clause 36(1)

Requirement of Technical Representative(s) and recovery rate

Sl. No.	Minimum Qualification of Technical Representative	Discipline	Designation (Principal Technical representative)	Minimum Experience	Number	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause 36	
						Figures Rs.	Words
1.							
2.							
3.							
4.							

- a. Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.
- b. Diploma holder with minimum 10 year relevant experience with a reputed construction company can be treated at par with Graduate Engineer for the purpose of such deployment subject to the condition that such diploma holder should not exceed 50% of requirement of degree engineers.

Clause 37

Licence Fee for unpaved land

Clause 41(b)

Integrity Pact applicable

NO

Clause 42

(i)	Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates	DSR 2016 printed by C.P.W.D with up-to-date correction slips till last date of submission of tender, technical specifications & BOQ.
(ii)	Variations permissible on theoretical quantities	
a.	Cement for works with estimated cost put to tender not more than Rs.5 lakhs.	3% plus/minus
	For works with estimated cost put to tender more than Rs.5 lakhs	2% plus/minus
b.	Steel Reinforcement and central steel section for each diameter, section 4 category	2% plus/minus
c.	Bitumen	2.5% plus only & NIL on minus side
d.	All other materials	

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

Sl. No.	Description of items	Rates in figures and words at which recovery shall be <b>made from the contractor</b>	
		Excess beyond permissible variation	Less: use beyond the permissible variation*
1.	Cement		
2.	Steel reinforcement		
3.	Structural Sections		
4.	Bitumen issued free		
5.	Bitumen issued at stipulated fixed price		

\* Provided work is considered technically sound. Otherwise work has to be re-executed as per direction of Engineer-in-charge

Clause 48

Escrow Account: Not applicable.

## Annexure to clause 34 (x)

Annexure to clause 34 (x) showing quantities of materials for areas of surfacing to be considered for working-out minimum period for which hire charges of road roller are to be recovered.

Sl.No.	Material of surfacing	Quantity or areas
1.	Consolidation of earth subgrade	1860 Sq.m
2.	Consolidation of stones soling 15 cm to 22.5 cm thick	170 Cu.m
3.	Consolidation of brick soling 10 cm to 20 cm thick	230 Cu.m
4.	Consolidation of wearing coat of stone ballast 7.5 cm to 11.5 cm thick	30 Cu.m
5.	Consolidation of wearing coat of brick ballast 10 cm thick	60 Cu.m
6.	Spreading and consolidation of red bajri 6mm	1860 Sq.m
7.	Painting one coat using stone aggregate 12.5mm nominal size	
	(a) @ 1.65 m <sup>3</sup> per 100 m <sup>2</sup> and paving bitumen A 90 or S 90 @ 2.25 Kg per m <sup>2</sup> or	
	(b) @ 1.50 m <sup>3</sup> per 100 m <sup>2</sup> and bitumen emulsion or Road tar @ 2.25 Kg per m <sup>2</sup>	930 Sq.m.
8.	Painting two coats using	
	(a) For first coat, stone aggregate 12.5 mm nominal size	
	(i) @ 1.50 m <sup>3</sup> per 100 m <sup>2</sup> and paving bitumen A 90 or S 90 @ 2 Kg per m <sup>2</sup> or	
	(ii) @ 1.35 m <sup>3</sup> per 100 m <sup>2</sup> and bitumen emulsion @ 2 Kg per m <sup>2</sup> 600 Sq.m. or	
	(iii) @ 1.25 m <sup>3</sup> per 100 m <sup>2</sup> with roadtar @ 2.25 Kg per m <sup>2</sup>	600 Sq.m.
	(b) For 2nd Coat, stone aggregate 10 mm nominal size 0.9 Cu.m. per 100Sq.m with	
	(i) 1kg of paving bitumen A 90 or S 90 or bitumen emulsion per Sq.m. or	
	(ii) 1.25 Kg. of road tar, per Sq.m. 600 Sq.m.	600Sq.m.
9.	Re painting with stone aggregate 10 mm nominal size 0.9 Cu.m. per 100 Sq.m. with	
	(i) 1kg of paving bitumen A 90 or S 90 per Sq.m. ;k or	
	(ii) 1.25 kg of bitumen emulsion per Sq.m. 1670 Sq.m.	1670 Sq.m.

10.	2 cm premix carpet surfacing using 2.4 m <sup>3</sup> of stone aggregate 10 mm nominal size per 100 m <sup>2</sup> and binder including tack coat, the binder being hot cut back bitumen or bitumen emulsion in specified quantities.	930 Sq.m
11.	2.5 cm premix carpet surfacing using 3 m <sup>3</sup> of stone aggregate 10 mm nominal size per 100 m <sup>2</sup> and binder including tack coat, the binder being hot cut back bitumen or bitumen emulsion in specified quantities.	930 Sq.m
12.	4 cm thick bitumen concrete surfacing using stone aggregate 3.8 Cu.m. (60% 20mm nominal size and 40% 12.5 mm nominal size) per 100m <sup>2</sup> and coarse sand 1.9 Cu.m. per 100m <sup>2</sup> and hot cut back bitumen over a tack coat of hot cut back bitumen.	460 Sq.m.
13.	5 cm thick bitumen concrete surfacing using stone aggregate 4.8 Cu.m. (60% 25 mm nominal size and 40% 20 mm nominal size) per 100m <sup>2</sup> and coarse sand 2.4 Cu.m. per 100m <sup>2</sup> and hot cut back bitumen over a tack coat of hot cut back bitumen.	370 Sq.m.
14.	6 cm thick bitumen concrete surfacing using stone aggregate 5.8 Cu.m. (60% 40 mm nominal size and 40% 25 mm nominal size) per 100m <sup>2</sup> and coarse sand 2.9 Cu.m. per 100m <sup>2</sup> and hot cut back bitumen over a tack coat of hot cut back bitumen.	280 Sq.m.
15.	7.5 cm thick bitumen concrete surfacing using stone aggregate 7.3 Cu.m. (60% 50 mm nominal size and 40% 40 mm nominal size) per 100m <sup>2</sup> and coarse sand 3.65 Cu.m. per 100m <sup>2</sup> and hot cut back bitumen over a tack coat of hot cut back bitumen.	230 Sq.m.
16.	2.5 cm bitumastic sheet using stone aggregate 1.65 Cu.m. (60% 12.5 mm nominal size 40% 10 mm nominal size) per 100 Sq.m. and coarse sand 1.65 Cu.m. per 100 Sq.m. and hot cut back bitumen over a tack coat of hot cut back bitumen.	750 Sq.m.
17.	4 cm bitumastic sheet, using stone aggregate 2.6 Cu.m. (60% 12.5 mm nominal size, 40% 10 mm nominal size) per 100 Sq.m. and coarse sand 2.5 Cu.m. per 100 Sq.m. and hot cut back bitumen over a tack coat of hot cut back bitumen.	560 Sq.m.
18.	Laying full grouted surface using stone aggregate 40 mm nominal size 6.10 Cu.m. per 100 Sq.m. with binder, binding with 20 mm to 12.5 mm nominal size stone grit 1.83 Cu.m. per 100 Sq.m. and seal coat of binder and stone grit 10 mm nominal size, 1.07 Cu.m. per 100 Sq.m., the binder being hot bitumen or tar as specified.	460 Sq.m.
19.	Laying full grouted surface using stone aggregate 50 mm nominal size 9.14 Cu.m. per 100 Sq.m. with binder, binding with stone grit 20 mm to 12.5 mm nominal size 1.83 Cu.m. per 100 Sq.m. and seal coat of binder and stone grit 10 mm nominal size, 1.07 Cu.m. per 100 Sq.m., the binder being hot bitumen or tar,	370 Sq.m.
20.	4cm. thick premix macadam surfacing using stone aggregate 25 mm nominal size 4.57 Cu.m. per 100 Sq.m. and hot bitumin binding with stone aggregate 12.5 mm nominal size 1.52 Cu.m. per 100 Sq.m. and seal coat of hot bitumen and stone aggregate 10 mm nominal size 1.07 Cu.m. per 100 Sq.m.	560 Sq.m.
21.	5cm. thick premix macadam surfacing using stone aggregate 25 mm nominal size 6.10 Cu.m. per 100 Sq.m. and hot bitumin binding with stone aggregate 12.5 mm nominal size 1.52 Cu.m. per 100 Sq.m. and seal coat of hot bitumen and stone aggregate 10 mm nominal size 1.07 Cu.m. per 100 Sq.m.	460 Sq.m.

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### 1. GENERAL:

1. Special conditions of Contract shall be read in conjunction with General Conditions of Contract, Technical Specifications, Drawings and any other documents forming part of this contract wherever the context so requires to deliver the ultimate purpose of this contract of successful execution of this work i.e. **Operation and Maintenance of Aeronautical Ground Lighting System with ILCMS (CAT-I/II/III) at NSCBI Airport, Kolkata, licensed for 4E, All Weather (CAT-III) as a regulatory requirement by DGCA under rule-78, Aircraft Rules-1937 to ensure system integrity, reliability and serviceability for safe aircraft operation complying DGCA CAR Section 4 Series B Part 1 (Aerodrome Design and Operations), Safety, Security Rules, ICAO Annexures and Documents, Manuals, approved SOP ( Standard Operating Procedures) and OEMs( Original Equipment Manufacturer) recommendations.** Kolkata is a major airport with high density operation; the present capacity of 39 operations / hour for primary runway and handles around 400 operations in a day. Even a partial closure of an AGL sub system in Kolkata can impact not only national air movement but also internationally. A highest standard of maintenance shall be followed to comply *ICAO Annex-14, clause 10.1.1 : "...maintenance programme, ....., shall be established at an aerodrome to maintain facilities in a condition which does not impair the safety, regularity or efficiency of air navigation."*
  - i) Notwithstanding the sub-division, if any, of the documents into the separate sections and volume, every part of each shall be deemed to be supplementary to and complementary of every other part and shall be read with and into the CONTRACT so far as it may be practicable to do so.
  - ii) NSCBI Airport is provided with two parallel runways designated as 19L- 01R as Main Runway and 19R-01L as Secondary Runway. The Main Runway is 3633 mtrs long and 45 mtrs wide with 19L threshold displaced by 426 mtrs. The Secondary runway is 3271 mtrs long and 45 mtrs wide with 19R Threshold displaced by 88mtrs and 01L Threshold displaced by 438 mtrs. For further details, e-AIP is available in public domain.
  - iii) The main runway 19L-01R is equipped with CAT III lighting system on 01 R approach and on 19 L approach to provide visual aids to the aircraft during low visibility conditions. The secondary runway is provided with CAT-I lighting system on 19R side and Simple approach lights on 01L side.

- iv) The work is '**Safety Critical**' that is directly related aircraft operation at NSCBI Airport. To comply the controlling and monitoring requirement as per DGCA CAR / ICAO-Annexure-14, chapter 8.3, the AGL system is provided with **ALCMS of Type-D, L-890, FAA AC-150/5345-56B i.e ALCMS with single lamp monitoring facility or ILCMS (Individual Lighting Control and Monitoring System)) with power line data communication to each light fitting**. It migrates a general airfield series electrical circuits to an automated, high performance technology of '*computer on runway / taxiway / bay*' and makes the AGL system of Kolkata an integrated, software driven technical complex system. Hence all the components of the AGL System e.g HMIs, Servers, switches, CCRs, data communication cum primary power network, joints, isolating transformers, ASDs, secondary cables and fittings etc. are parts of a single integrated AGL system which is controlled and monitored by the ILCMS with power line communication where each light fitting works as an addressable node. CAT-III AGL system is analogous to ASMGCS and is part of air navigation as designated in ICAO.
- v) The system architecture of the airport lighting control and monitoring system is based on a modern, distributed, and fully scalable computer system. The computers are connected over a 100Mbit/s Ethernet (TCP/IP) connection. Both the individual computers as well as the network can be duplicated in order to increase operational security. Fiber optic cables are for communication among the equipment in different buildings and primary and secondary series AFL power circuits- shielded, low inductance with earthed joints and earthed isolating transformers- are for data communications to fittings.
- vi) For continuous checking of system health CCR has an additional M mode for keeping the circuits charged even when circuits are not used or in Off mode.
- vii) This AGL system is a distributed computer network of hundreds of KM Air Field Lighting cables and each element is compatible to the ILCMS. The existing ILCMS, software, Hardware, AGL Design, ASDs, CCRs and different diagnostic software tools like EMPGraph, LCM Server, SKMonitor and ASD tools etc. are the proprietary of its OEM, Honeywell Automation India Ltd. and protected by IP rights.
- viii) The integrated AGL system shall have to be operated and maintained by engaging OEM and duly certified, trained, retrained competency mapped manpower by the OEM of the ILCMS with due authority of software access etc. in compliance to complex ILCMS technology requirement and the regulatory requirement of the S-SMS, DGCA CAR Section 9 – Air Space and Air Traffic Management, Series 'D'

Part I, Issue II, 8th January 2010 and ICAO ( ICAO Doc no.9137, Part-9, clause: 2.1.1, 2.2, 2.5.1 and ICAO Doc-9137 part-8, Doc-9157 part-4 and 5 etc.) Annexure-14, para 10.1.2, ICAO DOC-9683 ( Human factor training Manual), ICAO doc 9981 PANS-Aerodromes trg, part -II , Chapter-1, AD-1/ 2011) to maintain the performance of the AGL System of response time 2 sec for STB and 5 sec for other circuits (clause 8.3.3 of ICAO Annex-14), ILCMS technology & circuit design parameters like shield continuity, shield resistance, scattered inductance of total circuit & part circuit, number of element, spacing between ASD and transformers, IR values, joint resistance and failsafe requirement and type of FO etc. for proper data communication through the power line to achieve minimum Serviceability standard as per para 10.5 of DGCA CAR sec-4, series-B, Part-1 of 2025 with reliability. A high quality Maintenance programme shall be established as per the DGCA CAR, ICAO, approved SOPs, Manuals and OEM recommendations and get it approved by AAI to comply DGCA CAR / ICAO Requirement. in letter and spirit. Yearly training programme and retraining programme by the OEMs for the engaged manpower shall be submitted to AAI at the beginning of the contract. Training and retraining to ATCOs / AAI Engineers with simulator, classroom / online with any change in LVP SOP, update in ILCMS, operation functionality, change in routing etc. shall also to be done by the OEM of ILCMS.

ix) **Aircraft Rules & Other Regulations**

- a. The work and the site are in aircraft operational area and hence are regulated by Aircraft rules 1937. Implementation agency is DGCA. Any Violation to these rules and regulations by the contractor and its individual manpower shall be treated under the appropriate law by the competent authority(s).
- b. The Work and site are also regulated by different ADACs, SOPs and Instructions and orders by the Department of Operation / Apron control / Ground Control / Directorate ATM. ADP (apron driving permit), PERCOW (permission to commencement of the work), NOTAM (Notice to Airman), Hot work permit etc. and liaison with different departments / organizations like CSO, BCAS, CASO, TSO, Operation and ATM etc. are required to be arranged by the agency to carry out the work.
- c. The documents and works are also subjected to audit by DGCA time to time like Fog preparedness, Annual Surveillance, S-SMS compliance, pre-monsoon and post monsoon and BA test compliance etc.

- x) **Site Access / AEP Guidelines:**
- a) The access to the site is regulated by Aircraft (security) rules 2023 with regulatory authority as BCAS
  - b) Detailed AEP guidelines are as per MOCA / BCAS AEP Guidelines-2022.
  - c) It is imperative on part of the contractor to submit the required documents to BCAS in e-sahaj & e-bcas portal and obtain necessary clearance and approval of the Security Programme before physically starting of the work at site.
  - d) All the workmen / employees of the contractor shall get their back ground checked from Police Authority and undergo one-day Security awareness class in the e-bcas portal for getting the AEPs.
  - e) Local Security coordinator (CSO / ASCO) shall undergo AVSEC Induction 5 days course within the stipulated time frame.
- xi) The work shall be generally carried out as per the following Standard and requirement. All the standards, requirements, SOPs and Manuals etc. shall mean any latest amendments during the currency of the contract. Any Kolkata airport specific documents like Aerodrome Manuals and SOPs etc. are available in the office of the AGM(EE), AGL Division, Department of Electrical Engineering and can be seen by the bidders on working days between 1600 to 1800 IST.
- a. Nomenclature of the items as given in the schedule of quantities (SOQ).
  - b. Technical specifications, Special conditions of contract, General conditions of contract
  - c. DGCA CAR Series-B, part-I, Issue-II and DGCA CAR Series-C, part-I, Issue-III and DGCA CAR-9 etc. as applicable.
  - d. ICAO: Annexure-14, Doc no-9157 P-4, 5 & 6, Doc-9137 part-8 & 9, DOC-9365 ( All Weather operation), DOC-9683 ( Human Factor, Training) etc.
  - e. OEMs: Honeywell, TKH, Efla etc.
  - f. FAA.
  - g. ADACs: 3 of 2009, 1 of 2011, 1 of 2012, 2 of 2019, 2 of 2022 etc. and all other relevant ADACs issued / to be issued time to time.
  - h. Manuals: Aerodrome, S-SMS etc.
  - i. SOPs: LVP, Maintenance, ALCMS failure, Tower Operation ( Old and New), Fog Preparedness, Cyclone, Pre and post monsoon, IR value, Daily Inspection VVIP movement.
  - j. IEC/ Indian Standard Specifications / Code of

Practice

- k. CPWD specifications with up to date amendment
- l. International Specifications / Code of Practice.

xii) The contractor may have to vacate its day's work any time as per Operation and Security guidelines. Working hour is 24 hours a day and 7 days a week. Any claim of loss viz. man hour, hiring tools and plants etc. in this regard shall not be entertained by AAI. The agency shall include such cost in their quoted price.

## 2. SCOPE OF WORK

The scope of the work is broadly as follows:

- i) Operation and Maintenance of CAT-I/II/III Integrated AGL System with ILCMS from CWP (HMI at ATC Tower) upto including the fittings of NSCBI Airport, Kolkata (**Inventory: Annexure-R**) maintaining the serviceability standard minimum as per DGCA CAR / ICAO by deploying men, materials ( all materials for comprehensive elements and only sundry materials for non- comprehensive elements), tools & plants, software prognostic tools and logistics for transporting men, materials, tools, photometric testing and inspection etc. as detailed herein. Maintenance Schedule will be made following the attached Schedule (**Maintenance Schedule as per the Aerodrome Manual attached: Annexure-Q**), ICAO, SOPs, DGCA observations and OEM standards and get it vetted by the OEM and AAI at the beginning of the work.
- ii) If the bidder is not OEM/OEM authorized agency of the ILCMS at NSCBI Airport, Kolkata, the bidder shall engage OEM or its authorized agency for providing necessary support for AICMC of the ALCMS / ILCMS system for providing hardware, spare parts, software supports, firmware, software tools for diagnostic, prognostic and break down maintenance, preventive maintenance, testing, performance certification, training / retraining & competency mapping of the Operation & maintenance personnel engaged by the bidder and AAI officials e.g ATCOs as per the regulatory requirement to ensure safe & reliable CAT-I/II/III operation with integrity at NSCBI Airport, Kolkata licensed for ALL Weather, IFR, 4E operation. The non-OEM successful bidder shall submit OEM escalation matrix and a copy of the agreement with the OEM.
- iii) AICMC and operation of ILCMS System including the Simulator i.e. CWPs, MWPs, Servers, racks, switches, LIU, KVM, OFC Network, positive feedback network, CAT-6 Ethernet network and Simulator

etc. including its software upto CCRs including supply and replacement of faulty components and network cables.

- iv) AICMC and Operation of CCRs, ASDs including softwares and firmwares including supply and replacement of faulty components. And replacement of irreparable / faulty ASDs with the latest version ASDs.
- v) Operation and Maintenance of Primary and Secondary Air Field Power cum data signal communication network with isolating transformers (IT) as power cum signal couplers, joints, earthing and its network and ASD cum IT boxes / pits etc. upto including light fittings without spares. Spares and components required, if any, will be provided by AAI.
- vi) Operation and Maintenance of Aeronautical Ground Light fittings / fixtures without spares. Spares and consumable like lamps / LED modules & Drivers etc. required, if any, will be provided by AAI.
- vii) The Inventory mentioned is indicative and not exhaustive. During currency of the contract if any system is integrated/added/ modified the same will come automatically under the scope of the operation and day to day maintenance from the date of operationalization upto 15% of the inventory. AAI shall provide the spares required for the newly integrated/added/ modified part(s) except the sundry materials. The newly integrated/added/ modified system can be under DLP and hence the contractor shall maintain a separate record for any defects inherent in elements or workmanship and submit report to AAI. As maintaining the serviceability and integrity of the whole AGL system is both safety and time critical, the contractor will directly communicate to the agency(s) under whom the newly integrated/added/ modified system is in DLP ( DLP Agency) and get it done under the contractor's supervision and co-ordination. If the response time of the DLP agency cannot be afforded for operational reason the contractor itself will do it under the intimation to AAI.
- viii) Any spare and sundry materials shall as per the approval / guidelines of the OEMs and the relevant standards like FAA, ICAO etc.
- ix) Preparation of Maintenance plan as per Manuals, SOP, OEMs and ICAO Doc and get it approved by AAI before starting of the work. It shall take into account that weekly NOTAM of primary runway will be available to the tune of 20 hours a week, all related maintenance and

testing shall be completed before LVP season. Manpower Deployment shall be changed accordingly to the NOTAM availability.

- x) Software update, firm ware update, software storage / backups.
- xi) ASDs mapping, ASD mode changing and FO reset for signal interface LED fittings by ALCMS / ILCMS.
- xii) Circuit and CCR configurations by software.
- xiii) System response time testing, simulation, resetting of different circuits like STB within 2 seconds etc.
- xiv) Software debugging, maintain cyber security policy as available to the existing system.
- xv) Software Error log checking, repairing etc. server switching.
- xvi) ILCMS event log checking and report generation as when demanded.
- xvii) Using software tools / application and fault finding, repairing and predictive maintenance etc.
- xviii) CCR output testing, calibration and certifications etc.
- xix) Bringing passive CCRs, ASD etc to online by configuration in software, testing and IP mapping etc.
- xx) IR value and Earth value maintaining as per ICAO including cabling and dressing at and inside IT boxes for the purpose of IR improvement.
- xxi) PAPI maintenance and calibrations as per SOP.
- xxii) FOD controls like all the tools to be serially numbered with the contractor's logo / name, carrying of bins / bags.
- xxiii) Complying Safety (S-SMS, DGCA CAR-1) and all AGL related SOPs, Manual and instructions, circulars.
- xxiv) Photometry testing of the inset fittings and elevated runway edge lights by the equipment provided by AAI.
- xxv) Maintaining 4Cs in the AGL system.
- xxvi) Tightening of fittings, angle settings, toe in angle checking, lense cleaning, numbering, IT box covering etc.
- xxvii) Day to day maintenance and operation but without spares of all the very specialized equipment provided by AAI for AGL maintenance purpose like Photometric instrument, clinometer, inclinometer, Dark room lab, Lumiclean, and binoculars etc.
- xxviii) Diagnostic, trouble shooting, Predicative / proactive maintenance by using software tools like EMP graphs, SAF Manager, LCM Server, LCM Servo and SK monitor etc. in dedicated laptop ( main and stand by) with hardware connections and take corrective measures like maintaining proper communication signal strength and other ILCMS parameters as per the OEM in the field power cum

- communication network for proper control and monitoring as required by DGCA CAR etc.
- xxix) Providing day and night closure as per DGCA CAR / ICAO for the NOTAM area / Runway / taxiways providing cloths, cones, flags etc.
  - xxx) Voluntary Safety Reporting.
  - xxxii) Data Management, Record Keeping and Report Generation (Monthly Technical Report, Fault Data bank, Incident Reporting, compliance report to DGCA/ Pilots/ Operations Department observations, preventive maintenance records, break Down maintenance records, Aviation Safety Department observations and compliance record, RST observations and compliance, ASC observations and compliance, SSC observations and compliance, NOTAM records, Drawings, Training and Retraining Records, Records related to Labour rules compliance, Records related to safety compliance, Records related to security compliance, Fog preparedness, Pre and post monsoon maintenance, pre and post cyclone maintenance etc.
  - xxxiii) AGL store Management,
  - xxxiv) Tools box talk, LOTO, co-ordination Meeting with other agencies working in the same site.
  - xxxv) Refresher training to ATCOs for ALCMS / ILCMS operation as and when required.
  - xxxvi) Assisting TSO, TCO for operation of ALCMS / ILCMS under their instructions.
  - xxxvii) Preparing of internal SOPs and submission to AAI.
  - xxxviii) Training and retraining of the manpower by the OEM and competency mapping of the engaged manpower and their certification by the OEM of ALCM / ILCMS as per ADAC-1 of 2011, S-SMS and LVP SOP etc. Awareness training on sensitive, critical area, Runway incursions, excursions and FOD generations, BA testing, change in operation pattern, taxi routing etc.
  - xxxix) Providing of sundry materials and consumables.
  - xl) Providing of Uniforms and PPEs.
  - xli) Providing of general and special Tools and tackles.
  - xlii) Providing logistics for transportation of men, materials, tools, photometry testing and inspection etc.
  - xliii) The contractor shall be single point responsible for operating and maintaining the integrated AGL part of the AGL system under the scope of this work for operation and maintenance and accountable for any violation of DGCA CAR / ICAO / Indian Aircraft Rules / BCAS Regulations etc. and the consequence thereon.

### **3. Exclusion from the scope:**

- i) Operation and Maintenance of other non-integrated AGL system viz Apron Flood lights, Road Holding Lights, Unserviceability area Lights and obstruction lights, AVDGS, SVDGS, Beacon lights, bay identifications signages, Mandatory and information signages and Wind cone etc.
- ii) Photometric testing of the signages and elevated fittings in approach lighting system.
- iii) Spares and consumables like Isolating Transformers, primary and secondary connectors, cables both primary and secondary, earth cables, fittings, lamps, LED modules, driver modules, frangible coupling and lenses, HDPE or metal pipes. IT boxes, MS covers etc.
- iv) New work, Core cutting, kerf cutting, Shallow box dismantling, shallow box installations, trenching in PCC / PQC/ Bitumen pavement.
- v) Trenching in soil except at IT boxes.
- vi) Upgradation of the ILCMS or its components, replacement of CCRs, ALCMS / ILCMS and software modification, new software programming, new graphics modifications/ new graphics. New circuits integrations.
- vii) Concreting, ploysulphide work, dobefil work, civil work except minor civil work at IT boxes.
- viii) Cable or pipe laying except at IT boxes, secondary cabling in pipe
- ix) Painting other than top plate and numbering

#### **4. Other scope of Work:**

- i. Liasoning with other stakeholders of airport like Dept. of Operation, APSU / ASG, BCAS, DGCA, CNS, Civil Department etc.
- ii. Taking measure to mitigate possible hazards to aircraft operation related to the work as per the direction of the safety manager /Department of Operation.
- iii. Arranging PERCOW, NOTAM, AEP etc. as required from time to time as per the instruction of E-I-C or his authorized representative(s).
- v. Training and Retraining and competency mapping of the deployed manpower as per DGCA CAR / ICAO.
- vi. Attend AVSEC training, Apron Safety Training etc.
- vii. Conducting Daily Tools Box talk before starting of work and maintaining records.
- viii. Simulations and act as instructed by AAI for successful DGCA Inspections.
- ix. The Contractor shall also conduct awareness training to its staff for Fog Manual, S-SMS Manual, LVP SOP, any update in operation

and functionality of the system etc. The performance of the contractor shall also be evaluated from safety point of view as per DGCA CAR-1.

## **5. MANPOWER**

- i. **The manpower as shown below against BOQ items are the minimum deployment requirement for day to day operation, day to day preventive and day to day break down maintenance. Any additional very specific specialized manpower, like Safety officer, Security Officer (ASCO), OEM trained and certified manpower etc. as per complexity and competency level requirement like software programmer, CMS team Member, Network expert, Product team member, as required, for any work under the scope viz CMC, AMC of this contract shall be arranged as and when required basis and approved Maintenance plan by the contractor at his own cost.** Other BOQ items i.e BOQ items against which number of manpower are mentioned shall be arranged by the contractor as per the work plan and competency level requirement.
- ii. Manpower deployed should possess requisite qualifications and or valid permits and or license and or competency certificates and or access authorization to work in the required system by the OEM and or experience in airports operational area project work and or maintenance work of the relevant field as applicable and detailed in the subsequent sections.
- iii. Hiring of manpower by the main contractor from its vendor(s) is acceptable. The responsibility of the manpower for compliance to Labour rules and other regulatory and contractual requirements shall lie with the main contractor.
- iv. The workmen shall be properly trained regarding Dos and Don'ts / Ramp safety in operational area before engaging them to work. It's the responsibility of the contractor to sensitize his workmen about safety and security norms while working in operational airport and the penalty provisions there on. All the records in this regard shall be maintained by contractor and shall produce on demand by EIC or any statutory body like DGCA, BCAS, AAI Operations Department etc.
- v. The deployed manpower is subjected to BA test by the Department of Operation and shall be actioned as per the regulations.
- vi. For any safety and security violation, the individual shall be subjected to the rules and regulation and the responsibility will also be fixed to the contractor and the performance of the contractor shall be evaluated based on safety performance as per DGCA CAR-1.

- vii. The manpower shall undergo the Apron Safety Training conducted by Department of Operations.
- viii. Fully competent workmen duly certified shall perform the work herein specified in a thorough professional manner. AAI reserves right to disallow / remove any person having no proper experience, qualifications and or whose work creates risk /hazard to operation or attracts DGCA and or BCAS observations.
- ix. The manpower working in the existing contract(s) of AGL maintenance or has undergone training by AAI as apprentice or with previous experience of working in the operational area of airports in the relevant field i.e CAT-III In line Power line AGL system of Honeywell ALCMS / ILCMS will be given first preference.
- x. Contractor has to submit the details of staff such as, qualification, experience, competency certificate from the OEM and conduct KSA (knowledge, Skill, Attitude) competency test of all manpower and which will be witnessed by AAI. All the documents should be self-attested by each worker and signed and stamped by contractor / agency. The decision of Engineer-in-charge, to accept or reject any candidate on the basis of lack of experience, qualification, lack of skills or attitude required for job, will be final and binding on the Agency.
- xi. Once engaged after the approval from AAI, no manpower can be removed from the site without the consent of the EIC.
- xii. Any workman prosecuted or found guilty in sexual harassment case or any violation of the laws and rules of the land or committed misconduct or found an operational hazard or security threat to airport, shall be removed from AAI site immediately by the contractor.
- xiii. Individual manpower and the contractor as well shall be responsible for his omissions and commissions which may create risk for aircraft operation and contractor shall be accountable for such incidents / accidents and shall be liable for any action as per the law.
- xiv. Each shift shall consist of 8 hours and hence there will be 3 shifts in a day ( 24 hours). A workman will generally carry out duty of 8 hours a day for 6 days a week or more than 8 hours upto maximum 12 hours a day subjected to 48 hours ceiling a week as per the operational requirement and based on the availability of the NOTAM / syncing the duty pattern with the AOCC / Apron Control / to reduce hardship of manpower movement etc.
- xv. Successful tenderer shall maintain attendance register through physical and Biometric Attendance for all the staff deputed for the work.

**The deployment of manpower shall be as follows: -**

**For BOQ Item Nos. 01: -**

Sl. No.	Designation	Location	Deployment pattern	Function	Nos. per shift	Reliever	Total Nos.
1	ILCMS Engineer	CCR Hall / New ATC Tower/ Old ATC Tower/ Apron Control	Round the clock shift duty	Day to day maintenance, 1 <sup>st</sup> step trouble shooting, troubleshooting with the help of remote assistance and operation (general & emergency), Network integrity checking & testing, M-graph tool user, Performance checking, circuit response time checking, selective /collective control assurance, System re-booting, circuit configuration, Report generation, Control releasing / swapping, Simulator operation, helping ATCO for simulator training, helping ATCO for ALCMS	1	0.5	3.5

				operation, M-graph tool user etc.			
2	ILCMS Technician (Skilled)	CCR Hall / New ATC Tower/ Old ATC Tower/ Apron control	Round the clock shift duty	Continuous MWP ( Maintenance Working position) Watch and logging, Assisting ILCMS engineer in the above works	1	0.5	3.5

Sl. No.	Designation	Location	Deployment pattern	Function	Nos. per shift	Reliever	Total Nos.
3	Senior Engineer (CAT-I/II/III AGL)	All area i.r.o AGL Operation & Maint.	General Shift	Accountable engineer for serviceability as per DGCA CAR / ICAO for AGL operation & maintenance, overall-in-charge, 1 <sup>st</sup> point contact of the contractor, general administrator for the engaged manpower, document control, compliance officer for DGCA observation, pilot complaint, making internal SOPs, imparting	1	0	1

				<p>training, maintenance planner, scheduler, data bank maintainer, 1<sup>st</sup> point technical advisor to the deployed manpower, coordinator with other agencies, AOCC, photometry testing, dark room testing, M-graph tool user, ILCMS simulator trainer, Skill in RT communication etc.</p>			
4	<p>PLC Maintenance Engineer (CAT I/II/III)</p>	<p>All area i.r.o AGL Operation &amp; Maint.</p>	<p>Round the clock shift duty</p>	<p>Team leader for ensuring operation &amp; maintenance as per DGCA, tool box talk, LOTO, coordination, NOTAM handling and work completion within NOTAM and for emergency handover, trouble shooting by using software tools, FOD control and safety measures, day</p>	2	1	7

				<p>and night markers, site HOTO, report generation, fault/data bank updation, technical head to his team, SOP implementer, pre-monsoon, post-monsoon, Fog, LVP maintenance, DGCA inspection, METAR watch, ensuring field side ILCMS integrity , desing parameter requirement, selective / collective control from field side, FO Resetting, ASD mapping, photometry testing, training related to changes, PAPI &amp; APH angle calibration, handling of special tools / equipment, Skill in RT communication etc.</p>			
5	Engineer (CCR)	CCR Hall	Round the clock shift duty	CCR operation & maintenance, local & remote assistance trouble	1		3.5

				<p>shooting by software tools, configuration, IP mapping, performance checking, transformer tap setting as per load, maintaining power factor, coordinator to tower, ALCMS room and field team, assisting field team for trouble shooting, IP mapping of CCRs, positive feedback, Using SAP manager, SLCM update, IP configuration, SIO updation, firmware updation, manual CCR operation to ensure uninterrupted operation during ALCMS troubles, Skill in RT communication etc.</p>		0.5	
6	AGL Sr. Technician (CAT-I/II/III) (Skilled)	All area i.r.o AGL Operation & Maint.	Round the clock shift duty	Work of technician as detailed in Sl. No 7 along with specialized skill like Electronics, Geographical survey (total	1		3.5

				station), Core cutting, Kerf Cutting. Skill in RT communication. Capable of leading team as temporary measure during exigencies like vacating runway due to emergency.		0.5	
7	AGL Technician (CAT-I/II/III) (Skilled)	All area i.r.o AGL Operation & Maint.	Round the clock shift duty	Primary joints, secondary joints, IR checking & improvement, earthing checking and repairing, fitting dismantling & installation, assuring field side ILCMS requirement like shield continuity, shield resistance, circuit induction minimization, earth continuity, ASD mapping, ASD interfacing with fitting, pressure testing, FO resetting, follow all SOPs and safety guidelines, compliance of approved &	8	4	28

				breakdown maintenance plan and work as advised by shift AGL engineer			
8	AGL Technician (CAT-I/II/III) (Skilled)	All area i.r.o AGL Operation & Maint.	General Shift	Assisting CCR engineer & AGL shift engineer. Fitting, Welding, Cutting and special tool handler like lumiclean, working as AGL shift technician during NOTAM and as required etc.	3	0	3
9	AGL Inspector cum Operation Coordinator (Highly skilled)	All area i.r.o AGL Operation & Maint.	Any Two Shifts per day	Single point contact for: NOTAM tracker, RVR tracker, disseminating NOTAM & RVR information to all 3 <sup>rd</sup> party agencies working in AGL environment, coordinator for all different agencies (AGL project, maintenance Civil, CNS Ops etc.), inspection of all works in AGL environment to find out probable operational risk and directly reporting to AAI	2	0	2

				concerned project and maintenance engineers, Skill in RT communication etc.			
10	Security Liasoning Assistant (Skilled)	CCR Hall, Operational Office, BCAS Office, Training Centre	General Shift	Coordination with BCAS, CSO for AEPs, Tools permit, material permits, ADP, AVP, managing security trainings, and other misc. works	1	0	1
11	Store-handler (Semi-Skilled)	CCR Hall and operational area	General Shift	Store keeping of materials, tools, special tools, record/book keeping (physical and online), issuing and HOTO of materials, tools, report generation/ updation to AAI, dismantle material handling & record keeping, assisting in survey off etc.	2	0	2
12	AGL Assistant (Unskilled)	All area i.r.o AGL Operation & Maint.	Round the clock shift duty	Assisting AGL technician including grass cutting, painting, nut bolt tightening, lens cleaning, placing and removing day and night	10	5	35

				markers, material handling, soil digging, back filling, cable laying, pipe laying etc.			
13	AGL Assistant (Unskilled)	All area i.r.o AGL Operation & Maint.	Any One Shift per day	Assisting in CCR work, Hall cleaning, AGL Store works. Protecting fitting against painting during NOTAM etc.	2	0	2

Sl. No.	Designation	Location	Deployment pattern	Function	Nos. per shift	Reliever	Total Nos.
14	AGL Asst. cum Driver (Skilled)	All area i.r.o AGL Operation & Maint.	Round the clock shift duty	Ferrying men and material, day and night markers fixing and removal, carrying breakdown materials, spares etc., assisting in AGL O&M works	2	1	7

Sl. No.	Designation	Location	Deployment pattern	Function	Nos. per shift	Reliever	Total Nos.
15	AGL Asst. cum Driver (Skilled)	All area i.r.o AGL Operation & Maint.	Round the clock shift duty	Ferrying men and specialized equipment, sophisticated material,	1		4

				photometric testing, angle setting, QRT vehicle, operational area (RWY, TWY, Apron etc.) day and night and inspection, assisting in AGL O&M works. Specialized in driving skill required for photometric testing.		1	
--	--	--	--	---	--	---	--

## 6. MINIMUM QUALIFICATION OF MANPOWER

- (i) **Senior Engineer (CAT-I/II/III AGL)** –BE / B Tech in Electrical Engineering with 6 years’ experience or Diploma in Electrical Engineering with 8 years’ experience in CAT III AGL with in line power line communication ALCMS / ILCMS in project / maintenance, duly certified and competency mapped by the OEM of the ALCMS / ILCMS, trained by OEM of ALCMS / ILCMS, AVSEC, Ramp safety, Fog preparedness etc., shall have clear functional idea and ILCMS requirement for the total integrated AGL system of Kolkata Airport with clear mental map of the system, shall have thorough knowledge i) about serviceability standard as per DGCA CAR / ICAO, ii) different SOPs like LVP, O&M AGL installations, Photometry, IR, ILCMS failure etc., iii) relevant manuals (Aerodrome manual, S-SMS, Fog preparedness etc.), iv) ICAO Annexure 14, ADM Part-4/5/6, vi) operation philosophy of Kolkata Airport, vii) Circuit design, ILCMS integration and its site requirements, interfacing with fittings etc., and skilled in photometric testing, dark room testing, fault data bank management, man management, EMP graph, imparting training, compliance report submission related to DGCA, AVS, RST, SSC, ASC etc. He / She shall have the attitude of zero tolerance towards safety violation and zero breakdown, preventive & prognostic maintenance and documentation etc. Proficient in computer, Bengali, Hindi & English languages, working knowledge in computer network.

- (ii) **ILCMS Engineer / PLC Maintenance Engineer / Engineer (CCR)**– BE / B Tech in Electrical Engineering with 4 years' experience or Diploma in Electrical Engineering with 6 years' experience in CAT III AGL with power line communication (PLC) ALCMS / ILCMS in project / maintenance as technicians / engineers, duly certified and competency mapped by the OEM of the ALCMS / ILCMS, trained by OEM of ALCMS / ILCMS, AVSEC, Ramp safety, Fog preparedness etc., shall have clear functional idea and ILCMS requirement for the total integrated AGL system of Kolkata Airport with clear mental map of the system layout / AGL circuits, shall have working knowledge i) about serviceability standard as per DGCA CAR / ICAO, ii) different SOPs like LVP, O&M AGL installations, IR, ILCMS failure etc., iii) relevant manuals (Aerodrome manual, S-SMS, Fog preparedness etc.), iv) ICAO Annexure 14, ADM Part-4/5/6, vi) operation philosophy of Kolkata Airport, vii) ILCMS integration and its site requirements, interfacing with fittings, ASD mapping etc., viii) Technical requirements of AGL installations and the parameters of different elements and skilled in photometric testing, dark room testing, tool box talk etc. He / She shall have the attitude of zero tolerance towards safety violation and zero breakdown, preventive & prognostic maintenance and ready to work beyond shift hours for operational safety etc. Preference will be given for engineer with prior ADP possession, photometry testing skill. Shall have thorough knowledge of electrical safety, aviation safety, sensitive / critical area, restricted area, NOTAM area, FOD control, wild life hazards. Working knowledge in computer, proficient in Bengali, Hindi & English languages. Engineers in their relevant field shall possess competency certificate from the OEM.
- (iii) **AGL Inspector cum operation coordinator:**  
BE / B Tech in Electrical Engineering with 2 years' experience or Diploma in Electrical Engineering with 4 years' experience in CAT III AGL with in line power line communication ALCMS / ILCMS in project / maintenance as technicians / engineers, duly certified and competency mapped by the OEM of the ALCMS / ILCMS, trained by OEM of ALCMS / ILCMS, AVSEC, Ramp safety, Fog preparedness etc., shall have clear functional idea and ILCMS requirement for the total integrated AGL system of Kolkata Airport with clear mental map of the system layout / AGL circuits, shall have working knowledge i) about serviceability standard as per DGCA CAR / ICAO, ii) different SOPs like LVP, O&M AGL installations, IR etc., iii) relevant manuals (Aerodrome manual, S-SMS, Fog preparedness etc.), iv) ICAO Annexure 14, ADM Part-4/5/6, vi) operation philosophy of Kolkata

Airport, vii) ILCMS integration and its site requirements, interfacing with fittings etc. He / She shall have the attitude of zero tolerance towards safety violation and zero breakdown and ready to work beyond shift hours for operational safety. Shall have awareness of electrical safety, aviation safety, sensitive / critical area, restricted area, NOTAM area, FOD control, wild life hazards. Working knowledge in computer, Bengali, Hindi & English languages. Shall have the skill of accessing METAR, NOTAM and disseminating to all concerned to establish proper coordination and seamless flow of information. Shall have skill of coordinating with the supervisors of different agencies and different departments of AAI. Shall have clear knowledge of what work of other agencies can create operational hazard and take action to mitigate the same.

- (iv) **AGL Sr. Technician / AGL Technician:** - BE / B Tech in Electrical Engineering with 1 year' experience or Diploma in Electrical Engineering with 2 years' experience or ITI / Wireman License with 4 years' experience or 10<sup>th</sup> pass with 07 years' experience in CAT III AGL with in line power line communication ALCMS / ILCMS in project / maintenance as technicians / work assistant, duly certified and competency mapped by the OEM of the ALCMS / ILCMS, trained by OEM of ALCMS / ILCMS, AVSEC, Ramp safety, Fog preparedness etc., shall have clear functional idea and ILCMS requirement for the total integrated AGL system of Kolkata Airport with clear mental map of the system layout / AGL circuits, shall have working knowledge i) about serviceability standard as per DGCA CAR / ICAO, ii) different SOPs like LVP, O&M AGL installations, IR, ILCMS failure etc., iii) Basic knowledge of Aviation safety, ADM part-5, iv) operation philosophy of Kolkata Airport, v) ILCMS site requirements, interfacing with ASDs, fittings, vi) Technical requirements of AGL installations and the parameters of different elements and He / She shall have the attitude of zero tolerance towards safety violation and zero breakdown, preventive maintenance and ready to work beyond shift hours for operational safety. etc. Shall maintain ownership of the fault till permanent restoration. Inter-shift coordination and HOTO of respective duties. Preference will be given for with prior ADP possession, other specialized skills like handling pneumatic hammer drill, welding machine, carpentry, fault detector, machinery, DG set, fitter, painter, mason etc. Shall have awareness of electrical safety, aviation safety, sensitive / critical area, restricted area, NOTAM area, FOD control, wild life hazards. Working knowledge in Bengali, Hindi & English languages. **AGL Sr. Technician** shall have additional skills in RT communication and capable of leading

tem with safety (min 75% score in KSA test) / Electronics / Geographical surveyor (total station) / core cutting / kerf cutting.

- (v) **Security Liaoning Assistant:** Graduate / Diploma / ITI / Wireman license with 04 years CAT-III AGL experience. Working knowledge in BCAS rules & regulations, AVSEC awareness, skilled in applying, coordinating and obtaining AEP, ADP, VEP, Material Permit, Tool Permit, PERCOW, Hot work permit experienced, aware of up to date security guidelines, circulars, advisory etc. Working knowledge in Bengali, Hindi & English languages.
- (vi) **AGL Store-handler:** Graduate/Diploma/ITI/wireman license in Electrician / Wireman trade with 02 years' experience in AGL works. Skilled in AGL store handling, record keeping physical and online data updation, dismantle store management, HOTO of materials and tools management etc.
- (vii) **AGL Assistant:** ITI /Wireman license/ VIII pass with 01 year AGL work experience with good physique. Skilled in grass cutting, cable pulling, earth excavation, pipe laying, cleaning, painting, nut bolt tightening etc. Shall have awareness of electrical safety, aviation safety, sensitive / critical area, restricted area, NOTAM area, FOD control, wild life hazards. Working knowledge in Bengali and Hindi.
- (viii) **AGL Assistant cum Driver:** Four wheeler driving license holder with minimum 01 year of driving in operational area at Kolkata Airport, ramp safety trained, ADP trained, AVSEC trained etc. Shall have awareness of electrical safety, aviation safety, sensitive / critical area, restricted area, NOTAM area, FOD control, wild life hazards. Has to undergo BA testing. Aware of Dos and Don'ts in operational area and shall have clear mental map about topography of operational area, vehicular lanes, safety marking of Kolkata Airport. Fully aware of runway incursion, runway excursion, day and night marker of vehicle, speed limit, LVP SOP etc. Working knowledge in Bengali and Hindi. Shall have specialized driving skill required for mobile photometric testing for persons engaged in the particular items.

## **7. Round the clock logistics for Transportation of workmen, materials, machines, photometric site testing etc.:**

- i) Providing round the clock logistics in compliance to Air Safety Circular - 4 of 2007 by DGCA with latest amendment for: a) transporting AGL Maintenance workmen, materials like cable drums, tools & tackles e.g. welding machines, jack hammers, spades, pick axes & grass cutters etc. , Closure Marker, Cones, lights

etc. by providing round the clock 02 ( two) nos. pick up vans ( Tata Yodha / Bolero Pick up not more than 3 years old) with necessary body modification for sun & rain hood and side guard, siting bench, materials loading and unloading arrangement for monthly average run of approx 2000 KM for each transport; and b) carrying out photometric testing of inset fittings, day and night inspection & maintenance by team leaders, carrying Lumiclean machine, portable DG set, mobile lighting tower, carrying of electronic spare parts, lamps, special tools, Sensitive instruments (e.g. Laptop, DGPS, sensors, inclinometer, binoculars and total station etc.) by providing round the clock 01 no ( one) AC vehicle ( Bolero not more than 3 years old) with necessary body modification and attachment for Photometric test machine & special tools like Lumiclean etc. for monthly average run of approx 1800 KM; inclusive of ADPs and vehicle entry passes for operational area along with necessary POL, maintenance, insurance, license, PUC, CIF etc. complete as required.

## **8. SITE PRECAUTIONS:**

As the work is directly in aircraft movement area utmost care and precaution and safety measure shall be followed to avoid zero incident.

- i) No FOD shall be created like forgetting tools or leaving loose materials/ objects on the TWY / RWY / apron / Bay. Ramp safety Regulation shall be maintained.
- ii) Work in active movement and maneuvering shall be done only after positive clearance from on duty Apron Control Manager / Tower Controller.
- iii) Take NOTAM / PERCOW / Hot Permit / Watch and ward permission as applicable for work.
- iv) No walking, running, eating and siting in active movement and maneuvering shall be done. ADAC 4 / 2007.
- v) The contractor shall take all precautions to avoid all accidents by exhibiting necessary day & night caution boards, speed limit boards, flags, lights and providing barriers. He/she shall be responsible for all damages and accidents caused due to negligence on his part. No hindrances shall be caused to traffic during execution of work.

## 9. CO-ORDINATION and DAMAGE TO THE EXISTING INFRASTRUCTURE

- i. There are various agencies working in airport operational area. The contractor is responsible for ascertaining all relevant coordination/information with other agencies including AAI for smooth progress and safe execution of work.
- ii. The contractor shall be responsible for any damage, resulting from his negligence either to buildings, structures, airport fixtures, underground cable, hard surface areas, water/telephone lines or other operational installations, Airport roads etc. The contractor shall restore, replace or repair any such damage to the complete satisfaction of the Engineer-InCharge and in default the Engineer-in-charge may cause the same to be made good by any other means and deduct the expenses from any sums due to contractor.

## 10. PRICES:

i) The quoted Price shall be inclusive of cost of materials as applicable and manpower, labour cess, tools & plants, testing, commissioning, packing, freight / transportation & insurance up to the site and insurance as per insurance clause, loading, site logistics, unloading, fees for testing, license, inspection, documents, etc., wherever applicable, Uniforms, extra allowance, Medical insurance premium and **GST (for Gem Portal)** but **excluding PF, ESIC, variation in minimum wages and Bonus, which will be reimbursed on claiming the same by the contractor with documentary evidence as detailed in the subsequent section.**

ii) Quoted rate shall include additional payment to workmen deployed on Independence Day, Republic Day, Gandhi Jayanti as per labour law.

iii) AAI does not give any concessional forms / certificates / permits towards any taxes, duties & other levies road taxes / permits, etc.

iv) Gratuity as per applicable rules to be paid by the contractor to the eligible workmen. **AAI shall not reimburse any amount in this regards.**

v) In case of change in rate of Tax or any provision relating to levy of Tax after the last date of the bid submission, resulting in increase in burden of Tax on the contractor, the contractor shall be

entitled to receive compensation for such increase in quantum of Tax payable by the contractor. Similarly, recovery shall be made from the contractor on account of decrease of rate of Tax or any provision relating to levy of tax.

vi) Tenderers are advised to inspect and examine the site, equipment and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground, the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or effect their tender. A tenderer shall be deemed to have full knowledge of the site, whether he inspects it or not. No extra charges consequent on any misunderstanding or otherwise shall be allowed.

## **11. REIMBURSEMENT**

Reimbursement on actual basis throughout the contract period for the deployed staffs on submission of the documentary evidence shall be made through contractor's bill for the following. No additional amount such as contractor's overhead & profit will be paid on reimbursement amount consisting of following accounts

- a) The difference in minimum wages based on actual payment made to the labor and wages mentioned in this tender.
- b) Employer's PF contribution including EDLI, administrative charges paid to the statutory authorities by the contractor.
- c) Employer's ESI (if applicable) contribution paid by the contractor to the statutory authorities.
- d) Bonus paid ( for workman of not more than Rs.21000/- monthly wages or as per the latest amendment of the rules) by the contractor to the deployed staffs.

## **12. PF, ESIC /MEDICAL INSURANCE, BONUS**

- a) The contractor shall have to register with PF & ESIC (where ever applicable) after award of work if not already registered. The agency is required to obtain the PF no. and ESI for the engaged workmen for the work within one month from starting of contract and submit the same to AAI for information failing which Bill will not be processed for payment action in addition to any other action as per the Labour Rules and Law.

- b) Annual Bonus amount as per latest Govt. rules or 8.33% of annual salary whichever is higher will be paid to the deployed manpower by the contractor. Bonus is applicable for employee having monthly wages not more than Rs. 21000 as per latest govt. rule or as amended from time to time.
- c) If ESIC is not applicable, then the agency shall provide not less than ₹2.0 lakh Mediclaim policy to each person engaged at the site including his/her family i.e. spouse and up to two children (unmarried daughters or sons up to 25 years of age) with zero waiting period within one month from award of work. **The Mediclaim policy expenses shall be borne by the agency, no reimbursement shall be made by AAI for the same. However, premium receipt shall be submitted along with bill.**
- d) AAI has the right to check the PF statement of any/all deployed staff(s) to verify employee's and employer's contributions.

### 13. LABOR RATE CONSIDERED IN THIS TENDER

The prevailing minimum wages vide order no. F.No. 1/6(3)/2025-LS-II dt. 30.03.2026 issued by the Chief Labour Commissioner (Central), Ministry of Labour and Employment, following daily labour wages w.e.f 01.04.2026 have been considered-

<b>Category of manpower</b>	<b>Rate of daily wages (in rupees) w.e.f. 01.04.2026 (For A Area) (wage for weekly off included in this rate)</b>
AGL Inspector cum Operation Coordinator (Highly Skilled)	₹1094/- (additional monthly Rs.2000.00)
AGL Sr. Technician (Skilled)	₹1008/- (additional monthly Rs.2000.00)
ILCMS Technician (Skilled)	₹1008/-
AGL Technician (Skilled)	₹1008/-
Security Liasoning Assistant (Skilled)	₹1008/-
AGL Assistant cum Driver (Skilled)	₹1008/-
Store Handler (Semi-skilled )	₹918/-

AGL Assistant (Unskilled )	₹827/-
----------------------------	--------

<b>Category of manpower</b>	<b>Rate (per day) (wage for weekly off included in this rate) (CPWD DSR E&amp;M 2022 basic rate of labour code no.1017)</b>
Senior Engineer (CAT I/II/III AGL)	₹1500/- (additional monthly Rs.4000.00)
ILCMS Engineer (CAT I/II/III)	₹1500/-
PLC Maintenance Engineer (CAT I/II/III)	₹1500/-
Engineer (CCR)	₹1500/-

#### **14. PAYMENT TERMS**

The running for the work done shall be processed for payment **Bi-Monthly** by AAI upon submission of the bill by the contractor with all necessary documents like:

- valid GST invoice, GST declaration, Test certificates (if any), delivery challans / invoice (if any) etc. as required, bank statement as proof monthly wages payment/ Bonus payment / difference of minimum wages/ to the deployed staffs, Challan and deposit receipt towards PF, ESIC (wherever applicable)/medical insurance contribution up to the previous month of the billing month, wages register etc. as require.

#### **15. Uniform:**

The contractor has to provide following uniform within one month from the start of each year to the deployed manpower:

- Full sleeve shirt - 3 nos. per year
- Trousers – 02 nos. per year
- Safety Shoe – 01 pair per year
- Socks – 03 pairs per year
- Winter jacket – 01 per two years
- High visibility Ramp jacket – 01 no. for every 06 months
- Rain coat – 01 no. for two years

If any item is worn out and unusable, the same shall be provided to the workmen again.

#### 16. Period of Contract:

The contract shall be for a period of **24 (Twenty-Four) months** from the actual date of start with Defect Liability period of **03 (three) months** from the certified date of completion.

#### 17. Penalty:

Penalty amount as mentioned in following clauses shall be deducted from the bill for the failure on the part of the contractor:

Penalty ground	Time Line / Remarks	Penalty
Failure to provide uniform	01 month from date of award of work	₹200/- per person per week
Failure to provide logbook and registers	From the date of start of work	₹500/- per week
Failure to provide Sundry material and consumables	From the date of start of work	₹1500/- per day
Failure to provide general tools	From the date of start of work	₹200/- per week
Failure to provide special tools	From the date of start of work	₹2000/- per day
Failure to provide PPE like high visibility safety ramp jacket, gloves, safety gadgets, work area closure marker, barricading tape etc.	From the date of start of work	₹500/- per day
Safety violation	As it is directly related to aircraft operation, safety violation shall be avoided.	Penalty will be imposed by Dept. of Ops / Safety Manager as per the rules in vogue in addition the safety performance of the contractor will be recorded as per DGCA CAR-I in the completion certificate and any other legal action by any statutory authority for violation of rules.
Noncompliance of serviceability standard as per DGCA CAR, CAT-I/II/III operation for the whole system or part thereof e.g.	i) As it is directly related to aircraft operation, standard shall be maintained	i) Any loss suffered and or penalty imposed on AAI shall be recovered from the contractor's bill including debarment of participation in AAI tender.

<p>i) non availability of control &amp; monitoring by ILCMS,  ii) Redundancy failure of the ILCMS (network, servers, HMIs, Switches)  iii) Communication error in any circuit.  iv) non availability of any sub system for any reason like power failure, lamp fuse, FO malfunction, ASD malfunction, IT or joint failure, shield continuity failure etc. for STB, IHP, NEB Runway edge light, Approach or TCL light etc. impacting operating minima (downgrading category of operation) or closure of any taxiways, stands or runways which increases RoT (Runway Occupancy time) or reduces per hour operation capacity.</p>	<p>round the clock basis.  ii) RETIL failure- immediate  iii) consecutive lamp failure immediate.  iv) PAPI failure – immediate.  v) STB failure – immediate  vi) RGL failure – immediate  vii) NEB failure – immediate.  viii) For other system / sub system / circuit maintenance trigger time is within- 98% availability.</p>	<p>ii) Any other legal action by any statutory authority for violation of rules of the land.  iii) Foreclosure of the contract including black listing and debarment from participation in AAI future tenders.  iv) In addition to above penalty(s) any non availability of a system / sub system / circuit impacting operating minima (downgrading category of operation) or closure of any taxiways, stands or runways which increases RoT (Runway Occupancy time) or reduces per hour operation capacity- Rs. 10,000/- (ten thousand) only per incident per hour or part thereof.</p>
<p>Failure to repair / replace unserviceable spares / equipment viz. ASD / element of CMC item</p>	<p>Within available NOTAM if the failure leads to noncompliance to serviceability standard and within 7 days of failure if serviceability standard is maintained</p>	<p>The cost of repairing / replacement of unserviceable spares / equipment viz. ASD / element plus 20% extra on the cost</p>
<p>Unserviceability of ILCMS / ALCMS</p>	<p>As it is directly related to aircraft operation, utmost care shall be taken to achieve zero break down</p>	<p>Rs. 5 000/- per day from the time of outage.</p>
<p>Unserviceability of CCR</p>		<p>Rs. 2500/- per day from the time of failure if it leads to noncompliance to serviceability standard.</p>

		Rs. 2500/- per day after the 7 <sup>th</sup> day of failure if serviceability standard is maintained .
Unserviceability of fittings	By Watch and Ward, if by watch and ward is not permitted by Apron Control then by next available NOTAM	Rs.500/- per fitting per day after expiry of the NOTAM
Failure to maintain the IR Value of the circuit.	IR value should be maintained as it was handed over and the value of any circuit shall not be less than 50M-ohm at any point of time. Maintenance trigger value is whenever any down trend is observed and falls 10% below the handed over value	For each occurrence Rs.1500/- per circuit per day for value less than 50 M-ohm after the NOTAM was made available.
Absenteeism of a staff without replacement		(₹100 + Daily wage of absent staff) per day
Expiry/uncovered duration of insurance, WC policy		An amount equivalent to twice the applicable insurance premium during the expiry/uncovered period.
Mobile phone with active SIM		₹ 200/- per day per mobile

**NB:**

1. In any case the total penalty at any point of time on account of any or all the categories put together shall exceed 10% of the total contract value, the contract may be terminated including any other action like debarment from participation in AAI tender in future etc. as deemed fit by the competent authority. As this work is regulatory compliance any legal action by any statutory authority shall be dealt as per the rules of the land.

2. Any time calculation shall be done after making the NOTAM or Watch and Ward made available to the contractor by AAI.

## **18. MATERIALS**

- i) The materials / spares required to be supplied by the contractor shall be made available at site with sufficient quantities from date of the start of the work and be kept replenishing as and when required basis based on the previous experience of usage and failure probability / time of use etc. to ensure timely maintenance and documents to be submitted to AAI for information.
- ii) All materials supplied by the contractor shall be new whose performance have tested and tried by time in the use of airport applications or the specific usage as required & shall confirm to applicable Indian standards and/ or International standards and/ or DGCA CAR and/ or ICAO and/ or FAA standards as specified. All the materials shall be compatible to the existing system at NSCBI Airport, Kolkata and wherever required by AAI the compatibility testing shall be done by the contractor from the OEMs / Government Laboratories as applicable without any cost implication to AAI.
- iii) If any spare parts, equipment required for operational exigencies but cannot be provided by AAI, the same shall be arranged by the agency and the agency shall be reimbursed the cost of the same on submission of the valid tax invoice + contractor's overhead and profit of 15%.
- iv) Any material taken out for the purpose of repair / rectification / replacement from the building or work premises shall have necessary permission from the EIC and security personnel / competent authority in the form of a Gate pass.

## **19. Dismantled materials: -**

- i) The dismantled materials shall be duly handed over to Engineer in charge or his authorized representative and necessary endorsement shall be obtained in both material issue register and also the dismantled material register.

## **20. TOOLS AND PLANTS:**

Following General Tools and Special Tools along with valid certification wherever applicable shall be provided by the contractor for successfully carrying out the work without any cost implication to AAI. At the end of

the contract, the contractor can take back the same. The tools indicated below are not exhaustive, in addition to these if any other tools are required, the same shall be provided by the contractor without any cost implication to AAI.

(i) General Tools to each on duty AGL Technician along with tool bag:

- Crimping tool - 1 No.
- Cutting pliers - 1 No.
- Screw Drivers - 02 Nos.
- Wire strippers - 1 No.
- Knife -1 No
- Cutter -1 no
- Allen Key -1 set
- T spanner - 1no
- Spanner - 3 nos
- HT Line Testers - 1 No.
- Test Lamps with holder - 1 No.
- Junior hack saw - 1 no
- L ratchet - 1no

(ii) General Tools for handing over from shift to Shift

- Electric drilling machine - 02 Nos.
- Blower - 02 Nos.
- Box Spanner Set complete with socket accessories, ratchet-02 sets
- Double end spanner set (set of 12) - 02 sets
- Ring spanner set (set of 12) - 02 sets
- Screw Spanners of different sizes - 02 sets
- Hammers of different sizes. - 04 sets
- Screw Driver set of different sizes - 02 sets
- Files ( flat, half round, round etc.) - 1 set
- Crimping tools (different sizes). - 02 sets
- Nose pliers - 02 sets
- Punch / Chisel - 02 Nos.
- Chisel – big - 01 no
- True RMS meter - 04 nos
- LCR Meter -02 nos
- Multi-meter (VAO Meter) - 03 Nos.
- Megger 500 V - 02 Nos.
- Torque wrench - 02 nos
- Megger 2500 V - 02 Nos.

- Earth Tester - 02 Nos.
- Clip-on-meter - 03 Nos.
- Lux Meter - 02 Nos
- Hydrometer - 02 Nos.
- Metal Grass Sword - 4 nos.
- Bush cutter - 4 nos.
- Rechargeable torch light - 4 Nos.
- Rechargeable lantern light - 06 nos.
- Cordless battery powered electric torque wrench- 04 nos.
- Hand water pump - 04 sets
- Hand air pump - 02 nos
- Fixture lifter - 04 nos
- Box lifter ( with on/ off switch) - 02 nos
- Tap drill - 2 nos
- Portable air inflater pump - 1 no
- Screw valves for fittings pressure Testing - 02 nos
- Hand held Metal embossing tools ( dymo) - 02 nos

(iii) Special Tools: -

- Total Station( Auto pointing, reflector less, electronic) - 01 no
- Portable DG 1-phase 10 KVA (with fuel and maintenance) – 1 Set.
- Portable DG 1-phase 2.5 KVA (with fuel and maintenance) – 1 Set
- Demolition / Jack hammer - 01 Set.
- Welding machine - 2 Set.
- Power saw (hand held) - 01 no.
- Mini vacuum cleaner for cleaning inset fittings - 02 sets
- Vacuum Cleaner (Big size) - 01 Nos.
- Handheld underground cable detector- 1 No
- Digital Torque wrench - 02 nos.
- Diesel operated water pump - 02 sets
- Duct Rod - 1no

**21. PPE Kit:**

Following PPE Kit shall be provided by the contractor without any cost implication to AAI.

- To each engaged manpower

- Head held torch light - 01 No.
  - Safety Gloves - 02 pairs.
  - Gumboots - 01 pair.
- To be kept at maintenance vehicle / CCR hall
  - Safety helmet - 10 nos.
  - Earthing stick - 02 nos.
  - Goggles for welding works - 02 sets.
  - First-Aid kit (01 each for two vehicles, 01 at CCR and 01 at airside store) - 04 sets.

## **22. Sundry Materials and Consumables:**

Following sundry materials and consumables shall be provided by the contractor and cost of which shall be included in the quoted rate.

- HT Tape
- PVC tape
- Gaskets
- Paints for number writing etc.
- Colin
- Nuts, bolts, stud-nut, screw etc.
- helicoils
- Lugs
- Different chemicals:
  - Lock tight
  - Cable cleaning agent for jointing
  - Silicon foam
  - Contact cleaner (WD 40)
  - Acrylic lacquer
  - CaCo3 powder for Lumiclean machine
  - m-seal
  - GP-2 compound
  - Netomortar
  - POL for special tools.
- Day and Night Markers– Runway closure marker cloth, PVC Cone, Flags etc.
- Cotton waste, cleaning cloth
- RED / Yellow clothes

- Emery paper
- Petroleum gel
- Kerosene, AP-3 grease, Machine oil, gear oil/ lubricant etc.
- Safety cordoning off tape, men at work boards and barricading materials etc.
- Brush, broom, detergent, etc.
- Aluminum cable tags
- Lump sum sand, cement and aggregate for minor work at IT boxes.

### **23. AAI Equipment:**

Following Equipment will be handed over by AAI to the contractor for daily use and day to day maintenance for carrying this maintenance contract and the same shall be handed over back to AAI at the completion of the contract in good working condition:

- Caliber Inset photometric testing Equipment with all its accessories.
- Beam snap, Dark Room Lab
- Lumiclean

### **24. Log book / Register / Stationery:**

- Preventive maintenance, Daily maintenance
- Fault register, IR register, Earth resistance register, ASD status register
- LOTO logbook, HOTO register, Coordination record
- Pilot / DGCA Compliance record
- Fog, LVP, Pre-monsoon, Post-monsoon reports
- PAPI register, Angle setting register
- Nut tightening register
- A4 sheets, Files, Pen, Pencil, Scale, Sharpner, Eraser, Marker etc.

### **25. LABOUR**

- i) The contractor can engage the manpower either from the direct employees of the contractor or from the labour vendors/ HR companies. If the manpower is hired, the overall responsibility still rests with the contractor. The contractor shall submit a certification of bearing this responsibility to AAI and all other requirement documents e.g. engagement letters, training

reports and competency certificates etc. issued by the contractor as required by AAI, BCAS and DGCA as applicable.

- ii) The contractor can also hire special equipment and transport vehicles. If the special equipment / transport vehicle is hired, the overall responsibility still rests with the contractor. The contractor shall submit a certification of bearing this responsibility to AAI. The contractor shall also submit all other requirement documents e.g. copies of agreement between the contractor and the vendor and any subsequent agreements till the owners of the vehicles etc., if applicable, as required by AAI, BCAS and DGCA as applicable.
- iii) No Labour camps will be allowed in the operational area. One Maintenance Room will be provided for day and night operation and the same shall be vacated once work is completed failing which applicable AAI commercial rate shall be charged to the agency for the delay period of vacation from the CCR Room / AGL Maintenance Room.
- iv) The contractor shall intimate his PF account code no. allotted by regional PF commissioner and ESI (if applicable) registration no. allotted by ESI Corporation before commencement of work for reimbursement of PF and ESI.
- v) All labor wages to be paid through bank account (by NEFT/RTGS/IMPS only) of the deployed workers. Bank statement of workers will be considered only as proof of transaction of wages.
- vi) The contractor shall fully comply with all the provisions of up to date statutory act/rule/instruction/guidelines of Govt. of India regarding labour engagement & payment.

## **26. Misconduct**

- i) The contractor shall be responsible for involvement of staff appointed by him for any items missing from the system originally provided and such proven cases of thefts/pilferage by their employees are to be determined by any court of Law.
- ii) AAI will give necessary directions to security agency to ensure vigil on the working staff. The contractor shall be held responsible for any action/misdeeds, in terms of theft/pilferage or any other misdeed or any other undesirable activities by any of their staff engaged in Airport Complex. AAI shall furnish copy of FIR lodged with police for all such case for taking immediate action to dispense with the services of such individual involved. This will be without prejudice to any other liability on the part of the contractor, arising out of court directions/claims

etc. on account of such misdeeds. Any loss suffered by AAI on account of misconduct by the workers of the firm shall be recovered from contractor's bill

- iii) The contractor shall comply with all applicable laws, Ordinance, rules & Regulations in respect of this contract and shall pay at his own cost all charges in connection therewith.
- iv) ) The Contractor shall be responsible for the recruitment, retainment and retrenchment of the employee of their establishment and for settlement of dispute arising out of the terms and conditions of services of the personnel.
- vii) The staff engaged by the contractor shall have no claim for any temporary or permanent employment in AAI.
- viii) Necessary safety measures shall be taken care of by the contractor for the on duty personnel engaged by him. AAI shall not be held responsible for any such accident arising from compromising safety measures / negligence.
- ix) The job entrusted under this contract is an essential service for providing uninterrupted safe aircraft operations. The contractor has to ensure that the services are not disturbed either due to absenteeism or due to willful act of his staff. Maximum care and precautions shall be taken to avoid any system break down. In case workforce deployed by the contractor resort to any kind of industrial action the contractor shall arrange to deploy alternate work force of sufficient strength and competence to run the installations.
- x) AAI reserves the right to immediately step in and carryout a part or whole of the work entrusted under this contract in case of any default or unsatisfactory performance by the contractor without resorting to the formalities of issuing notices, etc. for rescinding the contract and the contractor would have no claim for compensation in such cases.

## **27. Communication Methodology**

- i) The agency shall submit its escalation matrix with name, designation, mobile and email ids to the highest authority at the starting of the contract.

- ii) The Agency shall authorize the Senior Engineer to take day to day instructions from AAI and carry out the work, liason with other agencies etc.
- iii) The agency shall provide minimum 03 nos. smart mobile phone (01 for ATC Tower, 01 for CCR hall and 01 for field) with active SIMs, valid data/internet connectivity and voice pack to the site in charge / authorized representative for official use during the contract period, nothing extra will be paid on this account. It shall have made a Maintenance group using suitable app for real time communications and updating current status of any complaint etc.
- iv) From AAI side: ASE ( AGL Shift Engineer) of AAI is the first point of contact, if not resolved then the authorized representative of the Engineer-in-Charge (EIC), if not resolved then the EIC may be contacted by the agency.

## **28. HANDING OVER / CERTIFIED DATE OF COMPLETION**

The system shall be taken over for operation and maintenance 'As is Where is' basis. On the day of taking over the agency and AAI will jointly inspect the installations and make a defects list existing on date under the joint signatures by both AAI and agency. AAI shall take necessary steps for rectification of the listed defects.

In same way during handing over the installation back to AAI, the installation will be inspected jointly and defect list, if any, shall be prepared under joint signature of AAI and the contractor. The Contractor shall take all the steps to repair the defects within time as specified by AAI failing which AAI shall get it repaired and the cost shall be recovered from the contractor and suitable action as deemed fit as per the agreement will also be initiated.

\*\*\*\*\*

**PREVENTIVE MAINTENANCE SCHEDULES:**

Schedules preventive maintenance of the individual elements of the airport electrical system will be based on AAI maintenance schedule as given below. However, these preventive maintenance activities are minimum and any additional checks required as per manufacturers' recommendations & experience regarding the frequency of malfunctions shall be carried out by the firm without any extra cost. A. Airport Lighting Control Room and CCR Hall:

Description
Daily
1 Check control operation.
Weekly
1. Check general cleanliness, 2. Check for moisture, 3. Check air conditioner controls.
Monthly
1 Inspect safety boards, safety equipment's and fire extinguishers. 2 Check insulation resistance of all field circuits*. 3. Operate power transfer switches.
Half Yearly
1. Check ground resistance. 2. Check control panel or computer control equipment. 3. Check lightning arrestors. 4. Inspect miscellaneous electrical equipment's.

## B. Maintenance schedule for Runway and Taxiway Elevated type fixtures:

Description
<b>Daily</b>
<ol style="list-style-type: none"> <li>1. Visual Checking for dimly burning and burnt out lamps,</li> <li>2. Visual Checking for gross misalignment of fittings.</li> <li>3. Visual Checking for Glass breakage; replace broken parts.</li> </ol>
<b>Weekly</b>
<ol style="list-style-type: none"> <li>1. Check &amp; clean dirty lenses externally with duster.</li> <li>2. Check Clips/Screws holding the lens, correct/replace as required.</li> <li>3. Check for vegetation obscuring lights &amp; remove them.</li> </ol>
<b>Monthly</b>
<ol style="list-style-type: none"> <li>1. Check base plate bolts &amp; tighten them.</li> <li>2. Visually Check for proper alignment and orientation of light fitting by viewing preferably at night (for easy identification)</li> <li>3. Clean fixtures and lenses, check holder as required</li> <li>4. After 1000 hrs of operation, lamp should be replaced</li> </ol>
<b>Half Yearly</b>
<ol style="list-style-type: none"> <li>1. Remove light fitting and check transformer housing box for presence of water drain out water and replace the fitting gasket if found not ok.</li> <li>2. Grease the base plate bolts and re-fix the light fixture, position the lens correctly.</li> <li>3. Check the connection of plug and socket with isolation transformer leads.</li> <li>4. Renew the old tapes.</li> <li>5. Wash the lens and filter with suitable cleaning agent for maximum efficiency.</li> <li>6. Check angle of elevation of approach lights, check structure for integrity of approach lights.</li> <li>7. Check approach for any new obstruction for approach light.</li> <li>8. Check for moisture in lights to be done on half yearly basis and necessary action to be taken.</li> </ol>
<b>Yearly</b>
<ol style="list-style-type: none"> <li>1. Remove the fitting in groups by providing replacement. Dismantle fittings into various components. Replace burnt out component</li> <li>2. Replace gasket provided between base plate and CI box if worn out.</li> <li>3. Paint fitting with aviation Yellow (No. 356 of IS 3 – 1978),</li> <li>4. Re-mark the numbering on the fitting if it faded.</li> <li>5.</li> </ol>

## C. Maintenance Schedule for Runway and Taxiway inset type fixtures

Description
Daily
1. Check for cleanliness and serviceability.
Fortnightly
1. Check tightness of the fasteners of the lights. 2. Check lenses of each light for wear and tear. 3. Check cleanliness of fittings.
Monthly
1. Cleaning of Top parts of the lights. 2. Check for moisture and clean. 3. Check Electrical connections of the lights; 4. Check Alignment of lights.
Quarterly
1. Check cleanliness of the lenses. 2. Check top parts of the lights for wear and tear.
Half Yearly
1. Prisms and filters; cleaning or replacing if any wear and tear found 2. Check condition of Sealing compound; do resealing if required. 3. Checking of wires in saw kerfs. 4. Check light output by photometric measurement.

## D. Maintenance Schedule for PAPI (Precision Approach Path Indicator)

Description
Daily
<ol style="list-style-type: none"> <li>1. Visually Check for serviceability of the system at all the approach by switching on the system.</li> <li>2. Visually examine the units for any damages and displacement of the unit/lenses.</li> </ol>
Fortnightly
<ol style="list-style-type: none"> <li>1. Check the correctness of PAPI angles by clinometer / check stick.</li> <li>2. Clean dirty lenses with duster / cotton gently.</li> <li>3. Check for vegetation obscuring lights &amp; remove them.</li> </ol>
Monthly
<ol style="list-style-type: none"> <li>1. Check the calibration setting of PAPI units using clinometer and spirit level.</li> <li>2. Check operation of controls at every brilliancy step.</li> <li>3. Check for any damage by service vehicles or aircraft.</li> <li>4. Check mechanical parts for any damage.</li> <li>5. Visually Check alignment of light units.</li> </ol>
Half Yearly
<ol style="list-style-type: none"> <li>1. Check proper Earthing.</li> <li>2. Check resistance of grounding system.</li> <li>3. Check insulation value of cable using megger (500V).</li> <li>4. Check the connection of Plug and Socket with Isolating transformer leads. Renew the old tapes.</li> </ol>

## E. Maintenance Schedule for Series Cable, transformer housing Box and Essna/ primary connector.

Description
Monthly
<ol style="list-style-type: none"> <li>1. Cleaning of loop cable ends in transformer housing pit and transformer housing.</li> <li>2. Check any burnt, damages and cut insulation in loop cable end; to be rectified.</li> </ol>
Half Yearly
<ol style="list-style-type: none"> <li>1. Inspection of cable joints and terminations,</li> <li>2. Check with Megger (5KV) all feeder and series cables between fittings individually for their insulation resistance values. Replace if required</li> <li>3. Checking of Earthing system by earth tester.</li> </ol>
Pre monsoon Check
<ol style="list-style-type: none"> <li>1. Check cable duct and manholes for proper drainage of water.</li> <li>2. Test cables with megger and look for any weak points. Replace that defective loops.</li> <li>3. Check the drainage holes of housing boxes.</li> <li>4. Check the tightness of the fixing bolts of fittings.</li> </ol>
Post monsoon Check
<ol style="list-style-type: none"> <li>1. Open out the manholes / housing box of cable runs concrete box of fitting, remove collected water if any.</li> <li>2. A general overhauling of equipment should be carried out every four years in the manner as may be prescribed by the manufacturers.</li> </ol>

## F. Schedule of maintenance check of Illuminated Runway and Taxiway Guidance Signs.

Description
Daily
1. Check for cleanness and serviceability.
Monthly
1. Visually Check Light output of boards. 2. Clean Sign panel. 3. Check for vegetation obscuring lights & remove them.
Half Yearly
1. Check all the wiring & terminations. 2. Check light output at all brilliancy steps.

## G. Schedule of Maintenance check for Earthing System

Description
Monthly
1. Check Cleanliness of Earth pit/ Area. 2. Check the condition of earth pit cover.
Quarterly
1. Check the condition of watering funnel. 2. Check the tightness of earth connections and continuity. Check Earth resistance and record. 3. Check the identification marking of earth pits. 4. Check for the continuity of main Earthing lead from earth pit to Panels/Equipment.

## H. Maintenance Schedule for Illuminated Wind Direction Indicators

Description
Daily
1. Check serviceability of lamps.
Monthly
1. Check for free movement of wind cone frame. 2. Check condition of wind cone fabric. 3. Clean obstruction lights. 4. Remove vegetation and check condition at foundation.
Half Yearly
1. Clean and grease bearings. 2. Check insulation resistance of cable.
Yearly
1. Check mounting bolts. 2. Check condition & motion of hinge. 3. Check grounding resistance. 4. Check paint on wind cone structure.

## I. Maintenance Schedule for Landing 'T'

Description
Daily
1. Check serviceability of lamps. 2. Check cleanliness.
Weekly: 1. Check control unit at CCR hall for cleanliness, & normal functioning. 2. Check for over heating / burning smell / any abnormality in the control unit.

Monthly
<ol style="list-style-type: none"><li>1. Check painting.</li><li>2. Remove vegetation and check condition at foundation.</li></ol>
Half Yearly
<ol style="list-style-type: none"><li>1. Check insulation resistance.</li><li>2. Check tightness of power &amp; control connections in the control unit as well as in the landing 'T'.</li></ol>
Yearly
<ol style="list-style-type: none"><li>1. Check mounting bolts.</li><li>2. Check wirings.</li><li>3. Check earth resistance.</li><li>4. Check paint on structure.</li></ol>

Note:

These activities and periodicity are minimum. Any missing activities can be incorporated and implemented. The periodicity of maintenance depends on the number of hours of Airport operation, life of the equipment and the climatic conditions. Hence, based on these the periodicity should be improved further, if found necessary. On checking the individual parameters deficiency found shall be rectified immediately in a time bound manner.

## INVENTORY - ILCMS

SI No	Items	In-built specification	Location wise qty					Total qty
			ATC Tower	NATC Tower	AOCC	Substation	Simulator	
1	ALCMS Server	300D Type	5	4	1	7	4	21
2	Network Switch	Cisco Catalyst 3560 v2 Series	2	-	2	2	-	6
		Cisco Catalyst 2960 Plus Series	-	-	-	6	1	7
		Cisco catalyst 9200L 48 4X1G	-	-	-	2	-	2
		Cisco catalyst 9300 24	-	2	-	-	-	2
		Cisco catalyst 9200L 24 4X1G	-	-	-	2	-	2
3	HDD	SAS Type (1TB)	10	8	2	14	8	42
4	KVM	G & D	3	-	1	-	-	4
5	KVM	Draco Vario iHSE	-	4	-	-	-	4
6	UPS	Eaton	2	2	1	6	1	12
7	CWP Display	22" screen with Touch (Make : elo)	2	-	1	1	1	5
8	CWP Display	23" screen with Touch (Make : EIZO)	-	2	-	-	-	2
9	CWP Display	31.5" screen (Make : EIZO)	-	2	-	-	-	2
10	MWP Display	32" screen (Make : EIZO)	1	-	-	2	-	3
11	Keyboard	(Make : DELL)	3	2	1	3	2	11
12	Mouse	(Make : DELL)	3	2	1	3	2	11

**INVENTORY - CCR**

<b>SI No</b>	<b>Name of CCR</b>	<b>Rating</b>	<b>Qty'</b>
1	<b>REH-01</b>	30 KVA	1
2	<b>REH-02</b>	30 KVA	1
3	<b>RCL-01</b>	20 KVA	1
4	<b>RCL-02</b>	20 KVA	1
5	<b>RCL-03</b>	20 KVA	1
6	<b>RCL-04</b>	20 KVA	1
7	<b>TDZ-01 (19L)</b>	20 KVA	1
8	<b>TDZ-02 (19L)</b>	20 KVA	1
9	<b>TDZ-03 (01R)</b>	20 KVA	1
10	<b>TDZ-04 (01R)</b>	20 KVA	1
11	<b>THR-01 (19L)</b>	7.5 KVA	1
12	<b>THR-02 (19L)</b>	7.5 KVA	1
13	<b>THR-03 (01R)</b>	7.5 KVA	1
14	<b>THR-04 (01R)</b>	7.5 KVA	1
15	<b>APH-01 (19L)</b>	20 KVA	1
16	<b>APH-02 (19L)</b>	20 KVA	1
17	<b>APH-03 (01R)</b>	20 KVA	1
18	<b>APH-04 (01R)</b>	20 KVA	1
19	<b>APH-08 (19L)</b>	20 KVA	1
20	<b>APH-09 (19L)</b>	20 KVA	1
21	<b>APH-10 (01R)</b>	20 KVA	1
22	<b>APH-11 (01R)</b>	20 KVA	1
23	<b>PAPI-01(19L)</b>	5 KVA	1
24	<b>PAPI-02 (01R)</b>	5 KVA	1
25	<b>RET-01</b>	5 KVA	1
26	<b>RET-03</b>	5 KVA	1
27	<b>RET-02</b>	5 KVA	1
28	<b>RET-04</b>	5 KVA	1
29	<b>TXC-01</b>	30 KVA	1
30	<b>TXC-02</b>	30 KVA	1
31	<b>TXC-03</b>	30 KVA	1
32	<b>TXC-04</b>	30 KVA	1
33	<b>TXC-05</b>	30 KVA	1
34	<b>TXC-06</b>	30 KVA	1
35	<b>TXC-07</b>	20 KVA	1
36	<b>TXC-08</b>	20 KVA	1
37	<b>TXC-09</b>	5 KVA	1
38	<b>TXC-10</b>	5 KVA	1
39	<b>TXS-01</b>	20 KVA	1
40	<b>TXS-02</b>	20 KVA	1
41	<b>TXS-03</b>	20 KVA	1
42	<b>TXS-04</b>	20 KVA	1
43	<b>STOP BAR 01</b>	5 KVA	1
44	<b>STOP BAR 02</b>	5 KVA	1
45	<b>STOP BAR 03</b>	5 KVA	1
46	<b>STOP BAR 04</b>	5 KVA	1
47	<b>APH-05 (19R)</b>	20 KVA	1
48	<b>APH-06 (19R)</b>	20 KVA	1
49	<b>REH-03</b>	30 KVA	1
50	<b>REH-04</b>	30 KVA	1

51	<b>TXC-11</b>	7.5 KVA	1
52	<b>RCL 05</b>	20 KVA	1
53	<b>RCL 06</b>	20 KVA	1
54	<b>TDZ 05</b>	20 KVA	1
55	<b>TDZ 06</b>	20 KVA	1
56	<b>NEB 01</b>	5 KVA	1
57	<b>NEB 02</b>	5 KVA	1
58	<b>NEB 03</b>	30 KVA	1
59	<b>NEB 04</b>	30 KVA	1
60	<b>APH 12 (OIL)</b>	30 KVA	1
61	<b>RGL 19R - 01L HP</b>	10 KVA	1
62	<b>TXC-12</b>	10 KVA	1
63	<b>TXC-13</b>	10 KVA	1
64	<b>TXC-14</b>	15 KVA	1
65	<b>TXC-15</b>	15 KVA	1
66	<b>TXC-16</b>	10 KVA	1
67	<b>TXC-17</b>	10 KVA	1
68	<b>TXC-18</b>	10 KVA	1
69	<b>TXC-19</b>	10 KVA	1
70	<b>TXC-20</b>	10 KVA	1
71	<b>TXC-21</b>	10 KVA	1
72	<b>TXC-22</b>	10 KVA	1
73	<b>TXC-23</b>	10 KVA	1
74	<b>TXC 24</b>	10 KVA	1
75	<b>TXC 25</b>	10 KVA	1
76	<b>TXC 26</b>	10 KVA	1
77	<b>TXC 27</b>	10 KVA	1
78	<b>TXC 28</b>	15 KVA	1
79	<b>TXC 29</b>	10 KVA	1
80	<b>TXC 32</b>	10 KVA	1
81	<b>TXC 33</b>	10 KVA	1
82	<b>TXC 34</b>	30 KVA	1
83	<b>TXC 35</b>	30 KVA	1
84	<b>TXC 36</b>	15 KVA	1
85	<b>TXC 37</b>	15 KVA	1
86	<b>TXC 40</b>	5 KVA	1
87	<b>TXC 41</b>	5 KVA	1
88	<b>TXE-03</b>	10 KVA	1
89	<b>TXE-04</b>	10 KVA	1
90	<b>TXE-05</b>	30 KVA	1
91	<b>TXE-06</b>	30 KVA	1
92	<b>TXE-07</b>	30 KVA	1
93	<b>TXE 9</b>	5 KVA	1
94	<b>TXE 16</b>	5 KVA	1
95	PRIMARY RWY APH STBY-1	30 KVA	1
96	PRIMARY RWY TDZ STBY-2	30 KVA	1
97	PRIMARY RWY REH STB STBY -3	30 KVA	1
98	PRIMARY RWY RCL STBY-4	30 KVA	1
99	PRIMARY RWY PAPI STBY-5	30 KVA	1
100	SECONDARY RWY REH STBY-6	30 KVA	1
101	SECONDARY RWY APH STBY-7	30 KVA	1
102	SECONDARY RWY TDZ STBY-8	30 KVA	1
103	SEC RWY RCL STBY- 9	5 KVA	1

104	TXC STBY- 10	5 KVA	1
105	TXC 30	15 KVA	1
106	TXC 31	10 KVA	1
107	TXC STBY-11	5 KVA	1
108	TXS STBY-12	5 KVA	1
109	TXC STBY-13	10 KVA	1
110	TXE STBY-14	30 KVA	1
111	TXE STBY-15	30 KVA	1
112	STOPBAR STBY-16	30 KVA	1
113	TXE 07 STB	15 KVA	1
		<b>Total</b>	<b>113</b>

**INVENTORY - ASD**

SI No	Circuit Name	Total nos of ASDs
1	1 THR 01	28
2	1 THR 02	28
3	1 THR 03	28
4	1 THR 04	28
5	1 REH 01	140
6	1 REH 02	138
7	1 RCL 01	121
8	1 RCL 02	121
9	1 RCL 03	121
10	1 RCL 04	121
11	1 TDZ 01	90
12	1 TDZ 02	90
13	1 TDZ 03	90
14	1 TDZ 04	90
15	1 TXC 12	72
16	1 TXC 13	67
17	1 TXC 14	90
18	1 TXC 15	91
19	1 TXC 16	39
20	1 TXC 17	42
22	1 TXC 22	53
23	1 TXC 23	59
24	1 TXC 24	26
25	1 TXC 25	25
26	1 APH 01	60
27	1 APH 02	53
28	1 APH 03	62
29	1 APH 04	58
30	1 APH 08	50
31	1 APH 09	44
32	1 APH 10	50
33	1 APH 11	44
34	1 TXC 07	42
35	1 TXC 08	42
36	1 TXC 09	14
37	1 TXC 10	14
38	1 STB 01	11
39	1 STB 02	9

40	1 STB 03	5
41	1 STB 04	5
42	1 TXC 05	50
43	1 TXC 06	50
44	1 RET 01	6
45	1 RET 02	6
46	1 RET 03	6
47	1 RET 04	6
48	1 TXS 01	93
49	1 TXS 02	94
50	1 TXS 03	74
51	1 TXS 04	75
52	1TXC 03	70
53	1TXC 04	73
54	1TXC 01	31
55	1TXC 02	33
56	1 TXC 28	59
57	1 TXC 29	57
58	1TXC 26	46
59	1TXC 27	44
	<b>Total</b>	<b>3234</b>

**AIRPORTS AUTHORITY OF INDIA  
N.S.C.B.I. AIRPORT, KOLKATA - 700 052.**

**SCHEDULE OF WORK**

**Name of work: Operation and Maintenance of Aeronautical Ground Lighting System with ILCMS (CAT-I/II/III) at NSCBI Airport, Kolkata (2026-2028).**

Sl. No.	Description of Item	Quantity	Unit	Rate	Amount	Ref. to "BOQ.xls" in the e-tender portal
1	<p>Carrying out round the clock Operation and Maintenance including Preventive, Predictive and Break Down Maintenance and AICMC ( to the extent mentioned in succeeding paragraphs) of the Power Line Communication ILCMS monitored and controlled, integrated CAT-I/II/III AGL system at NSCBI Airport, Kolkata by providing certified, competency mapped and trained manpower by the OEM, using suitable and required diagnostic software tools including configuration software tools, field controller diagnostic interfaces, Power Line Communication analysers, CCR diagnostic utilities and ASD software tools etc. for the existing ILCMS in accordance with the OEM standards, DGCA CAR / ICAO requirement, approved SOPs / Aerodrome Manual / Station SMS and Regulatory Licensing Requirement of NSCBI Airport, Kolkata licensed for All Weather IFR, 4E operations including providing suitable logistics for transporting men, materials, tools &amp; plants and photometry testing etc. and providing sundry materials etc. complete as required as per the scope of work and specifications detailed in the Special Conditions of the Contract in the Tender Document and as mentioned below on all days including Saturdays, Sundays and Holidays:</p> <p>a) Power Line Communication Network type ILCMS ( ALCMS with single lamp monitoring) along with CWPs, MWPs, Servers, Racks, LIU, Switches, Simulators with its servers and HMIs, OFC &amp; CAT-6 Network ( from HMIs to KVM to Servers to Switches to CCRs), auxiliary power supply network and UPS of ILCMS etc. installed at Old ATC Tower, New ATC Tower, AOCC and CCR Halls etc.: AICMC and operation including supply and replacement of faulty components and network cables.</p> <p>b) CCRs : AICMC and Operation including supply and replacement of faulty components.</p> <p>c) Primary and Secondary Air Field Power cum data signal communication network with isolating transformers (IT) as power cum signal couplers, joints, earthing and its network and ASD cum IT boxes / pits etc. upto including light fittings: Operation and Maintenance without spares. Airfiled power cum data signal Cables, ITs, jointing kits and earthing components required, if any, will be provided by AAI.</p> <p>d) ASDs: AICMC and operation including supply and replacement of faulty ASDs.</p> <p>e) Light fixtures : Operation and Maintenance without spares. Spares and consumable like lamps / LED modules &amp; Drivers etc. required, if any, will be provided by AAI .</p> <p>Note: The successful bidder shall engage the OEMs / OEM-authorized agencies for AICMC of the ALCMS / ILCMS system.</p>					BOM 1
	i) 1st Year	12	Month			
	ii) 2nd Year	12	Month			