

दर अनुबंध बिड दस्तावेज़ / Rate Contract Bid Document

[This Rate Contract Bid is governed by General Terms and Conditions of Rate Contract.](#)

| बिड विवरण / Bid Details | |
|---|---|
| बिड बंद होने की तारीख/समय / Bid End Date/Time | 30-05-2026 13:00:00 |
| बिड खुलने की तारीख/समय / Bid Opening Date/Time | 30-05-2026 13:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date) | 30 (Days) |
| मंत्रालय/राज्य का नाम / Ministry/State Name | Uttarakhand |
| विभाग का नाम / Department Name | Urban Development Directorate Of Uttarakhand |
| संगठन का नाम / Organisation Name | Nagar Palika |
| कार्यालय का नाम / Office Name | Chamoli Gopeshwar |
| वस्तु श्रेणी / Item Category | Bend Pipe , Nut Bolt , Cable 6mm Aluminum Wire , Cable 4mm Aluminum Wire , Cable 10mm Aluminum Wire , Single Core Wire 01 mm , Screwdriver Drill , Tape Roll , Pliers , Flood Light 100 Watt , Flood Light 250 Watt , Flood Light 500 Watt , Flood Light 1000 Watt , Bamboo Ladder 16 Steps , Complete Fitting Street Light 45 Watt LED with Bend Pipe and Wire , Two Core Cable 25 mm , Two Core Bunch Cable , LED Bulb 25W Rechargeable , LED Bulb 15 Watt Rechargeable , LED Bulb 40W Rechargeable , LED Bulb 42 Watt Rechargeable , LED Bulb 30 Watt Rechargeable , RGB Light , High Mast Pole 16m 08 Flood Light 200 watt , Control Panel 05 kV , Control Panel 10 kV , Driver Street Light , SP 10 Pole 8 Meter , Spike Light Flood Light , Insulator , Laser Light and Sound System , Solar Street Light Ferro Ion Battery 20 Watt Semi Integrated with Complete Fitting , Solar Street Light Ferro Ion Battery 20 Watt Fully Integrated with Complete Fitting , Bend Pipe with Clamp and Nut Bolt , Armored Cable 25 SQMM 2 plus 1 , LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II) (Q2) |

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Bend Pipe, Nut Bolt, Cable 6mm Aluminum Wire, Cable 4mm Aluminum Wire, Cable 10mm Aluminum Wire, Single Core Wire 01 mm, Screwdriver Drill, Tape Roll, Pliers, Flood Light 100 Watt, Flood Light 250 Watt, Flood Light 500 Watt, Flood Light 1000 Watt, Bamboo Ladder 16 Steps, Complete Fitting Street Light 45 Watt LED with Bend Pipe and Wire, Two Core Cable 25 mm, Two Core Bunch Cable, LED Bulb 25W Rechargeable, LED Bulb 15 Watt Rechargeable, LED Bulb 40W Rechargeable, LED Bulb 42 Watt Rechargeable, LED Bulb 30 Watt Rechargeable, RGB Light, High Mast Pole 16m 08 Flood Light 200 watt, Control Panel 05 kV, Control Panel 10 kV, Driver Street Light, SP 10 Pole 8 Meter, Spike Light Flood Light, Insulator, Laser Light and Sound System, Solar Street Light Ferro Ion Battery 20 Watt Semi Inte with Fitting, Solar Street Light Ferro Ion Battery 20 Watt Fully Inte with Fitting, Bend Pipe with Clamp and Nut Bolt, Armored Cable 25 SQMM 2 plus 1

Searched String: Bend Pipe

Hand Operated Hydraulic Pipe Bender, Pipe Clamps (V2), Pipe Clips, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Pipe Cutter, Parallel Bar - Outdoor Gym Equipment, Pipe saddles, Steel Pipes for Water and Sewage as per IS 3589, Polyethylene Pipes for Water Supply, Bends for HDPE Pipes

Searched String: Nut Bolt

Span Bolt and Nut, Coach Bolt, Nut and Washer (BHEL), Lock Nuts-IS:6731, Hydraulic Nut Splitter, Allen Bolt, LCR Meter, U Bolt, Tower Bolts (Ferrous Metals) as per IS 204, Galvanised Foundation Bolt including Nuts and Washers (BHEL), Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL

Searched String: Cable 6mm Aluminum Wire

Welding Cable ISI Marked To IS 9857 (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electrician Scissor, Crimping Tools (V3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Drum for Conductor, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Freight Containers - High Security Cable Seal as per IS 17381:2021, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266

Searched String: Cable 4mm Aluminum Wire

Welding Cable ISI Marked To IS 9857 (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electrician Scissor, Crimping Tools (V3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Drum for Conductor, Freight Containers - High Security Cable Seal as per IS 17381:2021, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Steel Wire

विड विवरण / Bid Details

Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Electrical Sleeves Conforming To IS 11654 (Part 3/Sec 403)

Searched String: Cable 10mm Aluminum Wire

Welding Cable ISI Marked To IS 9857 (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electrician Scissor, Crimping Tools (V3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Drum for Conductor, Freight Containers - High Security Cable Seal as per IS 17381:2021, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Electrical Sleeves Conforming To IS 11654 (Part 3/Sec 403)

Searched String: Single Core Wire 01 mm

NQ 82mm OD TC Core Bit (CMPDI), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pin Up Notice Board (V2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Wireline Diamond Core Bit Set, Ferro Silica Calcium Cored Wire as per IS 2022, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use)

Searched String: Screwdriver Drill

Torque Controlled Screwdriver, Solid Carbide Drill, Cordless screw driver, Miniature Screwdriver Set, Screw Drivers as per IS 844, Electric Drill, Seed Drill, Drill Sleeve, Mining Drill Rod, Twist Drills, Parallel Shank, Jobber Series as per IS 5101

Searched String: Tape Roll

Correction Tape, Edge Roll, Mid - Upper Arm Circumference (MUAC) Tape (V2) - RBSK, Strapping Roll, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, ETO Packing Paper Roll, Glass fiber woven tape for electrical purpose - IS 5352, Tape Cartridge / Tape Media, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, ALO Cloth Roll

Searched String: Pliers

Orthodontic Pliers, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Insulated pliers, Orthopedic Instruments - Nose Pliers, Groove Joint Pliers, Multiple Slip Joint Pliers - IS 6118, Insulated water pump plier, Non Sparking Diagonal Cutting Plier as per IS 4595

Searched String: Flood Light 100 Watt

LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part

| बिड विवरण / Bid Details | 5/Section 5) (V3) (Under BIS Scheme - II), Flood Light Luminaire suitable for HPSV Lamps, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), Hand Held Search Light, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Trolley Mounted AC Supply lighting tower with LED Flood Light |
|-------------------------|---|
| | <p>Searched String: Flood Light 250 Watt</p> <p>LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), Flood Light Luminaire suitable for HPSV Lamps, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Trolley Mounted AC Supply lighting tower with LED Flood Light</p> <p>Searched String: Flood Light 500 Watt</p> <p>LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), Tungsten Halogen Lamps (Non-Vehicle) Conforming To IS 12948, Flood Light Luminaire suitable for HPSV Lamps, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification</p> <p>Searched String: Flood Light 1000 Watt</p> <p>LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), Flood Light Luminaire suitable for HPSV Lamps, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), Hand Held Search Light, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Trolley Mounted AC Supply lighting tower with LED Flood Light</p> <p>Searched String: Bamboo Ladder 16 Steps</p> <p>Foot Steps For Hospital/Clinic and Domestic Purposes, Platform Step Ladder (V2), Tower Ladder (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1)</p> <p>Searched String: Complete Fitting Street Light 45 Watt</p> |

LED with Bend Pipe and Wire
बिड विवरण / Bid Details

LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

Searched String: Two Core Cable 25 mm

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pin Up Notice Board (V2), NQ 82mm OD TC Core Bit (CMPDI), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, NQ Surface Set Diamond Core Bit 15/25 SPC (CMPDI), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, NQ Surface Set Diamond Core Bit 25/40 SPC (CMPDI), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)

Searched String: Two Core Bunch Cable

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Core Drill, Morse Taper Shank - IS 5366, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

Searched String: LED Bulb 25W Rechargeable

Rechargeable LED Bulb (V2), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Rechargeable LED Head Torch (Head Lamp), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), LED Bulb with Battery as per IS 16102, White LED Based Solar Study Lamp as per MNRE Specifications, Diagnostic Ootoscope Rechargeable, LED Garden Light (V2), Coaxial Ophthalmoscope Rechargeable, High Mast Lighting Tower for large area with LED Flood Lighting System

Searched String: LED Bulb 15 Watt Rechargeable

Rechargeable LED Bulb (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Rechargeable LED Head Torch (Head Lamp), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3)

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

(Under BIS Scheme - II), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Diagnostic Oscope

Rechargeable, LED Bulb with Battery as per IS 16102, Hand Held Search Light, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification

Searched String: LED Bulb 40W Rechargeable

Rechargeable LED Bulb (V2), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Rechargeable LED Head Torch (Head Lamp), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), LED Bulb with Battery as per IS 16102, White LED Based Solar Study Lamp as per MNRE Specifications, Diagnostic Oscope Rechargeable, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming to IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2)

Searched String: LED Bulb 42 Watt Rechargeable

Rechargeable LED Bulb (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Diagnostic Oscope Rechargeable, Rechargeable LED Head Torch (Head Lamp), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Hand Held Search Light, LED Bulb with Battery as per IS 16102, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II)

Searched String: LED Bulb 30 Watt Rechargeable

Rechargeable LED Bulb (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Diagnostic Oscope Rechargeable, Rechargeable LED Head Torch (Head Lamp), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Hand Held Search Light, LED Bulb with Battery as per IS 16102, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II)

Searched String: RGB Light

Track Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Bicycle Light, SHOULDER LIGHT, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), UV Light, Cheque Scanner, LED Batten Light (LED Tube Light) (V2), Hand Held Search Light, Examination Light for Medical Use (V2)

Searched String: High Mast Pole 16m 08 Flood Light 200 watt

High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), High Mast Lighting Tower for large area

बिड विवरण / Bid Details

with LED Flood Lighting System, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II)

Searched String: Control Panel 05 kV

Power Control Center (PCC) Panel for Power Distribution, Diesel Power Generator (up to 900 KVA), Industrial Panel PC, Control Cable, Star Delta Motor Starter for Three Phase Induction Motors (V2), Submersible Pump Starters (Motor starter controls), Universal Power Flow Controller, Portable OT Light, Aluminium Composite Panel Sheet

Searched String: Control Panel 10 kV

Power Control Center (PCC) Panel for Power Distribution, Diesel Power Generator (up to 900 KVA), Industrial Panel PC, Submersible Pump Starters (Motor starter controls), Online UPS (>10 KVA) With Battery, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Online UPS (>10 KVA) Without Battery, Flying Insect Control Traps - Fly Catcher, 245 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100), Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1)

Searched String: Driver Street Light

Light emitting diode driver, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Tubular Street Light Poles, Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Inverter Based LED Street Light (V2), Hand Held Search Light, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Portable OT Light (V2), SOVP Device for Street light Pole Mounted

Searched String: SP 10 Pole 8 Meter

Kho Kho Pole (V3), water baths, Barium Nitrate, 1,10 Phenanthroline monohydrate, Laser Speed Meter (V2), Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), Moisture Meters, Crepe Bandage Conforming to IS 4605, Streptomycin Sulphate 90%+ Tetracycline Hydrochloride 10% WW S.P., Digital pH Meter

Searched String: Spike Light Flood Light

LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), Flood Light Luminaire suitable for HPSV Lamps, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), Hand Held Search Light, Track Light, Portable OT Light (V2), Bicycle Light

Searched String: Insulator

Epoxy Insulator- BHEL, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PORCELAIN CERAMIC INSULATOR(BHEL), Solid Core Porcelain insulators for

विड विवरण / Bid Details

overhead Traction Lines, Composite Long Rod Insulators (POWERGRID), Environmental Chamber, Shaft Insulator Heater-IS:302, IS:4159, Insulation Tester, Porcelain Guy Strain Insulators Conforming To IS 5300, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)

Searched String: Laser Light and Sound System

3D Laser Scanning and Imaging System as per MHA QRs, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Holmium Laser, Medical Training kit with Human mannequins for medical education or training, 3D Laser Scanning and imaging system (Forensic Use), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Laser cutting machine, Light Portable Fire Monitor (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Tubular Street Light Poles

Searched String: Solar Street Light Ferro Ion Battery 20 Watt Semi Inte with Fitting

12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification

Searched String: Solar Street Light Ferro Ion Battery 20 Watt Fully Inte with Fitting

12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification

Searched String: Bend Pipe with Clamp and Nut Bolt

Span Bolt and Nut, Modular Toilet, Coach Bolt, Nut and Washer (BHEL), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Swing (Preschool Kit), Studs-IS:1862, LCR Meter, Galvanised Foundation Bolt including Nuts and Washers (BHEL), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458

Searched String: Armored Cable 25 SQMM 2 plus 1

Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

| बिड विवरण/Bid Details | |
|---|---|
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | • LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II) |
| बीओक्यू शीर्षक / BOQ Title | Electrical items |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover | No |
| विक्रेता से मांगे गए दस्तावेज़/ Document required from seller | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid? | No |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 1 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 3 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled | No |
| दर अनुबंध और शीर्षक / Rate Contract & Title | Yes ; Bend Pipe, Nut Bolt, Cable 6mm Aluminum Wire, Cable 4mm Aluminum Wire, Cable 10mm Aluminum Wire, Single Core Wire 01 mm, Screwdriver Drill, Tape Roll, Pliers, Flood Light 100 Watt, Flood Light 250 Watt, Flood Light 500 Watt, Flood Light 1000 Watt, Bamboo Ladder 16 Steps, Complete Fitting Street Light 45 Watt LED with Bend Pipe and Wire, Two Core Cable 25 mm, Two Core Bunch Cable, LED Bulb 25W Rechargeable, LED Bulb 15 Watt Rechargeable, LED Bulb 40W Rechargeable, LED Bulb 42 Watt Rechargeable, LED Bulb 30 Watt Rechargeable, RGB Light, High Mast Pole 16m 08 Flood Light 200 watt, Control Panel 05 kV, Control Panel 10 kV, Driver Street Light, SP 10 Pole 8 Meter, Spike Light Flood Light, Insulator, Laser Light and Sound System, Solar Street Light Ferro Ion Battery 20 Watt Semi Integrated with Complete Fitting, Solar Street Light Ferro Ion Battery 20 Watt Fully Integrated with Complete Fitting, Bend Pipe with Clamp and Nut Bolt, Armored Cable 25 SQMM 2 plus 1, , , , , |
| दर अनुबंध की वैधता अवधि / Validity Period Of Rate Contract | 12 Months |

बिड विवरण/Bid Details

| | |
|--|-------------------------------------|
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| अनुमानित बिड मूल्य / Estimated Bid Value | 1460560 |
| मूल्यांकन पद्धति/Evaluation Method | Item wise consignee wise evaluation |

ईएमडी विवरण/EMD Detail

| | |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
|-----------------------------|---------------------|

Discount Slab Range**Bend Pipe**

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Nut Bolt

| | |
|--------|------------------------|
| Slab 1 | 10000 - and above Unit |
|--------|------------------------|

Cable 6mm Aluminum Wire

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Cable 4mm Aluminum Wire

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Cable 10mm Aluminum Wire

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Single Core Wire 01 Mm

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Screwdriver Drill

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Tape Roll

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Pliers

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Flood Light 100 Watt

| | |
|--------|----------------------|
| Slab 1 | 500 - and above Unit |
|--------|----------------------|

Flood Light 250 Watt

| | |
|--------|----------------------|
| Slab 1 | 500 - and above Unit |
|--------|----------------------|

Flood Light 500 Watt

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Flood Light 1000 Watt

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Bamboo Ladder 16 Steps

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Complete Fitting Street Light 45 Watt Led With Bend Pipe And Wire

| | |
|--------|----------------------|
| Slab 1 | 500 - and above Unit |
|--------|----------------------|

Two Core Cable 25 Mm

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Two Core Bunch Cable

| | |
|--------|-----------------------|
| Slab 1 | 5000 - and above Unit |
|--------|-----------------------|

Led Bulb 25w Rechargeable

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Led Bulb 15 Watt Rechargeable

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Led Bulb 40w Rechargeable

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Led Bulb 42 Watt Rechargeable

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Led Bulb 30 Watt Rechargeable

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Rgb Light

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

High Mast Pole 16m 08 Flood Light 200 Watt

| | |
|--------|---------------------|
| Slab 1 | 10 - and above Unit |
|--------|---------------------|

Control Panel 05 Kv

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Control Panel 10 Kv

| | |
|--------|----------------------|
| Slab 1 | 100 - and above Unit |
|--------|----------------------|

Driver Street Light

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Sp 10 Pole 8 Meter

| | |
|--------|----------------------|
| Slab 1 | 500 - and above Unit |
|--------|----------------------|

Spike Light Flood Light

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Insulator

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Laser Light And Sound System

| | |
|--------|-----------------------|
| Slab 1 | 1000 - and above Unit |
|--------|-----------------------|

Solar Street Light Ferro Ion Battery 20 Watt Semi Integrated With Complete Fitting

| | |
|--------|----------------------|
| Slab 1 | 500 - and above Unit |
|--------|----------------------|

Solar Street Light Ferro Ion Battery 20 Watt Fully Integrated With Complete Fitting

| | |
|--|-----------------------|
| Slab 1 | 500 - and above Unit |
| Bend Pipe With Clamp And Nut Bolt | |
| Slab 1 | 500 - and above Unit |
| Armored Cable 25 Sqmm 2 Plus 1 | |
| Slab 1 | 5000 - and above Unit |
| Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | |
| Slab 1 | 500 - and above Unit |
| Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | |
| Slab 1 | 500 - and above Unit |
| Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | |
| Slab 1 | 500 - and above Unit |
| Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | |
| Slab 1 | 500 - and above Unit |
| Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | |
| Slab 1 | 500 - and above Unit |
| Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | |
| Slab 1 | 500 - and above Unit |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

NAGAR PALIKA PARISHAD GOPESHWAR

chamoli gopeshwar, Urban Development Directorate of Uttarakhand, nagar palika,
(Executive Officer)

बोली विभाजन लागू नहीं किया गया/Bid splitting not applied.

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method & Consignee Location (Item Wise Consignee Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| मूल्यांकन अनुसूचियां / Evaluation Schedules | वस्तु/श्रेणी / Item/Category | Location of Consignee |
|--|---|--------------------------|
| Schedule 1 (CHAMOLI) | Bend Pipe | CHAMOLI |
| Schedule 2 (CHAMOLI) | Nut Bolt | CHAMOLI |
| Schedule 3 (CHAMOLI) | Cable 6mm Aluminum Wire | CHAMOLI |
| Schedule 4 (CHAMOLI) | Cable 4mm Aluminum Wire | CHAMOLI |
| Schedule 5 (CHAMOLI) | Cable 10mm Aluminum Wire | CHAMOLI |
| Schedule 6 (CHAMOLI) | Single Core Wire 01 Mm | CHAMOLI |
| Schedule 7 (CHAMOLI) | Screwdriver Drill | CHAMOLI |
| Schedule 8 (CHAMOLI) | Tape Roll | CHAMOLI |
| Schedule 9 (CHAMOLI) | Pliers | CHAMOLI |
| Schedule 10 (CHAMOLI) | Flood Light 100 Watt | CHAMOLI |
| Schedule 11 (CHAMOLI) | Flood Light 250 Watt | CHAMOLI |
| Schedule 12 (CHAMOLI) | Flood Light 500 Watt | CHAMOLI |
| Schedule 13 (CHAMOLI) | Flood Light 1000 Watt | CHAMOLI |
| Schedule 14 (CHAMOLI) | Bamboo Ladder 16 Steps | CHAMOLI |
| Schedule 15 (CHAMOLI) | Complete Fitting Street Light 45 Watt Led With Bend Pipe And Wire | CHAMOLI |
| Schedule 16 (CHAMOLI) | Two Core Cable 25 Mm | CHAMOLI |
| Schedule 17 (CHAMOLI) | Two Core Bunch Cable | CHAMOLI |
| Schedule 18 (CHAMOLI) | Led Bulb 25w Rechargeable | CHAMOLI |
| Schedule 19 (CHAMOLI) | Led Bulb 15 Watt Rechargeable | CHAMOLI |
| Schedule 20 (CHAMOLI) | Led Bulb 40w Rechargeable | CHAMOLI |

| | | |
|-------------------------|---|---------|
| Schedule 21 (CHAMOLI) | Led Bulb 42 Watt Rechargeable | CHAMOLI |
| Schedule 22 (CHAMOLI) | Led Bulb 30 Watt Rechargeable | CHAMOLI |
| Schedule 23 (CHAMOLI) | Rgb Light | CHAMOLI |
| Schedule 24 (CHAMOLI) | High Mast Pole 16m 08 Flood Light 200 Watt | CHAMOLI |
| Schedule 25 (CHAMOLI) | Control Panel 05 Kv | CHAMOLI |
| Schedule 26 (CHAMOLI) | Control Panel 10 Kv | CHAMOLI |
| Schedule 27 (CHAMOLI) | Driver Street Light | CHAMOLI |
| Schedule 28 (CHAMOLI) | Sp 10 Pole 8 Meter | CHAMOLI |
| Schedule 29 (CHAMOLI) | Spike Light Flood Light | CHAMOLI |
| Schedule 30 (CHAMOLI) | Insulator | CHAMOLI |
| Schedule 31 (CHAMOLI) | Laser Light And Sound System | CHAMOLI |
| Schedule 32 (CHAMOLI) | Solar Street Light Ferro Ion Battery 20 Watt Semi Integrated With Complete Fitting | CHAMOLI |
| Schedule 33 (CHAMOLI) | Solar Street Light Ferro Ion Battery 20 Watt Fully Integrated With Complete Fitting | CHAMOLI |
| Schedule 34 (CHAMOLI) | Bend Pipe With Clamp And Nut Bolt | CHAMOLI |
| Schedule 35 (CHAMOLI) | Armored Cable 25 Sqmm 2 Plus 1 | CHAMOLI |
| Schedule 36 (CHAMOLI) | Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | CHAMOLI |
| Schedule 37 (CHAMOLI) | Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | CHAMOLI |
| Schedule 38 (CHAMOLI) | Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | CHAMOLI |
| Schedule 39 (CHAMOLI) | Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | CHAMOLI |
| Schedule 40 (CHAMOLI) | Led Luminaire For Road And Street Lights Conforming To Is 10322 (part 5/section 3) (v3) (under Bis Scheme - li) | CHAMOLI |

Bend Pipe

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Nut Bolt

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Cable 6mm Aluminum Wire

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Cable 4mm Aluminum Wire

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Cable 10mm Aluminum Wire

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Single Core Wire 01 Mm

तकनीकी विशिष्टियाँ /**Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Screwdriver Drill

तकनीकी विशिष्टियाँ /**Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Tape Roll

तकनीकी विशिष्टियाँ /**Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Pliers

तकनीकी विशिष्टियाँ /**Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Flood Light 100 Watt

तकनीकी विशिष्टियाँ /**Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Flood Light 250 Watt

तकनीकी विशिष्टियाँ /**Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Flood Light 500 Watt

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Flood Light 1000 Watt

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Bamboo Ladder 16 Steps

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Complete Fitting Street Light 45 Watt LED With Bend Pipe And Wire

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Two Core Cable 25 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Two Core Bunch Cable

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

LED Bulb 25W Rechargeable

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

LED Bulb 15 Watt Rechargeable

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

LED Bulb 40W Rechargeable

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

LED Bulb 42 Watt Rechargeable

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
|-------------------------------|---------------------------|

| | |
|----------------------------|---------------------------|
| BOQ Detail Document | View File |
|----------------------------|---------------------------|

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

LED Bulb 30 Watt Rechargeable

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

RGB Light

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

High Mast Pole 16m 08 Flood Light 200 Watt

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Control Panel 05 KV

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Control Panel 10 KV

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Driver Street Light

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

SP 10 Pole 8 Meter

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Spike Light Flood Light

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Insulator

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Laser Light And Sound System

तकनीकी विशिष्टियाँ / **Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Solar Street Light Ferro Ion Battery 20 Watt Semi Integrated With Complete Fitting

तकनीकी विशिष्टियाँ /**Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Solar Street Light Ferro Ion Battery 20 Watt Fully Integrated With Complete Fitting

तकनीकी विशिष्टियाँ /**Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Bend Pipe With Clamp And Nut Bolt

तकनीकी विशिष्टियाँ /**Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Armored Cable 25 SQMM 2 Plus 1

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|------------------------|--|---|
| Performance Parameters | System Wattage (in Watt) | 30 |
| | LED Luminaire System Efficacy (in lumen/watt) | 100, 120, 140 Or higher |
| Warranty | Minimum Standard Warranty | 1.0 (year) |

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|------------------------|--|---|
| Performance Parameters | System Wattage (in Watt) | 150 |
| | LED Luminaire System Efficacy (in lumen/watt) | 120, 140 Or higher |
| Warranty | Minimum Standard Warranty | 1.0 (year) |

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|------------------------|--|---|
| Performance Parameters | System Wattage (in Watt) | 120 |
| | LED Luminaire System Efficacy (in lumen/watt) | 100, 120, 140 Or higher |
| Warranty | Minimum Standard Warranty | 1.0 (year) |

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|------------------------|---|---|
| Performance Parameters | System Wattage (in Watt) | 72 |
| | LED Luminaire System Efficacy (in lumen/watt) | 120, 140 Or higher |
| Warranty | Minimum Standard Warranty | 1.0 (year) |

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|------------------------|---|---|
| Performance Parameters | System Wattage (in Watt) | 45 |
| | LED Luminaire System Efficacy (in lumen/watt) | 120, 140 Or higher |
| Warranty | Minimum Standard Warranty | 1.0 (year) |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें /Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The

Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Rate Contract**

Performance Security: Against all Purchase Orders placed by any buyer against the Rate Contract Catalogue, the seller would be required to furnish a performance security of 3 % of total contract value of the relevant Purchase Order as per GeM GTC.

3. **Rate Contract**

The Purchase orders placed through the rate of this bid shall be placed by . The order shall be placed by buyer separately based on the requirement.

4. **Rate Contract**

Tax and Duties Toll Tax/ Entry Tax/ Octroi Duty & Local Taxes. No separate payment would be made by the Buyer for Toll Taxes, Entry Taxes, Octroi duty and local Taxes, if any. The Seller should cater for these Taxes/ duties as part of Basic Rate quoted in the Bid.

5. **Rate Contract**

Demurrage charges In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted. Demurrage charges. In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted.

6. **Rate Contract**

Packing Material The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights. Packing Material. The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights.

7. **Rate Contract**

Bidder's offer is liable to be rejected if they dont upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Rate Contract**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Bidder must submit a copy of GST registration.
2. Bidder must submit a copy of PAN card.
3. Bidder must submit aadhar card of proprietor/partner/director.
4. Bidder must have valid GST of Uttarakhand state only.
5. Bidder should be resident of Uttarakhand only.
6. The bidder must have to upload CA certified turnover certificate/ITR/Balance sheet for last 3 financial year. Average turnover should not be less than 50 Lakh.
7. Bidder and OEM both need to submit declaration on notarized Rs. 100 stamp paper that his firm/company has not been Blacklisted/debarred/Forbidden in any government/Semi government/PSU department for any Reason in last five years. If the declaration given by bidder is found Incomplete/wrong/manipulated/fake, then same bid will be cancelled and appropriate action will be taken against the bidder.
8. The manufacturer/bidder should be an ISO 9001:2015, 14001:2015, 45001:2018 certified organization. ISO certificate must be uploaded for the manufacturer.
9. The bidder must be a manufacturer or submit OEM certificate for the LED lights having an in house design & development facility for the lights from last 05 years. OEM must be bid specific.
10. Bidder must be Authorized by OEM for offer products and Authorization certificate with bid number and date for participating mandatorily to be enclosed with bid documents.
11. The bidder Compulsory to upload OEM's Factory License (for street Lights) along with bid documents.
12. OEM must have in house NABL lab in any state of India.

13. GST No due certificate/GST return of last 3 month upto march 2026 is compulsory submit with bid documents.
14. 5-year warranty for LED Street lights on OEM letter head with bid number on it, need to be enclosed with bid documents.
15. The manufacturer should have an in house NABL accredited Lab for testing in plant. Luminaries should be design with branded LED only like Cree, Nichia, Seoul, Philips, Osram etc.
16. In case of OEM manufacturer (Major Lighting items) should have minimum Rs. 300 Lacs average turnover of last three financial year.
17. The manufacturer should have LM 79/LM 80, reports are also mandatory. TTC test type Certificates regarding the same must be uploaded.
18. IP 65/66 reports, TDS (Technical data sheet) LED street light BIS Certificate LED driver BIS Certificate must be uploaded.
19. The scanned copy of the EMD shall be submitted online at the time of submission of bid proposals and hard copy of EMD must be submit at Nagar palika parishad Gopeshwar.
20. The bidder/OEM must have supplied similar or higher capacity LED lighting system in the past 3 year that is atleast 1500 Nos in State Govt./Local body or any other Govt. sector of India.
21. Bidder must submit Original EMD/DD @ Rs. 60000/- (favour of Executive Officer Nagar Palika Parishad Gopeshwar before last date of bid and receiving must be upload with bid documents.
22. In the GeM bid document, the EMD amount mentioned is less than what it should be based on the estimated cost of the GeM bid, whereas the amount asked for in the bid's ATC documents will be considered as the final EMD amount.
23. OEM/Manufacture should have toll free number for complaint related issues.

24. Bidder must submit sample of each items at Nagar Palika Parishad and receiving must be upload with bid documents.

23. Bidder must have experience to supply LED light in any ULB's of uttara khand.

24. OEM must have experience to direct supply LED light in any ULB's of u ttarakhand.

25. The bidder must submit declaration of affidavit of Rs. 100 that all the c onditions of the bid are acceptable to the bidder.

26. Solar street light should be MNRE approved and certificate of MNRE sh ould be upload with bid documents.

27. Solar street light pole and Street light SP 10 pole should be GI coated.

28. Solar street light pole and Street light SP 10 pole installation and fixing should be done by bidder.

29. Material should be deliver within 15 days after placed of supply order/ agreement of the contract.

30. Communication Protocol - No offline communication shall be entertain ed. All correspondence, clarifications, and representations related to the te nder process shall be carried out exclusively through the GeM portal using the Representation/Clarification Window provided therein. Any attempt to communicate outside the portal may lead to the disqualification of the bid der.

अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the

modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller

dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---