

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	11-06-2026 19:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	11-06-2026 19:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	100 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Madhya Pradesh
विभाग का नाम/Department Name	Home Department Madhya Pradesh
संगठन का नाम/Organisation Name	Indore Police
कार्यालय का नाम/Office Name	Superintendent Of Police Radio Zone Indore
कुल मात्रा/Total Quantity	3097
वस्तु श्रेणी /Item Category	3 POL MCB , 3 Core ARMED Aluminium Cable , Slim DC Power Supply Variable Up To 30V 5A , L-2 Switch , Crimping Tool Kit set of 6 items , Laser Distance Meter , Clamp Meter , Multifunctional Network Tester , Non-Contact Voltage Tester , Professional Heat Gun , 6A 16A 240V AC 3 Pin Nickel Plated Brass Adaptor , Insulation Tape Roll , Lane Tester , Clumping Tools , Electric Tester , OFC Joint Coupler BOX , ODC DC Fan , Patch Card For ODC LC to LC , Metal Junction Box for Fix Camera , Body Cover Of Radio Set TK 2317 , Armoured Power Cable Coper 2 Core , LT Wire 8 10 MM For Series Connector For BTY Copper Based , Fiber Clener Solution Liquid , Joint Closure 24 Core , Extension Board 10 Amp Output 250 V With 2 Mtr Extension Cord Surge Protector , Whip Antenna Of RadioSet TK 2317 , BTY Lead of KW TK7360 , Power Cable 2 Core Copper 4 MM , CO-XIAL CABLE 52 Ohm RG 58 , 12 V 2 Amp. DC ADAPTER , MCB BOX ENCLOSURE AS PER SITE REQUIREMENT , 3 Core 6 SQMM COPPER FLEXIBLE Cable , installation and commissioning at mandav and pithampur

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

SITC of 3 POL MCB , 3 Core ARMED Aluminium Cable, Slim DC Power Supply Variable Up To 30V 5A, L-2 Switch, Crimping Tool Kit set of 6 items, Laser Distance Meter, Clamp Meter, Multifunctional Network Tester, Non-Contact Voltage Tester, Professional Heat Gun, 6A / 16A, 240V AC 3 Pin Nickel Plated Brass Adaptor , Insulation Tape Roll, Lane Tester, Clumping Tools , Electric Tester, OFC Joint Coupler BOX, ODC DC Fan, Patch Card For ODC LC to LC , Metal Junction Box for Fix Camera, Body Cover Of K/W M/P R/Set TK-2317, Armoured Power Cable Coper 2 Core, LT Wire 8/10 MM For Series Connector For BTY. Coper Based, Fiber Clener Solution Liquid, Joint Closure 24 Core, Extension Board 10 Amp, Whip Antenna Of K/W Static R/Set TK-7360, BTY. Lead of K/W TK-7360, Power Cable 2 Core Copper 4 MM , CO-XIAL CABLE 52 Ohm RG 58, 12 V 2 Amp. DC ADAPTER, SITC of MCB BOX ENCLOSURE , SITC of 3 Core 6 SQMM COPPER FLEXIBLE Cable , installation and commissioning at mandav and pithampur

**Searched String:** SITC of 3 POL MCB

Nitro Benzene, Electronic Weighing Scales, Tool Kit of Physical Education and Sports Skill for L 3 - RM, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Bucket Mop Wringer Trolley, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Package No. 3 Atal Tinkering Lab of Niti Aayog Mechanical, Electrical and Measurement Tools, Line Interactive UPS with AVR (V2), Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Cricket Stumps and Bails (V2) Conforming to IS 6621

**Searched String:** 3 Core ARMED Aluminium Cable

PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Layer - 3 Core Switch, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, All in One PC (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Layer 3 Managed Network Switches (Core/Distribution Grade), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694

**Searched String:** Slim DC Power Supply Variable Up To 30V 5A

Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), White LED (W - LED) Based Solar Home Lighting Systems (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Switching Power Supply for Wireless Application, Porcelain

बिड विवरण / Bid Details

Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Heavy

Duty Battery Charger

**Searched String:** L-2 Switch

Layer 2 Access Switch (V3), Ultra low temperature laboratory deep freezer, Layer 2 Access Switch (V2), Argon Plasma Coagulator with ESU, Network Switch - L 3 for Cloud, Laminar air flow cabinets or stations, Layer - 2 Access Switch for Railways, Fume Hood (FSSAI), KVM Switches (V2), Sofa (V3)

**Searched String:** Crimping Tool Kit set of 6 items

Flaring tool Kit, Crimping Tools, Tool Kit for Household Decorative Items - ODOP UP Gov. (Hapur), Cricket Stumps and Bails, Tool Kit for Household Decorative Items - O.D.O.P UP Gov.(Baghpat), Crimping Tools (V3), ODOP Tool Kit for Matar Prasanskaran of Jalaun District, Uttar Pradesh, India, ODOP Tool Kit for Sports wear of Meerut District, Uttar Pradesh, India, ODOP Tool Kit for Amrood of Kaushambi District, Uttar Pradesh, India, Electronic Welding (Soldering) Tool Kit

**Searched String:** Laser Distance Meter

Laser Distance Meter, pH Meter, Laser Range Finder, Laser Speed Meter (V2), Thermal Ribbon, 3D Laser Scanning and Imaging System as per MHA QRs, true rms clamp meter, Distance Vision Testing Drum (V2) - RBSK, digital conductivity meter, Holmium Laser

**Searched String:** Clamp Meter

true rms clamp meter, pH Meter, True RMS Clamp Meter (V2), Burette Clamp, Thermal Ribbon, SCAFFOLDING CLAMP, Pipe Clamps (V2), digital conductivity meter, Magnetic Earth Clamp, Soldering Clamp Holder

**Searched String:** Multifunctional Network Tester

Cable network tester, Networking / Server Rack, Insulation Tester, Battery Tester, Line Tester, Network Access Control, Optical Fibre Cable for Networking, Network Interface Card, Multifunction Printer (Print, Scan, Copy), Optical Network Terminal

**Searched String:** Non-Contact Voltage Tester

Non - Contact Voltage Tester, Infrared Medical Thermometer For Measuring Body Temperature, Non-Contact High Voltage Detector, Non Contact Tonometer, Non-Contact Tonometer (V2), Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Non Flammable Electronic Contact Cleaner, Digital Ultrasonic Non-Contact Flowmeter with Totalizer, Portable or Mobile Surface Roughness Tester, Low Voltage Surge Protective Devices Connected to Low Voltage Power Systems Conforming To IS 16463 (Part 11)

**Searched String:** Professional Heat Gun

Tranquilizer Gun, Fixed Computer Workstation, Glue gun, Paint spray gun, Speed Radar Gun, Airless spray gun, Laboratory Incubators, Pneumatic Sealant gun, Professional Large Format Display (V2), Hot air gun

बिड विवरण / Bid Details

**Searched String:** 6A / 16A, 240V AC 3 Pin Nickel Plated Brass Adaptor

Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3)

**Searched String:** Insulation Tape Roll

Glass Mica Tape-IS :7809, Polyimide Tapes, HT Tape, Environmental Chamber, Correction Tape, Strapping Roll, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Edge Roll, Ceramic Fiber Tape, Insulation Tester

**Searched String:** Lane Tester

Insulation Tester, Battery Tester, Line Tester, Compression Testing Machine, Flammability Tester - (Textile), Perspiration Tester (Textile), Portable Hardness Tester, Sublimation Tester (Textile), Surgical Forceps, Cable network tester

**Searched String:** Clumping Tools

Cutting Tools, Crimping Tools, BOX TOOLS 1A(OFB-DEFENCE), Crimping Tools (V3), Tool bag, Drill Rods for Tools, Ground High Speedsteel Tool Bits as per IS 11143, Fire Beaters (Fire suppression hand tools), Deposit Safe (Non Tool Resistant), Fire Hooks (Fire suppression hand tools)

**Searched String:** Electric Tester

Insulation Tester, Battery Tester, Digital Micro Vickers Hardness Tester, Line Tester, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Electric Tractor, Commercial Idli Steamer, Electric Wheelchair, Electrical Extension Box (V4), Electric Fumigator

**Searched String:** OFC Joint Coupler BOX

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** ODC DC Fan

Oscillating DC Fans used in Automotive Vehicles, vortex mixers, Electric Ceiling Fan (V4) ISI Marked to IS 374, Fan Bearing, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Crossfit Fan, E - Cart for Garbage (V2), Electric Table Type Fan and Regulator (V2) Conforming To IS 555, DC Anvil (OFB), Circuit Breakers for DC Operation

**Searched String:** Patch Card For ODC LC to LC

Low Cement Castable LC - 70 for Snorkels as per IS 15541, Fiber Optic Patch Cord, Tool Kit for Aplic Patch Work and Zari Patch Work (V2) from Rampur (UP), Card Board Box for Bio - Medical Waste Collection, Triple Quadrupole LCMS System for contaminant analysis in Food and Dairy Products, Trackside Indicator Boards and Signages as per IRICEN Manual, Fiber Optic Patch Panels, Rack Mountable, Eye Pad Conforming to IS 17628, Alphabet Flash Cards (Preschool Kit), Fiber Optic Pigtails

**Searched String:** Metal Junction Box for Fix Camera

**GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS**

बिड विवरण

Capacitors for Electric Fan Motors as per IS 1709 (V2), Chair for General Purpose, Drone or Unmanned Aerial Vehicle with

Customized Payload (Defence Forces - Navy, Army and Air Force), Slotted Weight for School Laboratory, Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, modular electrical enclosure switch board boxes for modular type accessories, Small UAV for ISR Purpose (80 Minute Endurance) as per MHA QRs, Camera for CCTV System (V3)

**Searched String:** Body Cover Of K/W M/P R/Set TK-2317

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Armoured Power Cable Coper 2 Core

XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), Pigtails for Fiber Cable Connection, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

**Searched String:** LT Wire 8/10 MM For Series Connector For BTY. Coper Based

Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Open Jaw Wrenches (Spanners) (V2) As Per Is 2028

**Searched String:** Fiber Clener Solution Liquid

Antiseptic Liquid / Gel, Ammonia solution 25%, Sodium Valproate Syrup, Toilet Cleaner Liquid (V3) conforming to IS 7983

**Searched String:** Joint Closure 24 Core

Commercial PPR Pipes Fittings as per IS 15801, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification, Laboratory Glass Adapters, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), ADSS Optical Fibre Cable For laying along Power line alignments

**Searched String:** Extension Board 10 Amp

Flameproof Extension Board, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Trackside Indicator Boards and Signages as per IRICEN Manual, Electronic Lectern System, Needle Free Connector with Extension Tube, Electrical Extension Box (V4), Card Board Box for Bio - Medical Waste Collection

**Searched String:** Whip Antenna Of K/W Static R/Set TK-

बिड विवरण/Bid Details

7360

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** BTY. Lead of K/W TK-7360

Auditorium Chair (V2)

**Searched String:** Power Cable 2 Core Copper 4 MM

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

**Searched String:** CO-XIAL CABLE 52 Ohm RG 58

Radio Frequency Coaxial Cable, Antenna Cable

**Searched String:** 12 V 2 Amp. DC ADAPTER

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** SITC of MCB BOX ENCLOSURE

Telecommunication Cable Connection Enclosure, Muffle/Box Furnace (V2), modular electrical enclosure switch board boxes for modular type accessories, Plastic Ice Box (V2), Junction Boxes (Flameproof), Corrugated Boxes, BOX H2A NEW(OFB), Lunch Box (V2), BOX TOOLS 1A(OFB-DEFENCE), Lunch Box (V3)

**Searched String:** SITC of 3 Core 6 SQMM COPPER FLEXIBLE Cable

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Non Sparking Double Ended Ring Spanner (V2)

बिड विवरण / Bid Details	Searched String: installation and commissioning at mandav and pithampur
	Management and Supply of ATM, Design, Supply, Installation, Commissioning and Maintenance of Grid Connected Roof Top Solar Power Plant Service, Supply, Installation and Commissioning of Liquid Medical Oxygen (LMO) Storage Tank and Supply of Liquid Medical Oxygen (LMO), Design, Supply, Installation, Commissioning and Maintenance of Grid Connected Ground Mounted Solar Power Plant Service, Design Installation and Maintenance of Educational Lab/Centre, Repair, Maintenance and Installation of Plant/ Systems/Equipments, Internet Bandwidth and Replication Service, Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2), ATM Replenishment and Managed Services, Pest and Animal Control Service
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>• Electronic component cleaner (co2)</li> <li>• VHF Handheld Air Band Transceiver</li> <li>• true rms clamp meter</li> </ul>
बीओक्यू शीर्षक /BOQ Title	ITEM for Field Equipment restoration
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	7 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	7 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
विगत प्रदर्शन / <b>Past Performance</b>	10 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	No
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	installation and commissioning at mandav and pithampur
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Payment Timelines</b>	Payments shall be made to the Seller within <b>45</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	45822

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	0.01
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

ASI R

Superintendent of police Radio Zone Indore, Home Department Madhya Pradesh, Indore Police,  
(Shailesh Kumar Tiwari)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery

acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Purchase preference to Micro and Small Enterprises (MSEs) from the State of Bid Inviting Authority : Purchase preference will be given to MSEs as Micro and Small Enterprises from the State of Bid inviting Authority. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25 % of total quantity as defined/ decided in relevant policy.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### 3 POL MCB

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005, NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	12	45

### 3 Core ARMED Aluminium Cable

## तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	105	45

## Slim DC Power Supply Variable Up To 30V 5A

## तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	1	45

## L-2 Switch

## तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	5	45

**Crimping Tool Kit Set Of 6 Items**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

**Laser Distance Meter**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

**Clamp Meter**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

**Multifunctional Network Tester**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

**Non-Contact Voltage Tester**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

**Professional Heat Gun**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

**6A 16A 240V AC 3 Pin Nickel Plated Brass Adaptor**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	10	45

**Insulation Tape Roll**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	200	45

## Lane Tester

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

## Clumping Tools

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

## Electric Tester

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

## OFC Joint Coupoler BOX

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	300	45

### ODC DC Fan

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	40	45

### Patch Card For ODC LC To LC

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	25	45

### Metal Junction Box For Fix Camera

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	20	45

### Body Cover Of Radio Set TK 2317

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	50	45

### Armoured Power Cable Coper 2 Core

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	1000	45

### LT Wire 8 10 MM For Series Connector For BTY Copper Based

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	150	45

### Fiber Clener Solution Liquid

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

### Joint Closure 24 Core

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	3	45

### Extension Board 10 Amp Output 250 V With 2 Mtr Extension Cord Surge Protector

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	10	45

### Whip Antenna Of RadioSet TK 2317

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	10	45

### BTY Lead Of KW TK7360

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	10	45

### Power Cable 2 Core Copper 4 MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	50	45

### CO-XIAL CABLE 52 Ohm RG 58

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	1000	45

### 12 V 2 Amp. DC ADAPTER

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	20	45

### MCB BOX ENCLOSURE AS PER SITE REQUIREMENT

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	4	45

### 3 Core 6 SQMM COPPER FLEXIBLE Cable

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	50	45

## Installation And Commissioning At Mandav And Pithampur

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tota Ram Dadoriya	452005,NEAR RAMCHANDRA NAGAR CHOURAHA, VIP ROAD INDORE	2	45

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

indore

radio zone  
khandwa  
Pithampur  
Mandu  
.

### 3. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 4. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 1 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

### 5. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 6. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including

specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**