



**GUJARAT ENERGY TRANSMISSION CORPORATION LIMITED**  
**CIRCLE OFFICE, VISNAGAR ROAD, MEHSANA- 384 001**  
Web site: [www.getcogujarat.com](http://www.getcogujarat.com), Email: [setrmehsana.getco@gebmail.com](mailto:setrmehsana.getco@gebmail.com)

**TENDER NOTICE No: MTC/072026/n-44**

Superintending Engineer, Mehsana invites “On line Tenders” (e-tendering) for work of “**Bi-Annual Rate Contract for providing & fixing of 11 KV XLPE cable termination kit at Various s/s under GETCO, Mehsana Circle.**”

Tender Papers & Specifications may be down loaded from Web site <https://getco.nprocure.com> (For view, down load and on line submission) and GUVNL / GETCO web sites [www.gseb.com](http://www.gseb.com) & [www.getcogujarat.com](http://www.getcogujarat.com) (For view & download only).

**All tender documents (Notarized/ Self-attested copies of original – as specified in tender document) are to be upload through online only (Mandatory) on n-procure portal. Tender fee & EMD should to be submitted online via RTGS/NEFT/IPMS. No Tender Fee/ EMD accepted physically or by Demand Draft.**

For any query addressed to:  
The Superintending Engineer,  
Gujarat Energy Transmission Corporation Limited,  
Circle Office, Visnagar Road, Mehsana – 384 001.

**No physical bid submission required.**

| Sr. | Description                                                                                               |                               |
|-----|-----------------------------------------------------------------------------------------------------------|-------------------------------|
| 1   | Tender No.:                                                                                               | MTC/072026/n-44               |
| 2   | Estimated cost                                                                                            | Rs. 1485030.00/-              |
| 3   | Tender Fee (Non Refundable)                                                                               | Rs. 1180.00/-                 |
| 4   | Earnest Money Deposit amount                                                                              | Rs. 14850.00/-                |
| 5   | Appropriate Class                                                                                         | E-2 or Above                  |
| 6   | Due submission of On line (E-tendering) tender/ bid up to 16.00 hours (This is mandatory)                 | 10.08.2026                    |
| 7   | Date of opening of Tender fee, EMD cover, Vendor registration and technical bid on – line at 16.01 Hours. | 10.08.2026                    |
| 8   | Tentative Date of on – line opening of Price bid, (if possible), at 11.00 Hours                           | Shall be intimated separately |

**IMPORTANT:**

1. All the relevant documents including tender copy to be submitted though ONLINE only. No physical documents to be submitted by bidder.
2. All the online Annexures to be filled properly and notarized/ self-attested copies of original documents as per tender requirement must be attach with online form only. It shall be sole responsibility of the bidder that the uploaded scanned documents (in PDF form) remain legible (readable) and should not be password protected.
3. Tender will be evaluated on Data/ Details/ Documents of the on-line submission. For any discrepancy between online & Submitted documents, Online offer is considered as final. This is intended for transparency and speedy evaluation of the bids. Instead of simply confirming /

attached in bid / refer physical offer, the Bidder shall fill in the particulars against appropriate place in respect of each line appearing in each online annexure. Wherever required, bidder shall invariably have to upload supporting authentic documents in the online bid. (In the absence of required details in the online annexure, the purchaser has every right to evaluate the bids accordingly and bidder cannot raise any objection against any point during evaluation.)

4. Bidder has to submit Tender Fee & EMD through online payment methods only. Copy of payment to be attached with online bid documents.
5. **Payment of Tender Fee & EMD (Earnest Money Deposit):**  
Payment option for submission of Tender fees & EMD should be Online i.e. by **RTGS/NEFT only**.

**GETCO, Mehsana Beneficiary Bank detail for online payment are as under:**

| Sr. | Particulars     | Requisite Details                               |
|-----|-----------------|-------------------------------------------------|
| 1   | Name of Bank    | Bank of Baroda                                  |
| 2   | Name of Branch  | Mehsana Main                                    |
| 3   | Branch Code     | MEHSAN                                          |
| 4   | MICR Code       | 384012001                                       |
| 5   | IFSC Code       | BARB0MEHSAN (5 <sup>th</sup> Digit- Zero)       |
| 6   | Name of Account | Gujarat Energy Transmission Corporation Limited |
| 7   | Account No.     | 01520200030093                                  |
| 8   | GST No.         | 24AABCG4029R2ZC                                 |

After payment through RTGS/NEFT, Bidder has to provide following details by e-mail on the same date of payment so payment receipt can be generated. Mail should on below mail addresses with contains details:

| Sr. | Required Details                            |
|-----|---------------------------------------------|
| 1   | Name & Address of the bidder                |
| 2   | Bidder GST No                               |
| 3   | Tender No with due date                     |
| 4   | Mode of Transfer                            |
| 5   | Ref. ID with Bank Details                   |
| 6   | Paid Amount                                 |
| 7   | Payment against ( <b>Tender Fee / EMD</b> ) |

Mail to: [cashiermhs.getco@gebmail.com](mailto:cashiermhs.getco@gebmail.com)  
Copy to: [aotr.mehsana@gebmail.com](mailto:aotr.mehsana@gebmail.com)  
[setrmehsana.getco@gebmail.com](mailto:setrmehsana.getco@gebmail.com)

6. Bidders are requested to remain in touch with the web-site for any amendment / corrigendum or extension of due date etc.
7. No physical tender shall be accepted / opened. Online bid receipt after due time of tender or any other reasons and the Corporation shall not assume any responsibility for late receipt.
8. The GETCO reserves the right to award the work to one or more bidders, considering their technical and financial capacity OR to reject any or all tenders or accept any tender without assigning any reason thereof.

Any technical questions, information and clarifications that may be required pertaining to this enquiry should be referred to:

**The Superintending Engineer**  
**Gujarat Energy Transmission Corporation Limited,**  
**Circle Office, Visnagar road, Mehsana, - 384 001.**

**Yours faithfully,**  
**Superintending Engineer**  
**GETCO, CO, Mehsana.**

**GUJARAT ENERGY TRANSMISSION CORPORATION LIMITED  
BARODA**

Date :

**I N T E G R I T Y     P A C T**

**OUR ENEAVOUR**

To create environment where Business Confidence is built through Best Business Practices and is fostered in an atmosphere of trust and respect between providers of goods and services and their users for the ultimate benefit of society a the nation.

**GETCO COMMITMENT**

- ☐ To maintain the highest ethical standards in business and professional
- ☐ Ensure maximum transparency to the Satisfaction of stakeholders.
- ☐ To ensure to fulfill the terms of agreement / contract and to consider objectively the viewpoint of parties.
- ☐ To ensure regular and timely release of payment on due dates for work done.
- ☐ To ensure that no improper demand is made by employees or by anyone on our behalf.
- ☐ To give maximum possible assistance to all the Vendors / Suppliers / Service provider and other to enable them to complete the contract in time.
- ☐ To provide all information to suppliers/ contractors relating to contract / Job which facilitate him to complete the contract / job successfully in time.
- ☐ To ensure minimum hurdles to Vendors/ suppliers / contractors in complete of agreement / contract / work order.

**PARTY'S COMMITMENT**

- ☐ Not to bring pressure / recommendations outside GETCO to influence its decision.
- ☐ Not to use intimidation, threat, inducement or Pressure of any kind on GETCO or any of it's employees under any circumstances.
- ☐ To be prompt and reasonable in fulfilling the contract, agreement, legal obligations.
- ☐ To provide goods and / or services timely as per agreed quality and specifications at minimum cost of GETCO.
- ☐ To abide by the general discipline to be maintained in our dealings.
- ☐ To be true and honest in furnishing information including payment to agents / sub-agent.
- ☐ Not to divulge any information, business details available during the course of business relationship to others without the written consent of GETCO.
- ☐ Not to enter into carter / syndicate / understanding whether formal / non-formal so as to influence the price.

\_\_\_\_\_  
**Seal & Signature**  
**(GETCO Authorized Signatory)**

\_\_\_\_\_  
**Seal & Signature**  
**(Party's Authorized Person)**

Name :  
Designation :

Name :

## **Technical Specification & Commercial Conditions**

### **SECTION – A - INSTRUCTIONS TO THE BIDDERS**

**Parties have to submit following documents with Technical Bid as Qualification criteria requirement.**

1. **Registration:** Bidder quoting for the bid shall have registration in appropriate class with GETCO or under any subsidiary of GUVNL.
2. **Termination/Joint kit Manufacturer Registration:** Certificate of Registration as “Approved Manufacturer” OR Authorized Distributor/ Dealer/ Service Provider of approved manufacturer of GETCO/ DISCOM along with copy of valid certificate of Vendor registration from the original manufacturer.  
Valid Type test certification from CPRI/ERDA or approved Govt. Lab required as per relevant IS.
3. **Experience:** Bidder should have experience of similar work under single contract as main contractor for minimum of **50% value** of estimated cost of the tender within last 3 years. Attested copy of work orders executed with satisfactory completion certificate from respective department should be submitted.  
  
OEM Certified/ Approved jointer list with Training Certificate must be attached with Technical bid. Agency must provide all tools as per job requirements to each jointer. Cable preparation tool to be required at each site during execution of job. No work allowed without comply above requirement.
4. **Solvency:** Latest bank solvency certificate from any Nationalized/Scheduled Bank of a sum of minimum 20 % of the estimated cost shown in the tender.
5. **Provident Fund Code:** Separate provident fund code number towards firm registered with Regional P. F. Commissioner.
6. **Nature of Firm:** Attested copy of Partnership Deed, Power of Attorney, if any, for signing the bid documents in case of partnership firm & self-affidavit for proprietorship firm. All such documents shall have to be NOTARISED.
7. **I.T. PAN CARD:** The bidder should submit the attested zerox copy of PAN Card of their firm.
8. **GST Registration:** The Bidder should have to take registration under the “GOODS AND SERVICE TAX” and certified Photo copy of such registration to be attached with bid.
9. **Financial Documents:** The Bidder should submit self-certified copy of Profit/ Loss Statements, Balance Sheets with audited copy of the Balance sheet for last three Years.

#### **Note to Bidders:**

- i) No tenders will be considered received without Tender Fee & EMD.
- ii) Bidders qualifying in Technical Bid only will be considered for Price Bid opening.

## **TECHNICAL SPECIFICATION**

### **HEAT SHRINK TYPE CABLE TERMINATION & JOINTS**

#### **CLASS OF TERMINATION:**

The heat shrinkable cable termination shall be Class 1 termination as per IEEE-48-1990.

#### **APPLICABLE STANDARDS:**

IS 13573-1992- Latest Amendment No. 2 of 1998

IEEE 48-1990- The termination shall be Class 1.

ESI-09-13 - Performance specification for high voltage cable accessories

The cable accessories being supplied in the form of kit which has different components to be assembled at site.

#### **TECHNICAL SPECIFICATION FOR HEAT SHIRINKABLE TERMINATION**

This specification lays down the material properties. Performance requirement of heat shrink cable termination and jointing system for use on electrical systems operating at voltage 11KV (i.e. voltage at which the cable termination kit is meant for).

#### **MATERIALS:**

The term heat shrinkable refers to extruded or Molded Polymeric. Polymeric material which are cross linked by gamma radiation to develop elastic memory and supplied in an expanded or otherwise deformed size and shape. Bidders should submit the proof that the tubes are cross linked by gamma radiations. However chemically cross linked, crotch seal and lug seals are permitted. Heat shrink kit should be supplied in a expanded or otherwise deformed size and subsequent heating in an unconstrained state to temperature above the shrink temperature results in the material recovering or shrinking to its original shape. The heat shrink kits should consist of the following:

#### **STRESS CONTROL XLPE SCREEN CABLE:**

Required length of stress relief tube should have minimum length of 150mm having volume resistivity of 108 ohms/cm and permittivity of 25 to give optimum electrical stress control. The impedance of the tube should not change by temperature Variation from 5°C to 125°C. The stress control tubing should be void free. Tenderer must submit the graph showing the effect of stress, temperature and aging on the impedance of stress control tubing along with the offer.

#### **NON-TRACKING EROSION AND WEATHER RESISTANT PROTECTION TO TERMINATION:**

A heat shrinkable flexible tubing preferably colored red silicon based both ultra violet resistant and possessing non-tracking erosion weather resistant properties shall be used as external covering for the cable cores for outdoor and indoor termination. The tubing shall confirm to the requirement given in List 1 to ESI 09-13 including Atlas weather – O – meter testing non-tracking performance as per ASTM D2303. Non-tracking performance as per ASTM D2132 (Dust Fog Test) 1 IEC 112 (Comparative Tracking Index) and VDE 0303 (Tracking and Erosion Resistance Test) shall also be complied with offer. Also bidder has to submit the test results for non-tracking properties along with life assessment report.

#### **ENVIRONMENTAL SEALING:**

Adhesives and sealants shall be provided in the termination and jointing kits for environmental sealing against ingress moisture and aggressive gases. The adhesive and sealant will flow due to heating and heating of heat shrinkable components during installation and will fill all the voids and adhere to metal connectors and cable sheets. In short, all adhesives should be anti-tracking type and required sealants and mastics shall form part of kit.

**FOR TERMINATION:**

At the end, sealing of the strand between the lugs barrel and cable insulation shall be provided by

- (a) Erosion and weather resistant pre-coated heat shrinkable tubing with non-tracking sealant.
- (b) Non-tracking sealants strip.

**FOR JOINTS:**

Heat shrinkable flexible polymeric tubing, preferably black colored pre coated with adhesive shall be provided for sealing the exposed metallic sheaths and sheath/earth connections.

**PROVISION OF ADDITIONAL CREAPAGE FOR INDOOR/OUTDOOR TERMINATIONS:**

Single piece, heat shrinkable weather sheds having non-tracking, erosion and weather resistant properties shall be supplied with the kits for application over non-tracking tubing. The quantity of sheds to be supplied shall depend on voltage grade and indoor/outdoor application and shall be indicated along with offer. Each shed shall give an additional creepage length of at least 100mm.

**INSULATION AND SCREEN REINSTATEMENT FOR JOINTS:**

The reinstatement of insulation shall be by means of heat shrinkable, flexible, polymeric tubing made from a discharge resistant polymer, preferably colored red. The tubing after complete recovery shall have a minimum wall thickness to ensure provisions of adequate insulation in step.

**EARTH & SCREEN CONTINUITY FOR TERMINATION & JOINTS:**

Screen continuity by using tinned copper mesh and earth continuity by using tinned copper braids of appropriate size shall be provided for transfer of screen/earth in straight through joints.

In termination, tinned copper braids of appropriate size shall be provided for joints for the continuity of screen/armor.

**LUGS & FARRULES:**

The requisite number and type of aluminum lugs/ferrules shall be provided for termination/joints. Lugs and ferrules for XLPE cables shall be crimping type suitable for compacted circular conductor having two nos. of holes.

**EARTH SCREEN CONTINUITY:**

Screen continuity by using copper mesh and earth continuity by using copper braids of appropriate size shall be provided for transfer of screen/earth in straight joints.

In termination, tinned copper braids of appropriate size or equivalent current carrying capacity of cable conductor along with copper lugs of appropriate size shall be provided for continuity of screen to armor to the earth.

**LUGS AND FERRULES:**

The requisite number and type (Aluminum) of lugs/ferrules shall be provided for termination joints. The lugs and ferrules shall be of crimping type and suitable for compacted round conductor of XLPE cables.

## **TENDER SPECIFICATIONS**

All technical specification should be ISS/ISI/BIS. Specification framed out by the Corporation is separately brought out in the tender documents. No deviation in specification shall be allowed and Corporation's decision shall be final. The Corporation also desires that all the suppliers should possess high quality ISO 9001 / ISO 9002 certificate within 2 years from 1/1/2012 and other things being equal, suppliers who possess ISO 9001 / ISO 9002 certificate will be given preference in quantity distribution. The technical scrutiny committee of the Corporation shall evaluate the techno-commercial view of the tender. Tender should be in single Techno – Commercial bid.

### **IMPORTANT:**

The technical bid should be submitted online along with Tender Fee & EMD on or before due Date as specified in the tender notice.

**The Price bid shall be filled up with the quoted % above or below & shall be submitted through online only. No any physical submission required.**

Please note, that any bid, technical or price bid and Telegraphic or short offers / bids received after the due date and time will not be accepted and the offer will be ignored out rightly.

### **LATE / DELYAED TENDER SHALL NOT BE CONSIDERED.**

Incomplete bids and amendments and additions to bids after opening of the bids will be ignored out rightly.

1. The price bid of those who are techno-commercially qualified shall be opened. After technical bid is opened, for modification, if any, all shall be given equal chance.
2. The Tenderer must submit all annexures in his bid, full name and address with phone, Fax & mobile number of the Representative who has been authorized by the Tenderer to do work with the Corporation on their behalf.
3. The tender should be submitting online. (NO Hard copy/ COURIER SERVICE WILL BE ACCEPTED).
5. **Tender fee (Non-refundable):** As notified in the tender notice should invariably be paid by the tenderers by online only and enclose in the Technical bid documents. Without Tender fee supplier's bid is liable to be rejected.
6. **EARNEST MONEY DEPOSIT:**  
**E.M.D. as per mentioned in Tender Notice is payable by online mode only.** Copy of Transaction report should be attached with Technical bid documents.
7. **SECURITY DEPOSIT:**  
Security Deposit should be paid within 10 (Ten) days after receipt of the LOI.

The successful tenderers will be required to pay an amount equivalent to 5% of the value of the order as a Security Deposit for satisfactory execution of the contract.

Such Security Deposit will be payable in form of **Demand Draft** in favor of Gujarat Energy Transmission Corp. Ltd. Payable at Mehsana **OR** in form of **Bank Guarantee** as per format attached at last of Annexures. **No FDR is accepted against SD/PBG.**

If the full Security Deposit amount is not paid within 10 (Ten) days after the receipt of the order, then the order will be out rightly cancelled at the risk & cost of the Tenderers (at the discretion of the Corporation) and without entering into any correspondences and this will be binding on the Tenderers.

**8. PRICES:**

Prices quoted should be **in % Above/ Below on Estimated Cost**. However, detail bifurcation of Taxes applicable should be mentioned separately with Price bid.

**9. VALIDITY OF THE OFFER:**

The offer will have to be kept valid for a period of **180 days** from the date of opening of technical bids. In case of finalization of the tender is likely to be delayed, the tenderers will be asked to extend the same without change in the prices or any terms and conditions of the offer. If any change is made, original or during the extended validity period, the offer will be liable for outright rejection without entering into further correspondence in this regard and no reference will also be made.

**10. PRICE EVALUATION:**

No price preference shall be given on any account. All tenders will be evaluated on firm price basis. Corporation may go for the price L-2 depending upon the exigency. If Corporation feels that there is lack of serious competition or any other reasons, Corporation may negotiate with the L-1 party. Corporation's decision shall be final and binding to all the parties.

**11. QUANTITY DISTRIBUTION:**

As per current practice, in case where the quantity is to be distributed to more than one supplier, 50% quantity shall be given to the parties who are techno-commercially qualified and who match the L-1 prices.

**12. PACKING AND FORWARDING CHARGES:**

The prices shall be inclusive of packing & forwarding charges. The stores should be strongly and adequately packed to ensure safe arrival at destination.

**13. PAYMENT TERMS:**

**Payment shall be made by the concerned Division for work carried put on monthly basis** with production of signed work completion certificate of the Sub-Station in-charge & after following the procedure of GETCO.

Payment of Invoice will be done as mentioned below.

1. 80% of FOR destination price (on Adhoc basis)
2. 20% of FOR destination price & GST be kept under retention account and be released towards final settlement of such invoice after verifying benefits of higher ITC passed on to the GETCO, based on Certificates from Practicing CA firm in regard to passing of ITC and reduction in Tax instance.

It is to state that under GST Regime, the Suppliers will be entitled to Input Tax Credit (ITC) in respect of Tax paid on input goods & service used by him as against the earlier Tax regime where CENVAT Credit was available on account of Excise Duty and Input Tax Credit was available on account of VAT. Hence under Statutory Variation clause, Excise Duty clause and extension in Contractual delivery clause of Purchase Order & Works Order, the Supplier or Contractor are supposed to pass on benefit on account of higher Input Tax Credit now available, due to introduction of GST, for ongoing and pending supply & I works orders.

Considering, the Anti Profiteering provision of GST and Excise Duty and Statutory Variation clause of Purchase Order and Works Order issued by GETCO, invoice will be processed & paid on Adhoc/ provisional basis as mentioned above keeping balance 20% of FOR destination price + GST under retention account.

**14. REPEAT/ADDITIONAL ORDERS:**

The Corporation reserves the right to place repeat orders / additional orders on the successful tenderers up to 50% of the original quantity of the A/T at the same prices terms and conditions stipulated in the original order mutually agreed upon.

**15. Execution of the Work:**

**(a) The agency will have to complete the job within 24 Hrs. on getting information from the field or Circle Office.**

**(b) Time limit of work: On Bi-ARC Basis for 24 months.**

**Further extension up to Finalization of new tender at Same rate & Condition will be granted on mutual agreement between GETCO & Agency.**

**16. POST TENDER CORRESPONDENCE / ENQUIRIES:**

Any correspondence or enquiry subsequent to opening of Technical and Commercial bids is not desirable, if the same is indulged into, it will be considered for disqualifying the tender. The Tenderers will be required to abstain from pursuing / canvassing the matter, directly or indirectly with any Officers of the Corporation, as otherwise the same would also amount to disqualification of the tender.

**17. Tenderers must submit offers / bids along with requisite descriptive literature etc.**

Wherever applicable, Complete Technical data of Cable Termination Kit must be furnished along with the tender including (i) Dimensional Drawings, (ii) Type Test Certificate from Govt. Recognized Laboratory (iii) Guaranteed Particulars with the tender which is a must. Tenderers will be at full liberty to provide information and data about his products.

**18. TYPE TESTS:**

All the necessary Type tests will have to be carried out before submission of the tender and to be submitted along with the Technical Bid. The Type Tests which are more than 05 (Five) years old (from the date of opening of the technical bid) will not be considered (except otherwise specifically mentioned in the Guaranteed Technical Particulars i.e. GTP's) and such tenders will be rejected. All the required type tests should not be older than 5 (five) years. All the required type tests on one particular item must have been conducted in the span of one year only. If the type tests for the tendered items are not carried out before the submission of the tender, then it will at Corporation's sole discretion to accept them or NOT. However, depending upon Corporation's requirement, if the Letter of Intent (LOI) is placed subject to submission of type tests, then in such cases all the necessary Type tests will have to be carried out by the firm within 30 (Thirty) days of the issue of LOI or at Corporation's discretion, failure to do so the LOI stands cancelled and the detailed purchase/work order will not be placed and no further correspondences in this matter will be entertained at any cost and will be out rightly ignored.

19. The purchaser (i.e. Corporation) shall have the right to make any changes, additions / deletions or modifications in any terms / conditions of the tender and / or specifications as may be deemed necessary by the Corporation at its sole discretion at any time before the due date of opening of the tender.

20. Tenderers should furnish a list of orders for similar items executed by them indicating the name of the party and their order reference to which they have supplied, to be furnished in Annexure-6. Failure to do this will result on supplier's tender being rejected without any reference. In case of bought out items they should furnish the back up guarantee from their principals.

21. Corporation does not accept the printed conditions of any Tenderers. It will be ignored without any reference; hence tenderers should withdraw such printed conditions if they have any.

22. The materials should be offered strictly confirming to ISS / BIS / Tender specifications given in the tender. If the tenderers desires to quote with any technical deviations, they should specifically quote the deviation & the ISS or BIS Nos. in the body of the tender itself under the respective Annexure of this tender document. If technical deviations furnished by the Tenderers are not agreeable to the Corporation, the offers may be ignored. However, it will be solely at

Corporation's discretion to consider the technical deviations OR not for considering the Tenderers. No correspondences of the Tenderers after opening of the bid will be entertained in this matter.

23. Revision of prices or any commercial terms affecting the price after opening of technical bids shall not be considered and will be ignored.

24. Tenderers should specifically mention in the offers and should indicate in Block letters the name of the Partners / Proprietor / Directors who is / are the signing authority.

**26. GUARANTEE:**

If the goods, stores and equipments found defective due to bad design or workmanship the same should be replaced by you free of charge **if reported within 2 Years of their installation at site**. You will be responsible for the proper performance of the materials for the respective guarantee period.

**27. OTHER CONDITION OF SUPPLY:**

The Corporation's General Conditions of contract will apply to all contracts and supplier will be deemed to be fully aware of the Corporation's general conditions of contract for the supply of plant equipment and materials except the conditions modified in this commercial terms and conditions and any ignorance of these Conditions, will not exempt supplier from their liability to abide by the same. Copies are available from the Circle Office, Mehsana.

28. Although the materials have to be supplied as per ISS and or as per the tender specifications, the Corporation will take random samples from the materials supplied and subject them to tests according to ISS in approved laboratories. The materials should stand these tests and if the materials do not stand these tests, they will be summarily rejected and the supplier should make immediate arrangement to replace them with standard materials and after getting them duly inspected and approved.

29. If in any company, the interest of any employee of the GETCO or his relative as defined in Section VI of the Company's Act. 1956, is 10% or more, GETCO will not deal with such company at all. Tenderers therefore, must specifically disclose this fact in his technical Bid. Non-disclosure of such facts would disqualify the Tenderers for further dealing with GETCO.

**30. ARBITRATION:**

**(1) Amicable Settlement**

Any dispute, difference, controversy or claim between the Parties arising out of or relating to this contract with reference to the construction, interpretation, breach, termination or validity thereof (hereinafter referred to as "the Dispute") shall, upon the written request of either Party be referred to the authorized representatives of the Disputing Parties for resolution. The authorized representatives shall promptly meet and attempt to negotiate in good faith a resolution of the Dispute within thirty days of the service of the request.

**(2) Arbitration**

If the parties fail to amicably resolve the disputes or differences or contrary claims as indicated herewith in sub clause (1) of Clause, arising under or in connection with the present works contracts, whether pertaining to works contracts alone or works and procurement both, the same shall be referred to arbitration under the Gujarat Public Works Contracts Disputes Arbitration Tribunal Act, 1992."

**31. JURISDICTION:**

All questions, disputes or differences arising under out of or in connection with the Tender / Contract if concluded shall be subject to the exclusive jurisdiction of the court under whose jurisdiction the place from which the tender / Acceptance of tender is issued, is situated i.e. **Mehsana**.

**32. SUBMISSION OF OFFERS:**

The firm having single legal entity and having two or more works / factory and submits offers from two or more different works / factory, in such case Corporation will consider only ONE lowest offer for allocation of quantity. **Conditions of advance payment along with the order are not acceptable by the Corporation.**

33. The Tenderers if being an agent, who submits its offer to Corporation, will have to give information and declare the name of the principle from which he will procure the materials and supply to Corporation along with company's written confirmation about quality and backup performance guarantee. Only on getting complete information from Agent, such offer if found suitable shall be taken in consideration.
34. Corporation reserves the right to cancel any or all the offers / bids or to accept any offer without assigning any reasons. Also in case Corporation finds that there is an attempt of cartel in the prices, Corporation reserves the right to consider or reject any or all the parties offers without assigning any reasons thereof.
35. Corporation reserves the right to increase or decrease the quantity against each item/s while placing the order.
36. All the suppliers / manufacturers should possess high quality ISO 9001 / ISO 9002 Certificate within 2 years. Other things being equal the company possessing the ISO 9001 / ISO 9002 license will be given preference if other requirements match.
37. The tenderers are required to furnish the technical information and the guaranteed technical particulars (GTP) along with company seal and signature of the Tenderers on each and every page / papers of the tender documents.
38. The samples if any as indicated in Schedule "A" of the tender, must be submitted before opening of the tender to: Superintending Engineer, Transmission Circle Office, GETCO, Mehsana.
39. All the costs of the stamp papers are to be borne by you as per the Govt. Of India's latest guidelines.
40. Tenderers should invariably fill up all the details of all the Annexure including the prices in the Price Bid Annexure of this tender document. This is mandatory. Also all the Annexure should be duly signed by authorized signatories with their rubber stamp and along with Company's Rubber (Round) seal / stamp affixed on each paper.
41. If the Tenderers fails to pay the Security Deposit or defaults in execution of the orders placed or if Corporation suffers any financial loss due to this, then Corporation will be at liberty to adjust the amount from other orders of the same firm or by encasing the Bank Guarantee.
42. The following List of Annexure and Documents should be invariably submitted along with the tender:
  - 1) Schedule-"A" Indicating the Description of Items & procurement quantities for the tender etc.
  - 2) Schedule-"B" -Format of Price Bid to be submitted online.
  - 3) Technical Specifications with Guaranteed Technical Particulars.
  - 5) Annexure – 1 TO 13
  - 6) Certificate – "A".
  - 7) Document of Important Instructions.

All the above documents should be duly filled in, signed & stamped with company's seal should be submitted along with the Technical Bids and Schedule- "B" to be kept in the Price bid.

43. Please note that any additional conditions / deviations, if any, found in the Commercial terms & conditions (except reference under clause no.38 of this tender document), then the Price Bids of such tenderers will not be opened and no further correspondences in the matter will be allowed.
44. All the tenderers must ensure that all the relevant documents / papers submitted with the tender should be serially numbered, properly bounded / tied together and properly documented. This must be adhered to.
45. All the above points should be complied by the Tenderers. If not, tenders are likely to be ignored without making any further reference.
46. **Penalty:** In case of delay in executing the work, concern Ex. Engr. will decide the amount of penalty. The same will be reviewed & finalized by SE, GETCO, Mehsana.

**SEAL AND  
SIGNATURE OF THE TENDERER**

## **GENERAL CONDITIONS OF CONTRACT**

### **SPECIAL TERMS AND CONDITIONS:**

1. In case of emergency respective division can get the work done, but has to obtain post facto sub order without which no payment will be made.
2. The contractor has to submit bill along with copy of sub order to the respective division for passing & payment without sub order of the division no payment will be made.
3. The work is to be executed in all respect as per the instructions of Engineer-in-charge by arranging all required materials tools, tackles equipment including labours, transportation etc. GETCO will not pay anything extra on this account.
4. The GETCO reserves the rights of retrenching and dismissing any person employed for the work if there is complaint against his misbehavior, misconduct or disloyalty towards job.
5. Terms and conditions regarding industrial laws and other related matters shall be complied by the contractor in all respect.
6. No part of the contract nor any share of interest there in shall in any manner of degree be transferred/assigned or subject by the contractor directly or indirectly to any person/firm or Corporation whatsoever.
7. The contractor shall ensure that all persons are provided with the safety tools, shoes, etc. as may be required from safety point of view and all his persons shall follow the instructions issued by the GETCO from time to time related with the safety and security to carry out the work.
8. GETCO shall not be liable for any damages or compensation for any injury or for any accident occurred to any person engaged by the contractor. The contractor shall keep the GETCO indemnified thereof.
9. The contractor shall be liable for making good all damages/losses arising out of workmanship, breakages, pilferage, etc. to the GETCO.
10. Contract period: The contract period will be Two year from the date of issue of the Order. If during the any instant of contract period, execution of work is not found satisfactory in any respect, job will be got executed through other agency at the risk and cost of the contractor. GETCO reserves the right to terminate your order without assigning any reason.
11. The rates agreed herein shall remain firm till the expiry of contract. The contractor shall not be entitled to any increase or revision (Statutory or otherwise) or any other right or claim. Whatsoever by way of representation, explanation statement or any undertaking or promise given or alleged to have given by any employee of the company or due to contractor's own ignorance on account of any difficulties or hardships faced by him. The rates as such are all inclusive of all.
12. **The Price bid shall be filled up with the quoted % above or below & shall be submitted though on-line only.** In case of any discrepancy between the rates/amount quoted in words & figure, the rates/amount most favorable to the GETCO shall be considered.
13. Conditional tender will not be accepted and likely to be rejected.
14. The GETCO do not bind them selves to accept lowest or any tender.

15. The GETCO reserves all rights to accept or reject any or all tenders without assigning any reason. The terms and conditions stated above are carefully read by me/us and are acceptable to me/us.
16. The quantity given in Schedule 'B' is approximate. This is being an annual rate contract, there will be increase or decrease in the quantities. Please note that within the estimated cost quantities of item may vary as per the requirement, in such event, payment will be made on the basis of actual quantities executed. For making any change in the quantities SE (TR) Mehsana is only authorized. However, limit of order value shall not be exceeded.
17. Successful bidder shall inform in writing to under signed SE (TR) Mehsana as soon as 75% of the ordered quantity/value is consumed, with a copy to Accounts Officer, Transmission Circle Office, Mehsana.
18. Successful bidder shall submit monthly report for work executed by them giving details of Name of s/s, Name of feeder, type of kit used, date of providing kit, sub order no. etc. utilized by them to the Superintending Engineer (TR), Mehsana.
19. This being an annual maintenance rate contract job, payment against only supply of material will not be made.
20. The work shall be carried out within 24 hrs. from the time of intimation from the respective division. If the contractor does not carry out the work within stipulated time, GETCO reserves the right to get it done from other agencies at the risk and cost of the contractor. If the contractor fails to execute the work as above, SE (TR), Mehsana reserves the right to terminate the ARC on such defaulters.
21. Agency will submit List of Authorized Termination person (Jointer) for particular area assigned. Authorized person should have valid Training Certificate, Agency's Identity Card & Letter of authorization from agency.
22. Agency have to provide standard make Cable insulation stripper to each authorized jointer for uniform workmanship at all locations. Jointer person must aware to use the same. No Glass/ Knife or other tool allowed for same during work. Concern in-charge should verify availability of all tool- tackles before execution.

**Seal and**  
**Signature Of The Contractor**

**Superintending Engineer**  
**GETCO, Mehsana**

## **SECTION- E** **APPENDICES**

### **ANNEXURE – 1**

**Subject: Providing and fixing of Cable Termination Kits**

In connection with the above subject and reference I/ We confirm the following:

1. I / We, the under signed have read and examined the Tender Specifications in tender mentioned under reference along with the Commercial terms and conditions.
2. I / We, declare that our Technical Bid is strictly in line with the Tender specifications (except the deviations shown in Annexure of Technical Deviations as per clause no. 22 of this tender document).
3. Further, I / We also agree that additional conditions / deviations, if any, found in the Commercial terms & conditions (except reference under clause no.22 of this tender document), our offer shall be out rightly rejected without assigning any reason thereof.

**SEAL AND**

**SIGNATURE OF THE TENDERER**

**Gujarat Energy Transmission Corporation Ltd.**

**ANNEXURE – 2**

I / We, confirm that following documents are attached with the technical bid of the offer.

| Sr. No. | Details                                                                  | Confirmation<br>(Yes / No ) |
|---------|--------------------------------------------------------------------------|-----------------------------|
| 1       | Type test reports as per “Annexure-8”                                    |                             |
| 2       | Corporation's technical specification duly signed and with seal of firm. |                             |
| 3       | ANNEXURE - 10'                                                           |                             |
| 4       | ANNEXURE – 11'                                                           |                             |

**SEAL AND  
SIGNATURE OF THE TENDERER**

NOTE: ALL THE DOCUMENTS SHOULD BE PROPERLY FILED AND SHOULD BE GIVEN  
FLAG MARKING FOR IDENTIFICATION.

**Gujarat Energy Transmission Corporation Ltd.**

**ANNEXURE – 3**

**LIST OF TYPE TESTS REPORTS SUBMITTED WITH THE TECHNICAL BID**

| Sr. No. | Type test Report<br>No. & Date | Tests carried out at<br>(Name of<br>Laboratory) | Rating & Type /<br>designation of item/<br>Equipment | Name of the<br>test conducted | Results of the<br>Tests. |
|---------|--------------------------------|-------------------------------------------------|------------------------------------------------------|-------------------------------|--------------------------|
|         |                                |                                                 |                                                      |                               |                          |
|         |                                |                                                 |                                                      |                               |                          |

**SEAL AND**

**SIGNATURE OF THE TENDERER**

**Gujarat Energy Transmission Corporation Ltd**

**ANNEXURE – 4**

**Vendor must fill up below details & should place at the top of the Technical Bid.**

|    |                                                                                                              |  |
|----|--------------------------------------------------------------------------------------------------------------|--|
| 1  | PRICES: (FIRM ONLY)<br>(Please Specify YES / NO.)                                                            |  |
| 2  | Mention GST Registration Code<br>(HSN/SAC No.)                                                               |  |
| 3  | Amount of GST applicable<br>(% rate on Estimated Value)                                                      |  |
| 4  | SECURITY TERMS AGREED:<br>(please specify YES / NO)                                                          |  |
| 5  | P.G. TERMS AGREED: (wherever applicable):<br>(P.G. performance Guarantee) (please specify YES / NO)          |  |
| 6  | VALIDITY OF THE OFFER AGREED:<br>(Please specify YES/NO.)                                                    |  |
| 7  | PAYMENT TERMS AGREED:<br>(Please specify YES/NO.)                                                            |  |
| 8  | Items Offered                                                                                                |  |
| 9  | Telephone & FAX Nos.                                                                                         |  |
| 10 | Authorized person of the firm                                                                                |  |
| 11 | If vendor Registration is done: (Please submit copy of vendor registration approval letter in the EMD cover) |  |

**SEAL AND**

**SIGNATURE OF THE TENDERER**

**ANNEXURE – 5**

TECHNICAL DEVIATIONS IF ANY TO BE FURNISHED IN THIS ANNEXURE ONLY AND TO BE SUBMITTED WITH TECHNICAL BID.

**SEAL AND**

**SIGNATURE OF THE TENDERER**

**Gujarat Energy Transmission Corporation Ltd**

**ANNEXURE – 6  
(UNDERTAKING IN REGARD TO QUOTED PRICE)**

Sub: Undertaking in regard to quoted prices.

.....

All bidders will have to furnish the following undertaking duly filled in, signed and stamped for each quoted item of the tender along with the price bid.

“This is to certify that we have not supplied the tender items to other SEBs / Power Utilities with this tender specification of GETCO at lower price than the prices quoted in this tender by us for the same item during last Six (6) Months.”

The prices quoted by us for the same item to other SEBs during the last six (6) months are given below:

**SEAL AND  
SIGNATURE OF THE TENDERER**

This is to be submitted in separate Sealed Cover super scribed “Undertaking in regard to quoted price” and should be placed in Price Bid Cover.

.....

**Gujarat Energy Transmission Corporation Ltd**

**Tender for the work of providing and fixing of Cable Termination Kits**

Tender No. MTC/

On Firm's Letter Head

Due On:

**CERTIFICATE – “A”**

I/We\_\_\_\_\_ authorized signatory of M/s.  
\_\_\_\_\_ hereby Certify that M/s.  
\_\_\_\_\_ is not related with other firms who have submitted  
tenders for the same items under this Inquiry / Tender.

**SEAL AND  
SIGNATURE OF THE TENDERER**

**GUJARAT ENERGY TRANSMISSION CORPORATION LTD.  
CIRCLE OFFICE, MEHSANA**

Tender No: MTC/  
Due On:

**IMPORTANT INSTRUCTIONS**

1. The Tenderer should clearly give certificate along with the Technical Bid: "This is to confirm and certify that the offer submitted by me is strictly in accordance with the Corporation's Tender specifications, Guaranteed Technical Particulars and drawing as mentioned in the Tender Specifications. There is no commercial or Technical deviation (except the deviations shown in Annexure of Technical Deviations as per clause no.22 of this tender document) in the offer from the Corporation's Tender Specification. I undertake to abide by the Corporation's Technical specification / Guaranteed Technical Particulars / Drawing, I undertake to supply materials strictly as per the Corporation's Technical specification / Guaranteed Technical Particulars / Drawing, even if any technical deviations are mentioned by me. I also undertake to abide by all commercial conditions of the Corporation, including delivery schedule."
2. Any offer without above certificate will not be considered and the tender will be out rightly ignored in the absence of above certificate.
3. After opening of the Tender, if it is found that the offer given by the Tenderer is not according to the Corporation's specifications, Guaranteed Technical Specifications, Drawing and commercial terms and conditions and false certificate is given by the Tenderer, then Corporation will not deal with the firm for the present Tender. It is, therefore requested that the Tenderer should take care in giving their offer and submission of documents, including Type Test certificate.
4. The conditional tenders will not be accepted.

**SEAL AND  
SIGNATURE OF THE TENDERER**

The tenderers should confirm following details along with offer with supporting documents.

- |     |                                                                                                                  |                                       |
|-----|------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| 1.  | Kits offered are suitable for XLPE cable for size and details specified in tender specification.                 | <input type="text" value="YES / NO"/> |
| 2.  | Test reports as per IS-13573 1998 with latest Amendment No. 2 with latest amendments 1998 Enclosed.              | <input type="text" value="YES / NO"/> |
| 3.  | Kit content is enclosed.                                                                                         | <input type="text" value="YES / NO"/> |
| 4.  | Test report is enclosed.                                                                                         | <input type="text" value="YES / NO"/> |
| 5.  | Installation instructions is enclosed.                                                                           | <input type="text" value="YES / NO"/> |
| 6.  | Terminations offered confirming to the Class-1 as per IEEE-48-1998                                               | <input type="text" value="YES / NO"/> |
| 7.  | Does it have unlimited self-life?                                                                                | <input type="text" value="YES / NO"/> |
| 8.  | Do you have minimum 5 years' experience in Indian Utilities?                                                     | <input type="text" value="YES / NO"/> |
| 9.  | Does it have sealing at lugs and crutch end which can prevent ingress of moisture during operation.              | <input type="text" value="YES / NO"/> |
| 10. | Components of kits are having manufacturer's logo/name batch for traceability on each and every component manly. | <input type="text" value="YES / NO"/> |
| 11. | Dealer's/Distributor/s authorization certificate issued by manufacturer is enclosed.                             | <input type="text" value="YES / NO"/> |
| 12. | Guarantee certificate stating 3 years minimum Guarantee.                                                         | <input type="text" value="YES / NO"/> |
| 13. | Kits offered has any deviation from the Specification.                                                           | <input type="text" value="YES / NO"/> |

**SEAL AND**

**SIGNATURE OF THE TENDERER**

## Penalty Clause: FOR SAFETY

### Penalty:

1. In case if any safety related fatal Elect. / Mech. accident occurred to any employee of agency or outsider due to negligence or non-compliance of GETCO safety norms then in addition to the compensation and liability as per statutory requirement, contractor / agency shall be penalized as under:

| Sr. | Amount of Contract in Rs. | Penalty amount |
|-----|---------------------------|----------------|
| 1   | Up to →1 Lac              | Rs.5000/-      |
| 2   | Above1 Lac to → 10 Lacs   | Rs.25000/-     |
| 3   | 10 to --→ 100 Lacs        | Rs.1,00,000/-  |
| 4   | > 100 Lacs                | 1.0 %          |
|     |                           |                |

### 2. Reporting:

- 2.1 The contractor shall inform concerned Ex. Engineer Const/TR in writing within 24 hours of fatal/Non-fatal accident occurred to human being.
- 2.2 The GETCO investigating officer findings in to accident shall be final and binding to the contractor /Agency.

### 3. Safety Requirement:

3.1 Kick off Meeting exclusively for safety shall be done in each contract in presence of contractor's site in charge and supervisor. Safety document shall be handed over and vital safety norms and key points of safety related to project shall be explained and recorded for commitment by erection contractor. Such records are mandatory for clearing first erection bill.

3.2 During site visit by GETCO official of Executive Engineer and above rank, the following checks during execution of work shall be covered.

3.21 Safety equipments available and utilize.

- (a) Helmet.
- (b) Safety belt.
- (c) Safety shoes/ Gloves.
- (d) Live line Voltage detector

3.22 Safety procedure adopted.

- (a) Permit to work
- (b) Earthing at the place of work.
- (c) Adequate supervision.

3.23 T & P physical Check. (Healthiness and Quality)

- (a) P. P. Rope.
- (b) Wire rope and sling.
- (c) Earthing rod

If above-mentioned safety requirements found violated in any of the above three conditions shall attract penalty of Rs.1000/-per occasion. (Max.Rs.3000/--for violation of three conditions)

3.3 During subsequent visit, if violation is found, then double penalty shall be deducted from the bill of the Contractor/Agency.

## **ANNEXURE- A**

### **OUR ENDEVOUR Safety a habit**

To create environment where Business Confidence is built through Best Business Practices and is fostered in an atmosphere of trust and respect between providers of goods and services and their users for the ultimate benefit of society the nation, safety guidelines are agreed upon by the agency as under.

Safety is our prime concern and zero accident is our goal. In order to prevent the accident, while execution of works in indoor and outdoor systems of GETCO, the following guideline and preventive measures are identified.

| <b>Indoor safety precaution</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Outdoor safety precaution</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| The method of work required T&P and manpower should be discussed between GETCO supervisor, contractor's supervisor and gang leaders.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | The method of work required T&P and manpower should be discussed between GETCO supervisor, contractor's supervisor and gang leaders.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <p>Prior to execution of work a joint survey must be conducted by GETCO supervisor and contractor's supervisor for risk assessment</p> <ul style="list-style-type: none"> <li>•Clearly identify the work location, to distinguish between the equipment that is dead and other equipment / part that may be live.</li> <li>•Disconnect equipment from supply.</li> <li>•Protect against other live parts.</li> <li>•Take special precautions when close to bare conductors / Bus bar.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <p>Prior to execution of work a joint survey must be conducted by GETCO supervisor, contractor's supervisor and DISCOM line man in order to identify the following:</p> <ul style="list-style-type: none"> <li>a. HT/LT line or tap line crossing under each span of line of the work.</li> <li>b. Isolation point of each line crossing.</li> <li>c. Each line crossing &amp; isolation point under each span must be discussed and noted in maintenance register with sketch.</li> </ul>                                                                                                                                                                                                                                                    |
| <p>Following safety guidelines are mandatory for all contractors operating in GETCO premises for Electrical, non-electrical &amp; civil works.</p> <ol style="list-style-type: none"> <li>1. The contractors must provide advance planning of work to concerned in charge of substation in writing.</li> <li>2. Before starting any work whether switch yard, "permit to allow to work" must be taken from control room in charge.</li> <li>1. Utilizing Electrical / nonelectrical equipments, safety rules must be implemented.</li> <li>2. If the work is to be carried out on Sunday or Public holiday, the necessary permission must be taken in advance, requesting in writing.</li> <li>3. Unwanted person including children of labors will not be allowed at working site/ in the switchyard and in the prohibited area.</li> <li>4. Any electrical work or electrical connections to equipment for any other work must be carried out by certified electrician/wiremen with adequate size of wire through MCB as per I.E. Rule.</li> </ol> <p>-Live penal area / bus bar must be isolated and sealed / bifurcated with red Colour tape for visible warning. Display Board must hang on LCP panel.</p> <p>-Transformer must be switched off whenever and wherever contractor and line workers are not satisfied with isolation, earthing or any equipment performance of GETCO, it will be pointed out and work shall begin only after resolution. Contractor shall not take up job in absence of GETCO authorized person. All wire temporary connection &amp; material whenever erection activity has any connection and disconnection work of bus bar, string bus.</p> | <p>Contractor's supervisor and GETCO Supervisor must ensure all isolations physically with adequate earthing technically prior to give clearance to gang leader for taking up job.</p> <p>While execution of stringing work, the identified line crossing must be isolated / deenergized and written clearance should be obtained from concerned DISCOM supervisor.</p> <p>The isolation of Tap line must be physically seen and verified by Contractor and GETCO supervisor.</p> <p>At D.O. fuse junction contractor's person should be posted to ensure that no person restore D.O. supply while work is under execution</p> <p>Contractor's supervisor must ensure that concern officer take LCP for EHV line and power line crossing.</p> |

|                                                                                                                                                                                                           |                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| All workers / labour of contractor & supervisors must use personal protective equipment (PPE) during the work like gloves, safety belt, Safety shoes, Helmet, earthing rods, etc, duly approved by GETCO. | All workers / labour of contractor & supervisors must use personal protective equipment (PPE) during the work like gloves, safety belt, Safety shoes, Helmet, earthing rods, Live line detector etc, duly approved by GETCO.     |
| The local earthing must be done at the place of work before execution of any work.                                                                                                                        | The local earthing must be done at the place of work before execution of any work.                                                                                                                                               |
|                                                                                                                                                                                                           | Transmission line activities.<br>1) Used of Voltage detector to ensure outage.<br>2) Earthing at three point, local, left & right side of bus bar / string bus.<br>3) Match line Colour code with Colour of wrist band.          |
|                                                                                                                                                                                                           | Local earthing of electrical equipments like filter M/c, welding machine, testing kits etc. is must.<br>Crane shall only be used for material handling and erection. Working platform shall only be used for work in switchyard. |

**CONTRACT AGREEMENT**  
**(To be submitting after Awarding of Contract)**  
**(Non-judicial stamp paper of Rs. 300/-)**

This agreement is made at \_\_\_\_\_, on the \_\_\_\_\_ day of \_\_\_\_\_ in the \_\_\_\_\_ Christian \_\_\_\_\_ year \_\_\_\_\_ between \_\_\_\_\_ (herein after referred to as "THE CONTRACTOR" which expression shall unless excluded by or repugnant to context include its successors or permitted assigns) of the one part and the Gujarat Energy Transmission Corporation Limited, having their \_\_\_\_\_ Office at \_\_\_\_\_, (hereinafter called "Corporation" which expression shall unless excluded by or repugnant to the context include its successors or assigns) of the other part.

"WHEREAS" the aforesaid Corporation has accepted the tender of the aforesaid contractors for \_\_\_\_\_ as per Corporation's Order No. \_\_\_\_\_ hereinafter called "The works" and more particularly described enumerated or referred to in the specification, terms and conditions prescribed in the order letter, covering letter and other letters and schedule of price which for the purpose of identification have been signed by Shri \_\_\_\_\_ on behalf of the Contractors and by \_\_\_\_\_ on behalf of the Corporation, a list where of is made out in the schedule hereunder written and all of which said documents are deemed to form part of this contract and included in the expression 'The Works' wherever herein used, upon the terms and subject to the conditions hereinafter mentioned. AND WHEREAS THE GETCO has accepted the tender of the contractor for the work of \_\_\_\_\_ of Gujarat State for the sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_) upon the terms and subject to the conditions herein mentioned.

NOW THIS AGREEMENT WITNESSES AND IT IS HEREBY AGREED AND DECLARED THAT:

1. The contractors shall do and perform all works and things in this contract mentioned and described or which are implied therein or there from respectively or are reasonably necessary for the completion of the works as mentioned and at the times, in the manner and subject to the terms conditions and stipulations contained in this contract, and in consideration of the due provision, executions, construction and completion of the works agreed to by the contractors as aforesaid, the Corporation doth hereby covenant with the contractor to pay all the sums of money as and when they become due and payable to the contractors under the provisions of the contract. Such payment to be made at such times and in such manner as is provided by the contract.
2. The conditions and covenants stipulated hereinbefore in this contract, are subject to and without prejudice to the rights of the Corporation to enforce penalty for delays and / or any other rights whatsoever including the right to reject and cancel on default or breach by the contractors of the conditions and the covenants as stipulated in the general conditions, specifications, forms, or tender schedule, drawing, etc. attached with Corporation's Order No. \_\_\_\_\_.

The contract value, extent of works / supply, completion / delivery dates, specifications and other relevant matters may be altered by mutual agreement and if so altered shall not be deemed or construed to mean or apply to affect or alter other terms and conditions of the contract and the general conditions and the contract so altered or revised shall be and shall always be deemed to have been subject to and without prejudice to said stipulation.

In witness whereof the parties here to have set their hands and seals this day and month year first above written.

Signed, Sealed and Delivered by

for and on behalf of M/s.

In the presence of, signature with names and

Address:

1)

\_\_\_\_\_  
\_\_\_\_\_

2)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Signed, Sealed and Delivered by

\_\_\_\_\_  
for and on behalf of Gujarat Energy Transmission Corporation Limited,

In the presence of, signature with names and

Address:

1)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

2)

\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_

## **SAFETY CUM INDEMNITY BOND**

(On Non-Judicial Stamp paper of value not less than Rs. 300.00)

KNOW ALL MEN BY THESE PRESENTS that we, \_\_\_\_\_ by this SAFETY CUM INDEMNITY BOND Executed on this \_\_\_\_\_ Day of \_\_\_\_\_ 2013. I/We Having Registered Office \_\_\_\_\_ (herein after called "THECONTRACTOR" which expression shall mean and includes my /our heirs, executors, administrators and legal representatives, successors and permitted assigns) do hereby binds myself/ourselves and also our company/firms after having the power to bind by this promise and undertaking in favour of the Gujarat Energy Transmission Corporation Limited (GETCO), Vadodara a State Transmission Utility under The Electricity Act, 2003 having its registered office at Sardar Patel Vidyut Bhavan, Race course, Vadodara.( hereinafter called as GETCO, which expression shall mean and include its legal representative, administrators assigns) has agreed under the terms and conditions of the contract no. \_\_\_\_\_ dated \_\_\_\_\_ made between \_\_\_\_\_ and \_\_\_\_\_ for the contract of the \_\_\_\_\_ value of Rs. \_\_\_\_\_ interalia on production of Safety Cum Indemnity Bond.

We do hereby undertake and agree to Indemnify and keep Indemnified GETCO from time to time to the extent of Rs. \_\_\_\_\_ Rupees \_\_\_\_\_ only against any losses or damages, costs, charges and expenses caused to or suffered by reason of the CONTRACTOR while Project, R&M, O&M work including work carried out by outsourcing agency, failing to take proper care or not complying the guidelines given hereunder as per Annexure-A and instructions which may be given from time to time during the continuance of the contract and we further undertake to unconditionally pay the amount claimed by the GETCO on demand and without demur to the extent aforesaid.

Whereas the CONTRACTOR has/have been awarded to execute the job/works under order no. \_\_\_\_\_, dated \_\_\_\_\_ for \_\_\_\_\_ issued by the GETCO after having observing necessary formalities, the details of which is described in the order no. \_\_\_\_\_ dated \_\_\_\_\_ and whereas the said job/works will be /likely to be done in places covered under Employees' State Insurance Act, 1948 (ESI) and /or the Workmen Compensation Act, 1923 and /or other laws relating to the Labour Management and Welfare Act. (Respective Amendments)

And whereas according to the condition of the Contract the CONTRACTOR is under obligation to execute this Safety cum Indemnity Bond before the commencement of actual execution of work

Now the indenture witnesses that I/We the CONTRACTOR do hereby undertake to follow the guidelines as per Annexure-A prepared by the GETCO.

Further we the CONTRACTOR agree that the GETCO shall be sole judge of and as to whether there has been any breach of the guidelines as per Annexure-A of this bond and as to the extent of the loss, damages, costs, charges and expenses caused to or suffered by the GETCO.

We the CONTRACTOR further agree that our liability under this bond shall not be discharged because of the change in the constitution of the GETCO or for the extension of the time limit or for any other reason.

We the CONTRACTOR further agrees to the given terms and conditions

a. That the CONTRACTOR undertakes /undertake to indemnify and keep harmless the GETCO from all claims, actions, proceedings and risk, damage danger to any person whether belonging or not belonging to the. CONTRACTOR.

b. That the CONTRACTOR shall keep harmless the GETCO from all claims, compensation, damages any proceedings in respect of any of its employee / workmen under the Workmen Compensation Act or any other laws for the time being in force.

c. That, if during the course of execution of work as stated in the contract order mentioned hereinabove issued by the OBLIGEE, it is found that the CONTRACTOR has not complied with guidelines as per Annexure-A or terms and conditions / formalities within the meaning of Employees' State Insurance Act, 1948 (ESI) or Workmen Compensation Act 1923 or any other laws relating to the Labour Welfare for the time being in force, and also has not observed the safety norms in accordance with the law prevailing at the place of work/job to the satisfaction of the GETCO, the GETCO shall have the right to stop the execution of work/job and the period of such stoppage shall not be taken into account for the calculation of the total period of completion of work for which the CONTRACTOR is responsible to complete the work/job and it will be deemed that discontinuance was due to default of the CONTRACTOR .

d. That, if any time, due to exigency, GETCO as the Principle Employer, becomes liable to pay any such compensation mentioned hereinabove, whether on failure of the CONTRACTOR or for any other reason, the GETCO shall have the right to recover the said amount from any amount receivable by GETCO or any bank guarantee deposited or anything payable whether in connection with this contract or other contract by the CONTRACTOR to the OBLIGEE.

e. That the CONTRACTOR is/are aware and accept that for the persistent or repeated violation of any guidelines as per Annexure-A and terms and conditions mentioned in this Safety cum Indemnity Bond, GETCO shall have right to terminate the contract of work issued to the CONTRACTOR.

f. In case if any safety related fatal Electrical / Mechanical accident occurred to any employee of agency or outsider due to negligence or non-compliance of GETCO safety norms then in addition to the compensation and liability as per statutory requirement, contractor / agency is hereby agreed to pay the penalty amount as given below:

| Sr. | No Amount of Contract in Rs. | Penalty amount          |
|-----|------------------------------|-------------------------|
| 1   | Up to _1 Lac                 | Rs.5, 000/-             |
| 2   | Above1 Lac to _ 10 Lacs      | Rs.40, 000/-            |
| 3   | 10 to --_ 100 Lacs           | Rs.1, 00, 000/-         |
| 4   | 100 Lacs                     | 1.0 % of contract value |

g. I/We the CONTRACTOR hereby confirm that in case of any dispute/difference for settlement of claims under this Safety Cum Indemnity bond the courts in Gujarat State wherever job/work is performed or as per GETCO norms shall have the jurisdiction to decide the rights & liabilities of the parties while adjudicating the matter of claims under this Safety Cum Indemnity Bond.

h. This Safety cum Indemnity Bond shall continue and hold good until it is released by the GETCO in Writing on the Contractor's application after the Contractor has discharged all his obligations under the order mentioned hereinabove and submitted a "NO DEMAND

CERTIFICATE” from the GETCO under the said order. The Safety cum Indemnity Bond shall be valid for a CONTRACT PERIOD and renewable thereof (Claim Period).

i. This Safety cum Indemnity Bond and the guidelines as per Annexure-A herein contained are in addition to and not by way of limitation or substitution for any other guarantee, indemnities Hereto before given to the GETCO by the CONTRACTOR and this indemnity does not Revoke or limit such indemnities or guarantees. IN WITNESS WHEREOF the Parties hereto have executed this indenture the day the year First hereinabove written.

-----  
(Signature with seal of The CONTRACTOR)

In the presence of:

- 1.
- 2.

**FORM OF BANKER'S UNDERTAKING**  
**[For Performance Guarantee (PBG) towards Guarantee/ Warranty Period**  
**as per commercial terms and conditions of tender]**

We, \_\_\_\_\_ (name of Bank), a company incorporated under the Companies Act, 1956 and licensed as a bank under the Banking Regulation Act, 1949 and having registered address at \_\_\_\_\_ (Reg. office of Bank) and one of its branch address at \_\_\_\_\_ (Name of the Bank and Address of the Branch giving the Bank Guarantee) hereby give this Bank Guarantee No. \_\_\_\_\_ dated \_\_\_\_\_ and hereby agree Unequivocally and Unconditionally to pay immediately on demand in writing from the Beneficiary Company GUJARAT ENERGY TRANSMISSION CORPORATION LIMITED, MEHSANA (subsidiary Company of Gujarat Urja Vikas Nigam Ltd.) or any officer authorized by it in this behalf any amount up to not exceeding Rs. \_\_\_\_\_/- (Amount of Performance Guarantee towards Guarantee/ Warranty period) (Rs. \_\_\_\_\_ (in words) to the said GUJARAT ENERGY TRANSMISSION CORPORATION LIMITED (GUVNU subsidiary Company) on behalf of \_\_\_\_\_ (Name of agency with detail address) who have entered into a contract for the supply/works specified below:

Name of Work- \_\_\_\_\_

PO/WO No.- \_\_\_\_\_ dated \_\_\_\_\_

This agreement shall be valid and binding on this Bank up to and inclusive of \_\_\_\_\_ (Date of validity of the Bank Guarantee) and shall not be terminable by notice or by change in the constitution of the Bank other firm of Contractors/ Suppliers or by any other reasons whatsoever and our liability hereunder shall not be impaired discharged by any extension of time or variations or alterations made, given conceded or agreed, with or without our knowledge or consent, by or between parties to the said within written contract.

Notwithstanding anything contrary contained in any law for the time being in force or banking practice, this Guarantee shall not be assignable, transferable by the Beneficiary GUJARAT ENERGY TRANSMISSION CORPORATION LIMITED, MEHSANA (i.e. GUVNL or Subsidiaries), Notice or invocation by any person such as assignee, transferee or agent of beneficiary shall not be entertained by the Bank. Any invocation of the Guarantee can be made only by the beneficiary directly.

NOTWITHSTANDING anything contained herein before, our liability under this guarantee is restricted to exceeding Rs. \_\_\_\_\_/- (Rs. \_\_\_\_\_ in words). Our guarantee shall remain in force until \_\_\_\_\_ (Date of validity of the Bank Guarantee). Unless demands or claims under this Bank Guarantee are made to us in writing on or before \_\_\_\_\_ (Date of validity of the Bank Guarantee), all rights of Beneficiary under this Bank Guarantee shall be forfeited and we shall be released and discharged from all liabilities there under.

Place:  
Date:

Authorized Signatory

# **PRICE-BID**

## **SCHEDLUE – B (PRICE BID)**

**NAME OF WORK:** Bi-Annual Rate Contract for providing & fixing of 11 KV XLPE cable termination kit at Various s/s under Mehsana Circle.

| Sr. | Description of work                                                                                                                                                                                                              | QTY (Nos) | Rate | Amount Rs.        |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------|-------------------|
|     | Providing & Fixing of Raychem/ M-Seal/ Cabseal or Equivalent GETCO approved Heat shrinkable cable Termination/Straight Joint kits with adequate capacity Aluminium lugs suitable for 11 KV, 3 core XLPE power cable on ARC basis |           |      |                   |
| 1   | Indoor/Outdoor termination suitable for 95 to 300 mm <sup>2</sup> .                                                                                                                                                              | 400       | 2700 | 1080000.00        |
| 2   | Straight Joint suitable for 95 to 300 mm <sup>2</sup>                                                                                                                                                                            | 30        | 5950 | 178500.00         |
|     | <b>TOTAL</b>                                                                                                                                                                                                                     |           |      | <b>1258500.00</b> |
|     | GST @18% (Rs.)                                                                                                                                                                                                                   |           |      | <b>226530.00</b>  |
|     | <b>Total (Rs.)</b>                                                                                                                                                                                                               |           |      | <b>1485030.00</b> |
|     | <b>(Rs. Fourteen Lacs Eighty-Five Thousand Thirty only)</b>                                                                                                                                                                      |           |      |                   |

I/We/am/are willing to carry out work at \_\_\_\_\_ % Above / Below (In words \_\_\_\_\_ % Above / Below) the Estimated rates mentioned above in Schedule- B. The Total Amount of Tender work out is Rs. \_\_\_\_\_ ( Amount in words Rupees\_\_\_\_\_ )

**Signature of Contractor  
With stamp**

### **NOTE:**

Rate of GST applicable on total Estimated value will be reimbursed on the basis of proof of payment. For claiming refund of GST agency has to submit invoice in the format as prescribed by Act.